

	A	B	C	D	E	F	G	H	I	J	K
1	Installation or Command Name	Building Number	Building Name	Room	Location within Rm	Detector ID	Detector Type	Manufacturer	Date Placed	Date Retrieved	pCi/L
2	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	CYP director	BTD	576414-7	ATD	Radonova	08/30/2022	09/25/2023	0.3
3	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	CYP director	BTD	166712-0	ATD	Radonova	08/30/2022	09/25/2023	0.4
4	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	Leads office	BTD	823598-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
5	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	Leads office	BTD	492150-8	ATD	Radonova	08/30/2022	09/25/2023	0.3
6	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	Main lobby	Behind front desk	615442-1	ATD	Radonova	08/30/2022	09/25/2023	0.3
7	NSB Kings Bay	147	CHILD DEVELOPMENT CTR ADMIN	Main lobby	Behind front desk	808675-3	ATD	Radonova	08/30/2022	09/25/2023	0.3
8	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler 3 rm 117	Near bathroom on glass window wall	597328-4	ATD	Radonova	08/30/2022	09/25/2023	0.6
9	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler 3 rm 117	Near bathroom on glass window wall	293080-8	ATD	Radonova	08/30/2022	09/25/2023	0.7
10	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler rm 113	Left wall by lockers	488012-6	ATD	Radonova	08/30/2022	09/25/2023	0.5
11	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler rm 113	Left wall by lockers	592355-2	ATD	Radonova	08/30/2022	09/25/2023	0.6
12	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler rm 2	Behind baby changing station	648034-7	ATD	Radonova	08/30/2022	09/25/2023	0.6
13	NSB Kings Bay	148	CHILD DEV CLASSROOM #1	Toddler rm 2	Behind baby changing station	808587-0	ATD	Radonova	08/30/2022	09/25/2023	0.6
14	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	121 pre-k 6	Near bathroom on glass window wall	477722-3	ATD	Radonova	08/30/2022	09/25/2023	0.5
15	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	121 pre-k 6	Near bathroom on glass window wall	962704-3	ATD	Radonova	08/30/2022	09/25/2023	0.5
16	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	123 pre-k 5	Near bathroom on glass window wall	492564-0	ATD	Radonova	08/30/2022	09/25/2023	0.8
17	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	123 pre-k 5	Near bathroom on glass window wall	998600-1	ATD	Radonova	08/30/2022	09/25/2023	0.9
18	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	125 Toddler 4	Near bathroom on glass window wall	654223-7	ATD	Radonova	08/30/2022	09/25/2023	0.5
19	NSB Kings Bay	149	CHILD DEV CLASSROOM #2	125 Toddler 4	Near bathroom on glass window wall	820299-6	ATD	Radonova	08/30/2022	09/25/2023	0.5
20	NSB Kings Bay	150	CHILD CARE CENTER I	103	Left from door	565191-4	ATD	Radonova	08/30/2022	09/25/2023	0.3
21	NSB Kings Bay	150	CHILD CARE CENTER I	103	Left from door	207768-3	ATD	Radonova	08/30/2022	09/25/2023	0.2
22	NSB Kings Bay	150	CHILD CARE CENTER I	104 nursing room	BTD	163788-3	ATD	Radonova	08/30/2022	09/25/2023	0.2
23	NSB Kings Bay	150	CHILD CARE CENTER I	104 nursing room	BTD	750212-3	ATD	Radonova	08/30/2022	09/25/2023	0.2
24	NSB Kings Bay	150	CHILD CARE CENTER I	105 T&C specialist	Right wall	394554-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
25	NSB Kings Bay	150	CHILD CARE CENTER I	105 T&C specialist	Right wall	569718-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
26	NSB Kings Bay	150	CHILD CARE CENTER I	113 Training room	BTD	348473-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
27	NSB Kings Bay	150	CHILD CARE CENTER I	113 Training room	BTD	486735-4	ATD	Radonova	08/30/2022	09/25/2023	0.2
28	NSB Kings Bay	150	CHILD CARE CENTER I	117 classroom	Left from door by sink	503978-9	ATD	Radonova	08/30/2022	09/25/2023	0.2
29	NSB Kings Bay	150	CHILD CARE CENTER I	117 classroom	Left from door by sink	950243-6	ATD	Radonova	08/30/2022	09/25/2023	0.2
30	NSB Kings Bay	150	CHILD CARE CENTER I	128 classroom	BTD	941319-6	ATD	Radonova	08/30/2022	09/25/2023	0.2
31	NSB Kings Bay	150	CHILD CARE CENTER I	128 classroom	BTD	407073-6	ATD	Radonova	08/30/2022	09/25/2023	0.2
32	NSB Kings Bay	150	CHILD CARE CENTER I	144 classroom	Left from door	139098-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
33	NSB Kings Bay	150	CHILD CARE CENTER I	144 classroom	Left from door	497973-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
34	NSB Kings Bay	152	CHILD CARE CENTER II	149 classroom	Left from door	922857-8	ATD	Radonova	08/30/2022	09/25/2023	0.3
35	NSB Kings Bay	152	CHILD CARE CENTER II	149 classroom	Left from door	101701-1	ATD	Radonova	08/30/2022	09/25/2023	0.4
36	NSB Kings Bay	152	CHILD CARE CENTER II	157 Infant class	Right from door	262867-5	ATD	Radonova	08/30/2022	09/25/2023	0.3
37	NSB Kings Bay	152	CHILD CARE CENTER II	157 Infant class	Right from door	666386-8	ATD	Radonova	08/30/2022	09/25/2023	0.3
38	NSB Kings Bay	152	CHILD CARE CENTER II	164 classroom	Right from door	644703-1	ATD	Radonova	08/30/2022	09/25/2023	0.3
39	NSB Kings Bay	152	CHILD CARE CENTER II	164 classroom	Right from door	660336-9	ATD	Radonova	08/30/2022	09/25/2023	0.3
40	NSB Kings Bay	152	CHILD CARE CENTER II	Across 157	Right from door	943341-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
41	NSB Kings Bay	152	CHILD CARE CENTER II	Across 157	Right from door	641213-4	ATD	Radonova	08/30/2022	09/25/2023	0.3
42	NSB Kings Bay	152	CHILD CARE CENTER II	Assistant CYP officer	Left from door	948191-2	ATD	Radonova	08/30/2022	09/25/2023	0.2
43	NSB Kings Bay	152	CHILD CARE CENTER II	Assistant CYP officer	Left from door	760905-0	ATD	Radonova	08/30/2022	09/25/2023	0.3
44	NSB Kings Bay	152	CHILD CARE CENTER II	Class next to 149 class	Left from door	457499-2	ATD	Radonova	08/30/2022	09/25/2023	0.3
45	NSB Kings Bay	152	CHILD CARE CENTER II	Class next to 149 class	Left from door	592540-9	ATD	Radonova	08/30/2022	09/25/2023	0.5
46	NSB Kings Bay	152	CHILD CARE CENTER II	Cooks office / nursing room	Left from door	493863-5	ATD	Radonova	08/30/2022	09/25/2023	0.2
47	NSB Kings Bay	152	CHILD CARE CENTER II	Cooks office / nursing room	Left from door	481609-6	ATD	Radonova	08/30/2022	09/25/2023	0.2
48	NSB Kings Bay	152	CHILD CARE CENTER II	Directors office	Right from door	491755-5	ATD	Radonova	08/30/2022	09/25/2023	0.2
49	NSB Kings Bay	152	CHILD CARE CENTER II	Directors office	Right from door	934833-5	ATD	Radonova	08/30/2022	09/25/2023	0.2
50	NSB Kings Bay	152	CHILD CARE CENTER II	Front desk	Behind front desk	300832-3	ATD	Radonova	08/30/2022	09/25/2023	0.2
51	NSB Kings Bay	152	CHILD CARE CENTER II	Front desk	Behind front desk	501847-8	ATD	Radonova	08/30/2022	09/25/2023	0.3
52	NSB Kings Bay	152	CHILD CARE CENTER II	Infant class	Left from door	979342-3	ATD	Radonova	08/30/2022	09/25/2023	0.3
53	NSB Kings Bay	152	CHILD CARE CENTER II	Infant class	Left from door	825779-2	ATD	Radonova	08/30/2022	09/25/2023	0.4
54	NSB Kings Bay	152	CHILD CARE CENTER II	Infant class next to 164	Right from door	262121-7	ATD	Radonova	08/30/2022	09/25/2023	0.3
55	NSB Kings Bay	152	CHILD CARE CENTER II	Infant class next to 164	Right from door	374069-3	ATD	Radonova	08/30/2022	09/25/2023	0.4
56	NSB Kings Bay	152	CHILD CARE CENTER II	Leads office	Left from door above light switch	798714-2	ATD	Radonova	08/30/2022	09/25/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
57	NSB Kings Bay	152	CHILD CARE CENTER II	Leads office	Left from door above light switch	572402-6	ATD	Radonova	08/30/2022	09/25/2023	0.2
58	NSB Kings Bay	155	CHILDCARE DROP-IN FACILITY	107	Around corner from door	515493-5	ATD	Radonova	08/30/2022	09/25/2023	0.4
59	NSB Kings Bay	155	CHILDCARE DROP-IN FACILITY	107	Around corner from door	729857-3	ATD	Radonova	08/30/2022	09/25/2023	0.4
60	NSB Kings Bay	155	CHILDCARE DROP-IN FACILITY	108	Left from door	622571-8	ATD	Radonova	08/30/2022	09/25/2023	0.4
61	NSB Kings Bay	155	CHILDCARE DROP-IN FACILITY	108	Left from door	991256-9	ATD	Radonova	08/30/2022	09/25/2023	0.4
62	NSB Kings Bay	158	NAVY LODGE	101-104 hallway	Between rms 103 & employees only door	269095-6	ATD	Radonova	08/08/2022	08/18/2023	0.8
63	NSB Kings Bay	158	NAVY LODGE	101-104 hallway	Between rms 103 & employees only door	410644-9	ATD	Radonova	08/08/2022	08/18/2023	0.8
64	NSB Kings Bay	158	NAVY LODGE	105-112 hallway	Between rms 108 & 110	534069-0	ATD	Radonova	08/08/2022	08/18/2023	0.9
65	NSB Kings Bay	158	NAVY LODGE	105-112 hallway	Between rms 108 & 110	161420-5	ATD	Radonova	08/08/2022	08/18/2023	1.0
66	NSB Kings Bay	158	NAVY LODGE	door into rooms	BTD	599911-5	ATD	Radonova	08/08/2022	08/18/2023	0.6
67	NSB Kings Bay	158	NAVY LODGE	door into rooms	BTD	442662-3	ATD	Radonova	08/08/2022	08/18/2023	0.7
68	NSB Kings Bay	158	NAVY LODGE	Housekeeping	Left from door	442252-3	ATD	Radonova	08/08/2022	08/18/2023	1.1
69	NSB Kings Bay	158	NAVY LODGE	Housekeeping	Left from door	506477-9	ATD	Radonova	08/08/2022	08/18/2023	1.3
70	NSB Kings Bay	158	NAVY LODGE	Main area Counter	Behind desk right	163794-1	ATD	Radonova	08/08/2022	08/18/2023	0.5
71	NSB Kings Bay	158	NAVY LODGE	Main area Counter	Behind desk right	269917-1	ATD	Radonova	08/08/2022	08/18/2023	0.6
72	NSB Kings Bay	158	NAVY LODGE	Main Common area	behind wall	382936-3	ATD	Radonova	08/08/2022	08/18/2023	0.5
73	NSB Kings Bay	158	NAVY LODGE	Main Common area	behind wall	443323-1	ATD	Radonova	08/08/2022	08/18/2023	0.6
74	NSB Kings Bay	158	NAVY LODGE	Room without door behind front desk	Above right box	669465-7	ATD	Radonova	08/08/2022	08/18/2023	0.7
75	NSB Kings Bay	158	NAVY LODGE	Room without door behind front desk	Above right box	580090-9	ATD	Radonova	08/08/2022	08/18/2023	0.9
76	NSB Kings Bay	163	GOLF CLUBHOUSE	Next to janitor door		260956-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
77	NSB Kings Bay	163	GOLF CLUBHOUSE	Next to janitor door		690934-5	ATD	Radonova	08/30/2022	09/25/2023	0.2
78	NSB Kings Bay	163	GOLF CLUBHOUSE	Pro shop	By AED and left from door	744747-7	ATD	Radonova	08/30/2022	09/25/2023	0.3
79	NSB Kings Bay	163	GOLF CLUBHOUSE	Pro shop	By AED and left from door	115456-6	ATD	Radonova	08/30/2022	09/25/2023	0.4
80	NSB Kings Bay	163	GOLF CLUBHOUSE	Pro shop office	BTD	301065-9	ATD	Radonova	08/30/2022	09/26/2023	0.2
81	NSB Kings Bay	163	GOLF CLUBHOUSE	Pro shop office	BTD	837477-9	ATD	Radonova	08/30/2022	09/26/2023	0.2
82	NSB Kings Bay	164	GOLF CLUB ANNEX	Office on left side	Right from door	312547-3	ATD	Radonova	08/30/2022	09/25/2023	0.8
83	NSB Kings Bay	164	GOLF CLUB ANNEX	Office on left side	Right from door	426250-7	ATD	Radonova	08/30/2022	09/25/2023	0.9
84	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	106	BTD	584853-6	ATD	Radonova	08/30/2022	09/25/2023	0.4
85	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	106	BTD	690579-8	ATD	Radonova	08/30/2022	09/25/2023	0.4
86	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	116	Right wall	464135-3	ATD	Radonova	08/30/2022	09/25/2023	0.5
87	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	116	Right wall	964387-5	ATD	Radonova	08/30/2022	09/25/2023	0.5
88	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	117	BTD	278296-9	ATD	Radonova	08/30/2022	09/25/2023	0.5
89	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	117	BTD	170070-7	ATD	Radonova	08/30/2022	09/25/2023	1.4
90	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	118	Left wall	671595-7	ATD	Radonova	08/30/2022	09/25/2023	0.4
91	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	118	Left wall	430167-7	ATD	Radonova	08/30/2022	09/25/2023	0.5
92	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	129	Left wall	350763-9	ATD	Radonova	08/30/2022	09/25/2023	0.4
93	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	129	Left wall	433848-9	ATD	Radonova	08/30/2022	09/25/2023	0.4
94	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	130	Right wall above switch	195107-8	ATD	Radonova	08/30/2022	09/25/2023	0.4
95	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	130	Right wall above switch	214184-4	ATD	Radonova	08/30/2022	09/25/2023	0.5
96	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	132	BTD	213833-7	ATD	Radonova	08/30/2022	09/25/2023	0.4
97	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	132	BTD	942350-0	ATD	Radonova	08/30/2022	09/25/2023	0.4
98	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	Behind front desk	Behind hidden wall near printers	773008-8	ATD	Radonova	08/30/2022	09/25/2023	0.4
99	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	Behind front desk	Behind hidden wall near printers	912092-4	ATD	Radonova	08/30/2022	09/25/2023	0.4
100	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	Kitchen office	Inside cubicle on cubicle wall	925443-4	ATD	Radonova	08/30/2022	09/25/2023	0.4
101	NSB Kings Bay	166	BOY'S & GIRL'S CLUB	Kitchen office	Inside cubicle on cubicle wall	808370-1	ATD	Radonova	08/30/2022	09/25/2023	0.5
102	NSB Kings Bay	174	GOLF COURSE MAINTENANCE	Back office	Right from door	506064-5	ATD	Radonova	08/30/2022	09/25/2023	0.4
103	NSB Kings Bay	174	GOLF COURSE MAINTENANCE	Back office	Right from door	698708-5	ATD	Radonova	08/30/2022	09/25/2023	0.4
104	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	105	Left from door	240103-2	ATD	Radonova	08/30/2022	09/25/2023	0.2
105	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	105	Left from door	979903-2	ATD	Radonova	08/30/2022	09/25/2023	0.3
106	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	106	BTD	175203-9	ATD	Radonova	08/30/2022	09/25/2023	0.2
107	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	106	BTD	494006-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
108	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	112	BTD	197639-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
109	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	112	BTD	622711-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
110	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	113	BTD	260276-1	ATD	Radonova	08/30/2022	09/25/2023	0.3
111	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	113	BTD	384945-2	ATD	Radonova	08/30/2022	09/25/2023	0.2
112	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	119	BTD	168892-8	ATD	Radonova	08/30/2022	09/25/2023	0.2
113	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	119	BTD	989184-7	ATD	Radonova	08/30/2022	09/25/2023	0.2
114	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	120	BTD	168047-9	ATD	Radonova	08/30/2022	09/25/2023	0.2
115	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	120	BTD	947134-3	ATD	Radonova	08/30/2022	09/25/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
116	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	122	BTD	314703-0	ATD	Radonova	08/30/2022	09/25/2023	0.3
117	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	122	BTD	498833-3	ATD	Radonova	08/30/2022	09/25/2023	0.4
118	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	128	BTD	291042-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
119	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	128	BTD	350258-0	ATD	Radonova	08/30/2022	09/25/2023	0.2
120	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	Main lobby	Behind desk	694569-5	ATD	Radonova	08/30/2022	09/25/2023	0.2
121	NSB Kings Bay	180	WELCOME CTR/SELF HELP WAREHS	Main lobby	Behind desk	766256-2	ATD	Radonova	08/30/2022	09/25/2023	0.4
122	NSB Kings Bay	1002	SECURITY BLDG, PASS & ID	Right to 112	Behind desk	333587-4	ATD	Radonova	08/12/2022	08/17/2023	0.6
123	NSB Kings Bay	1002	SECURITY BLDG, PASS & ID	Right to 112	Behind desk	412459-0	ATD	Radonova	08/12/2022	08/17/2023	0.6
124	NSB Kings Bay	1002	SECURITY BLDG, PASS & ID	Down hallway	Next to electrical panel	250774-7	ATD	Radonova	08/12/2022	08/17/2023	0.4
125	NSB Kings Bay	1002	SECURITY BLDG, PASS & ID	Down hallway	Next to electrical panel	916593-7	ATD	Radonova	08/12/2022	08/17/2023	0.4
126	NSB Kings Bay	1003	VET TREATMENT FAC	Left office	BTD	555604-8	ATD	Radonova	08/12/2022	08/18/2023	0.6
127	NSB Kings Bay	1003	VET TREATMENT FAC	Left office	BTD	647303-7	ATD	Radonova	08/12/2022	08/18/2023	0.6
128	NSB Kings Bay	1003	VET TREATMENT FAC	Left office	Left door	154531-8	ATD	Radonova	08/12/2022	08/18/2023	0.6
129	NSB Kings Bay	1003	VET TREATMENT FAC	Left office	Left door	422935-7	ATD	Radonova	08/12/2022	08/18/2023	0.6
130	NSB Kings Bay	1003	VET TREATMENT FAC	Right office	Right wall	569502-8	ATD	Radonova	08/12/2022	08/18/2023	0.6
131	NSB Kings Bay	1003	VET TREATMENT FAC	Right office	Right wall	419743-0	ATD	Radonova	08/12/2022	08/18/2023	0.7
132	NSB Kings Bay	1003	VET TREATMENT FAC	Right office	BTD	642247-1	ATD	Radonova	08/12/2022	08/18/2023	0.6
133	NSB Kings Bay	1003	VET TREATMENT FAC	Right office	BTD	957474-0	ATD	Radonova	08/12/2022	08/18/2023	0.6
134	NSB Kings Bay	1003	VET TREATMENT FAC	Veterinarian reception desk	Next to hall by left entrance	768541-5	ATD	Radonova	08/12/2022	08/18/2023	0.6
135	NSB Kings Bay	1003	VET TREATMENT FAC	Veterinarian reception desk	Next to hall by left entrance	502791-7	ATD	Radonova	08/12/2022	08/18/2023	0.7
136	NSB Kings Bay	1004	ESS SUSTAINMENT BLDG	101	By other door towards hallway	503294-1	ATD	Radonova	08/12/2022	08/17/2023	0.4
137	NSB Kings Bay	1004	ESS SUSTAINMENT BLDG	101	By other door towards hallway	646385-5	ATD	Radonova	08/12/2022	08/17/2023	0.4
138	NSB Kings Bay	1004	ESS SUSTAINMENT BLDG	Back of building	By fire extinguisher	669534-0	ATD	Radonova	08/12/2022	08/18/2023	0.4
139	NSB Kings Bay	1004	ESS SUSTAINMENT BLDG	Back of building	By fire extinguisher	467207-7	ATD	Radonova	08/12/2022	08/18/2023	0.5
140	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Behind Counter	Near Clock	199714-7	ATD	Radonova	08/08/2022	08/14/2023	0.6
141	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Behind Counter	Near Clock	368069-1	ATD	Radonova	08/08/2022		
142	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Break room	BTD	459005-5	ATD	Radonova	08/08/2022	08/14/2023	0.8
143	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Break room	BTD	641092-2	ATD	Radonova	08/08/2022	08/14/2023	0.8
144	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Office	Right of door	343405-7	ATD	Radonova	08/08/2022	08/14/2023	0.8
145	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Office	Right of door	730987-5	ATD	Radonova	08/08/2022	08/14/2023	0.8
146	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Right side from front entrance	Right side before hallway	244334-9	ATD	Radonova	08/08/2022	08/14/2023	0.6
147	NSB Kings Bay	1006	POST/PHOTOGRAPHIC OFFICE	Right side from front entrance	Right side before hallway	237618-4	ATD	Radonova	08/08/2022	08/14/2023	0.9
148	NSB Kings Bay	1007	CPO CLUB	Bay	Right from bathroom door	573215-1	ATD	Radonova	08/11/2022	08/18/2023	0.4
149	NSB Kings Bay	1007	CPO CLUB	Bay	Right from bathroom door	739131-1	ATD	Radonova	08/11/2022	08/18/2023	0.4
150	NSB Kings Bay	1007	CPO CLUB	Double doors office	Left from door	666194-6	ATD	Radonova	08/11/2022	08/18/2023	0.6
151	NSB Kings Bay	1007	CPO CLUB	Double doors office	Left from door	214660-3	ATD	Radonova	08/11/2022	08/18/2023	0.8
152	NSB Kings Bay	1011	NCIS	Break room	Right wall	728764-2	ATD	Radonova	09/01/2022	09/25/2023	0.8
153	NSB Kings Bay	1011	NCIS	Break room	Right wall	777979-6	ATD	Radonova	09/01/2022	09/25/2023	0.8
154	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Last bay from front entrance	Right wall	135377-0	ATD	Radonova	09/01/2022	09/27/2023	0.2
155	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Last bay from front entrance	Right wall	687336-8	ATD	Radonova	09/01/2022	09/27/2023	0.2
156	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Middle room	On wall with "step up" sign	637461-5	ATD	Radonova	09/01/2022	09/27/2023	0.2
157	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Middle room	On wall with "step up" sign	481685-6	ATD	Radonova	09/01/2022	09/27/2023	0.4
158	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Main Entrance	Walk through door opposite wall	718305-6	ATD	Radonova	09/01/2022	09/27/2023	0.3
159	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Main Entrance	Walk through door opposite wall	810815-1	ATD	Radonova	09/01/2022	09/27/2023	0.2
160	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Room with exterior door		204314-9	ATD	Radonova	09/01/2022	09/27/2023	0.2
161	NSB Kings Bay	1016	LAND MAINT COMM/MWR	Room with exterior door		132740-2	ATD	Radonova	09/01/2022	09/27/2023	0.4
162	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Back left office	BTD	185486-8	ATD	Radonova	08/11/2022	08/17/2023	0.3
163	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Back left office	BTD	441585-7	ATD	Radonova	08/11/2022	08/17/2023	0.4
164	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Main office	Behind front desk	224213-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
165	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Main office	Behind front desk	570165-1	ATD	Radonova	08/11/2022	08/17/2023	0.3
166	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Office in storage room	BTD	229450-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
167	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Office in storage room	BTD	992963-9	ATD	Radonova	08/11/2022	08/17/2023	0.3
168	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Warehouse	By desks next to AC unit and bulletin board	645754-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
169	NSB Kings Bay	1023	OUTDOOR ADVENTURE CENTER	Warehouse	By desks next to AC unit and bulletin board	519169-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
170	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	112 [Break Rm]	Next to kitchen cabinet	376188-9	ATD	Radonova	08/08/2022	08/14/2023	0.2
171	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	112 [Break Rm]	Next to kitchen cabinet	976351-7	ATD	Radonova	08/08/2022	08/14/2023	0.2
172	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	113 office [back of building]	BTD	623907-3	ATD	Radonova	08/08/2022	08/14/2023	0.3
173	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	113 office [back of building]	BTD	116601-6	ATD	Radonova	08/08/2022	08/14/2023	0.4
174	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station Market	by restrooms back	167979-4	ATD	Radonova	08/08/2022	08/14/2023	0.3
175	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station Market	by restrooms back	170794-2	ATD	Radonova	08/08/2022	08/14/2023	0.3
176	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station Market, left storage area	Above light switch	400389-3	ATD	Radonova	08/08/2022	08/14/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
177	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station Market, left storage area	Above light switch	804745-8	ATD	Radonova	08/08/2022	08/14/2023	0.2
178	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station office [102 Mech Rm]	BTD	743264-4	ATD	Radonova	08/08/2022	08/14/2023	0.3
179	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Gas station office [102 Mech Rm]	BTD	818192-7	ATD	Radonova	08/08/2022	08/14/2023	0.3
180	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Main store aisle	Front column across from checkout	299334-3	ATD	Radonova	08/08/2022	08/14/2023	0.2
181	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	Main store aisle	Front column across from checkout	549940-5	ATD	Radonova	08/08/2022	08/14/2023	0.3
182	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	open main area	by back door room column	809293-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
183	NSB Kings Bay	1024	NEX SERVICE STA/MINI-MART	open main area	by back door room column	352469-1	ATD	Radonova	08/08/2022	08/14/2023	0.3
184	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A003	Behind A003a door	159120-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
185	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A003	Behind A003a door	697736-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
186	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A016	BTD	363690-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
187	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A016	BTD	643856-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
188	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Left glass office	226977-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
189	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Left glass office	508720-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
190	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Right glass office	246041-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
191	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Right glass office	772912-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
192	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Wall to left of door	163800-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
193	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A022	Wall to left of door	373136-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
194	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A042	BTD	596579-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
195	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A042	BTD	954421-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
196	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A043	BTD	416656-7	ATD	Radonova	09/01/2022	09/26/2023	0.3
197	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A043	BTD	463841-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
198	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A044	BTD	651978-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
199	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A044	BTD	694144-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
200	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A056	BTD	158749-2	ATD	Radonova	09/01/2022	09/26/2023	0.4
201	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A056	BTD	565894-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
202	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A058	BTD	234584-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
203	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A058	BTD	905945-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
204	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A061	BTD	768390-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
205	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A061	BTD	837306-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
206	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A063	BTD	333388-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
207	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A063	BTD	630716-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
208	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A064	BTD	612355-8	ATD	Radonova	09/01/2022	09/26/2023	0.3
209	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A064	BTD	740696-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
210	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A066	BTD	155618-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
211	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A066	BTD	998060-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
212	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A072	BTD	306055-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
213	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A072	BTD	573051-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
214	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A073	BTD	70879-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
215	NSB Kings Bay	1028	PRIMARY CARE CLINIC	A073	BTD	293609-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
216	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002b	BTD	701301-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
217	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002b	BTD	636758-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
218	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002c	BTD	670560-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
219	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002c	BTD	699283-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
220	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002d	BTD	295233-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
221	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B002d	BTD	273608-0	ATD	Radonova	09/01/2022	09/26/2023	0.3
222	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B005	By other door	688560-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
223	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B005	By other door	498036-3	ATD	Radonova	09/01/2022	09/26/2023	0.4
224	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B011	BTD	142292-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
225	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B011	BTD	509687-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
226	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B012	BTD	349564-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
227	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B012	BTD	929023-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
228	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B013	BTD	686654-5	ATD	Radonova	09/01/2022	09/26/2023	0.3
229	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B013	BTD	932167-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
230	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B017	BTD	754261-6	ATD	Radonova	09/01/2022	09/26/2023	0.3
231	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B017	BTD	405963-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
232	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B018	BTD	918572-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
233	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B018	BTD	684367-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
234	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B033	BTD	283501-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
235	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B033	BTD	915048-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
236	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B034	BTD	463667-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
237	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B034	BTD	695770-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
238	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B035	BTD	264767-5	ATD	Radonova	09/01/2022	09/26/2023	0.3
239	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B035	BTD	182221-2	ATD	Radonova	09/01/2022	09/26/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
240	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B044	BTD	292053-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
241	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B044	BTD	955219-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
242	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	540090-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
243	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	254301-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
244	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	270328-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
245	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	309139-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
246	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	380478-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
247	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	423466-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
248	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	522157-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
249	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	604452-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
250	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	792367-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
251	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Glass office	944041-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
252	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Walls with cubicles	316564-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
253	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B049.1	Walls with cubicles	515827-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
254	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B062	BTD	163538-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
255	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B062	BTD	215497-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
256	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B073	Corner of desk by window	213183-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
257	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B073	Corner of desk by window	622482-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
258	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	345073-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
259	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	151346-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
260	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	474168-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
261	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	543028-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
262	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	569124-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
263	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	604366-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
264	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	612278-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
265	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Glass office	998354-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
266	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Wall with cubicles	202552-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
267	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B075	Wall with cubicles	748957-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
268	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B077	BTD	596800-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
269	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B077	BTD	760399-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
270	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B078	BTD	369160-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
271	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B078	BTD	479110-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
272	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B093	BTD	316328-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
273	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B093	BTD	966637-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
274	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B094	BTD	211272-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
275	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B094	BTD	694368-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
276	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B097	BTD	824236-4	ATD	Radonova	09/01/2022	09/26/2023	0.3
277	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B097	BTD	473035-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
278	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B098	BTD	219243-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
279	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B098	BTD	249526-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
280	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B099	BTD	325083-4	ATD	Radonova	09/01/2022	09/26/2023	0.5
281	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B099	BTD	578700-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
282	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B101	BTD	489417-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
283	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B101	BTD	750386-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
284	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B102	BTD	297553-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
285	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B102	BTD	802428-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
286	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B106	BTD	542379-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
287	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B106	BTD	780812-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
288	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B107	BTD	159091-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
289	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B107	BTD	650373-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
290	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B114	BTD	825957-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
291	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B114	BTD	610194-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
292	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B117	Right from door	563561-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
293	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B117	Right from door	924274-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
294	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B121	BTD	212988-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
295	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B121	BTD	438204-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
296	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B123 front desk	Outside of door in B123	545534-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
297	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B123 front desk	Outside of door in B123	768367-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
298	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B127	On hidden wall next to windows	606494-3	ATD	Radonova	09/01/2022	09/26/2023	0.3
299	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B127	On hidden wall next to windows	209077-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
300	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B127a	Back wall	241745-9	ATD	Radonova	09/01/2022	09/26/2023	0.3
301	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B127a	Back wall	215411-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
302	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B128	BTD	157122-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
303	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B128	BTD	362517-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
304	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B133	BTB on column	149785-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
305	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B133	BTB on column	612617-1	ATD	Radonova	09/01/2022	09/26/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
306	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B135	BTD	670823-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
307	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B135	BTD	153274-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
308	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B142 Physical Therapy area	Behind desk	494679-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
309	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B142 Physical Therapy area	Behind desk	934381-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
310	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B142c	BTD	267848-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
311	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B142c	BTD	105468-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
312	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B147	BTD	774264-6	ATD	Radonova	09/01/2022	09/26/2023	0.3
313	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B147	BTD	607525-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
314	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B153	BTD	621408-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
315	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B153	BTD	992267-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
316	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B154	BTD	469287-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
317	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B154	BTD	659304-0	ATD	Radonova	09/01/2022	09/26/2023	0.2
318	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B155b	Left from door	480832-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
319	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B155b	Left from door	912397-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
320	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B162	BTD	197974-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
321	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B162	BTD	949226-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
322	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B172	Behind window and front desks	589808-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
323	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B172	Behind window and front desks	914711-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
324	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B172b	Office on right of room: BTD	341832-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
325	NSB Kings Bay	1028	PRIMARY CARE CLINIC	B172b	Office on right of room: BTD	673045-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
326	NSB Kings Bay	1028	PRIMARY CARE CLINIC	Fever room	Left wall on column	241103-1	ATD	Radonova	09/01/2022	09/26/2023	0.5
327	NSB Kings Bay	1028	PRIMARY CARE CLINIC	Fever room	Left wall on column	536315-5	ATD	Radonova	09/01/2022	09/26/2023	0.5
328	NSB Kings Bay	1028	PRIMARY CARE CLINIC	Front desk	On desk	630816-7	ATD	Radonova	09/01/2022	09/26/2023	0.2
329	NSB Kings Bay	1028	PRIMARY CARE CLINIC	Front desk	On desk	826785-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
330	NSB Kings Bay	1028	PRIMARY CARE CLINIC	General admin	BTD in front desk office	679833-4	ATD	Radonova	09/01/2022	09/26/2023	0.2
331	NSB Kings Bay	1028	PRIMARY CARE CLINIC	General admin	BTD in front desk office	921383-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
332	NSB Kings Bay	1029	EXCHANGE COMPLEX	Back of Subway	Left wall from down the hallway	489688-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
333	NSB Kings Bay	1029	EXCHANGE COMPLEX	Back of Subway	Left wall from down the hallway	823689-5	ATD	Radonova	08/12/2022	08/15/2023	0.6
334	NSB Kings Bay	1029	EXCHANGE COMPLEX	Barber shop	Behind cash register	376302-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
335	NSB Kings Bay	1029	EXCHANGE COMPLEX	Barber shop	Behind cash register	652905-1	ATD	Radonova	08/12/2022	08/15/2023	0.6
336	NSB Kings Bay	1029	EXCHANGE COMPLEX	Behind customer service desk	Next to fire extinguisher	350384-4	ATD	Radonova	08/12/2022	08/15/2023	0.5
337	NSB Kings Bay	1029	EXCHANGE COMPLEX	Behind customer service desk	Next to fire extinguisher	134450-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
338	NSB Kings Bay	1029	EXCHANGE COMPLEX	Behind Subway cashier	Little room by walk-in cooler	695521-5	ATD	Radonova	08/12/2022	08/15/2023	0.7
339	NSB Kings Bay	1029	EXCHANGE COMPLEX	Behind Subway cashier	Little room by walk-in cooler	752273-3	ATD	Radonova	08/12/2022	08/15/2023	0.8
340	NSB Kings Bay	1029	EXCHANGE COMPLEX	Cash office	BTD	179482-5	ATD	Radonova	08/12/2022	08/15/2023	0.6
341	NSB Kings Bay	1029	EXCHANGE COMPLEX	Cash office	BTD	784442-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
342	NSB Kings Bay	1029	EXCHANGE COMPLEX	First office on right in front admin office	BTD	200226-9	ATD	Radonova	08/12/2022	08/15/2023	0.6
343	NSB Kings Bay	1029	EXCHANGE COMPLEX	First office on right in front admin office	BTD	335203-6	ATD	Radonova	08/12/2022	08/15/2023	0.7
344	NSB Kings Bay	1029	EXCHANGE COMPLEX	Flower shop	Back room on right wall above conduits	161676-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
345	NSB Kings Bay	1029	EXCHANGE COMPLEX	Flower shop	Back room on right wall above conduits	639807-7	ATD	Radonova	08/12/2022	08/15/2023	0.6
346	NSB Kings Bay	1029	EXCHANGE COMPLEX	Food Court	Subway office in back; BTD	239353-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
347	NSB Kings Bay	1029	EXCHANGE COMPLEX	Food Court	Subway office in back; BTD	253772-8	ATD	Radonova	08/12/2022	08/15/2023	0.7
348	NSB Kings Bay	1029	EXCHANGE COMPLEX	Food Court; Java Junction	Behind cashier next to flower shop door	277464-4	ATD	Radonova	08/12/2022	08/15/2023	0.6
349	NSB Kings Bay	1029	EXCHANGE COMPLEX	Food Court; Java Junction	Behind cashier next to flower shop door	576119-2	ATD	Radonova	08/12/2022	08/15/2023	0.7
350	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main Store	Column at front check out	303355-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
351	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main Store	Column at front check out	467002-2	ATD	Radonova	08/12/2022	08/15/2023	0.8
352	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main Store	Column in front of warehouse doors	781375-1	ATD	Radonova	08/12/2022	08/15/2023	0.6
353	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main Store	Column in front of warehouse doors	811294-8	ATD	Radonova	08/12/2022	08/15/2023	0.6
354	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main store	Column next to electronics check out	573864-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
355	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main store	Column next to electronics check out	921728-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
356	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main store	On wall by beauty/barber shop	621084-3	ATD	Radonova	08/12/2022	08/15/2023	0.7
357	NSB Kings Bay	1029	EXCHANGE COMPLEX	Main store	On wall by beauty/barber shop	732787-7	ATD	Radonova	08/12/2022	08/15/2023	0.8

	A	B	C	D	E	F	G	H	I	J	K
358	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	Back room with stripe-paneled door	288426-0	ATD	Radonova	08/12/2022	08/15/2023	0.5
359	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	Back room with stripe-paneled door	918671-9	ATD	Radonova	08/12/2022	08/15/2023	0.7
360	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	HR office	426525-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
361	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	HR office	440843-1	ATD	Radonova	08/12/2022	08/15/2023	0.8
362	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	On last cubicle to the right push pinned in	530802-8	ATD	Radonova	08/12/2022	08/15/2023	0.6
363	NSB Kings Bay	1029	EXCHANGE COMPLEX	Office behind customer service desk	On last cubicle to the right push pinned in	699348-9	ATD	Radonova	08/12/2022	08/15/2023	0.6
364	NSB Kings Bay	1029	EXCHANGE COMPLEX	Other office parallel to doot in front admin office	BTD	743744-5	ATD	Radonova	08/12/2022	08/15/2023	0.7
365	NSB Kings Bay	1029	EXCHANGE COMPLEX	Other office parallel to doot in front admin office	BTD	101761-5	ATD	Radonova	08/12/2022	08/15/2023	0.9
366	NSB Kings Bay	1029	EXCHANGE COMPLEX	Warehouse	Middle office of warehouse	249341-9	ATD	Radonova	08/12/2022	08/15/2023	0.5
367	NSB Kings Bay	1029	EXCHANGE COMPLEX	Warehouse	Middle office of warehouse	693525-8	ATD	Radonova	08/12/2022	08/15/2023	0.6
368	NSB Kings Bay	1029	EXCHANGE COMPLEX	Warehouse	Next to garden center entrance doors	959365-8	ATD	Radonova	08/12/2022	08/15/2023	0.5
369	NSB Kings Bay	1029	EXCHANGE COMPLEX	Warehouse	Next to garden center entrance doors	783951-7	ATD	Radonova	08/12/2022	08/15/2023	0.6
370	NSB Kings Bay	1031	AUDITOR'M/NEX RET'L/NFCU	Box office	BTD Behind concession	494316-3	ATD	Radonova	08/29/2022	09/25/2023	0.3
371	NSB Kings Bay	1031	AUDITOR'M/NEX RET'L/NFCU	Box office	BTD Behind concession	787140-3	ATD	Radonova	08/29/2022	09/25/2023	0.4
372	NSB Kings Bay	1032	MWR ADMIN OFFICE	110	BTD	312188-6	ATD	Radonova	08/09/2022	08/17/2023	0.4
373	NSB Kings Bay	1032	MWR ADMIN OFFICE	110	BTD	540885-1	ATD	Radonova	08/09/2022	08/17/2023	0.4
374	NSB Kings Bay	1032	MWR ADMIN OFFICE	105 Admin Office	BTD	533778-7	ATD	Radonova	08/09/2022	08/17/2023	0.3
375	NSB Kings Bay	1032	MWR ADMIN OFFICE	105 Admin Office	BTD	801432-6	ATD	Radonova	08/09/2022	08/17/2023	0.3
376	NSB Kings Bay	1032	MWR ADMIN OFFICE	108 Deputy Manager	BTD	543157-2	ATD	Radonova	08/09/2022	08/17/2023	0.3
377	NSB Kings Bay	1032	MWR ADMIN OFFICE	108 Deputy Manager	BTD	687047-1	ATD	Radonova	08/09/2022	08/17/2023	0.3
378	NSB Kings Bay	1032	MWR ADMIN OFFICE	111A	Left from single door	489844-1	ATD	Radonova	08/11/2022	08/17/2023	0.2
379	NSB Kings Bay	1032	MWR ADMIN OFFICE	111A	Left from single door	545349-3	ATD	Radonova	08/11/2022	08/17/2023	0.3
380	NSB Kings Bay	1032	MWR ADMIN OFFICE	117 Banking rm	BTD	449858-0	ATD	Radonova	08/11/2022	08/17/2023	0.3
381	NSB Kings Bay	1032	MWR ADMIN OFFICE	117 Banking rm	BTD	492702-6	ATD	Radonova	08/11/2022	08/17/2023	0.4
382	NSB Kings Bay	1032	MWR ADMIN OFFICE	120A	BTD	828038-0	ATD	Radonova	08/09/2022	08/17/2023	0.4
383	NSB Kings Bay	1032	MWR ADMIN OFFICE	120A	BTD	941968-0	ATD	Radonova	08/09/2022	08/17/2023	0.4
384	NSB Kings Bay	1032	MWR ADMIN OFFICE	122 conference room	Left wall by fire extinguisher	216961-3	ATD	Radonova	08/11/2022	08/17/2023	0.3
385	NSB Kings Bay	1032	MWR ADMIN OFFICE	122 conference room	Left wall by fire extinguisher	542718-2	ATD	Radonova	08/11/2022	08/17/2023	0.3
386	NSB Kings Bay	1032	MWR ADMIN OFFICE	125 Personnel Office	Right wall in closet area	325566-8	ATD	Radonova	08/11/2022	08/17/2023	0.3
387	NSB Kings Bay	1032	MWR ADMIN OFFICE	125 Personnel Office	Right wall in closet area	619334-6	ATD	Radonova	08/11/2022	08/17/2023	0.4
388	NSB Kings Bay	1032	MWR ADMIN OFFICE	Navy Uniform Store	Left wall by thermostat	947889-2	ATD	Radonova	08/09/2022	08/17/2023	0.4
389	NSB Kings Bay	1032	MWR ADMIN OFFICE	Navy Uniform Store	Left wall by thermostat	174508-2	ATD	Radonova	08/09/2022	08/17/2023	0.5
390	NSB Kings Bay	1033	BOWLING ALLEY	Behind bowling desk	Left office; BTD	588605-6	ATD	Radonova	08/12/2022	08/15/2023	0.3
391	NSB Kings Bay	1033	BOWLING ALLEY	Behind bowling desk	Left office; BTD	493694-4	ATD	Radonova	08/12/2022	08/15/2023	0.5
392	NSB Kings Bay	1033	BOWLING ALLEY	Behind bowling desk	Right office; BTD	143276-4	ATD	Radonova	08/12/2022	08/15/2023	0.3
393	NSB Kings Bay	1033	BOWLING ALLEY	Behind bowling desk	Right office; BTD	816906-2	ATD	Radonova	08/12/2022	08/15/2023	0.2
394	NSB Kings Bay	1033	BOWLING ALLEY	Behind Finnegans grill	By electrical panel near grill	135383-8	ATD	Radonova	08/12/2022	08/15/2023	0.2
395	NSB Kings Bay	1033	BOWLING ALLEY	Behind Finnegans grill	By electrical panel near grill	118178-3	ATD	Radonova	08/12/2022	08/15/2023	0.3
396	NSB Kings Bay	1033	BOWLING ALLEY	Finnegans Pub	Behind the bar in liqour shelf	562874-8	ATD	Radonova	08/12/2022	08/15/2023	0.4
397	NSB Kings Bay	1033	BOWLING ALLEY	Finnegans Pub	Behind the bar in liqour shelf	506080-1	ATD	Radonova	08/12/2022	08/15/2023	0.5
398	NSB Kings Bay	1033	BOWLING ALLEY	Game center	Office behind game center	528703-2	ATD	Radonova	08/12/2022	08/15/2023	0.2
399	NSB Kings Bay	1033	BOWLING ALLEY	Game center	Office behind game center	517034-5	ATD	Radonova	08/12/2022	08/15/2023	0.5
400	NSB Kings Bay	1033	BOWLING ALLEY	Office behind the alleys; behind lanes 5 & 6	Left wall next to large switch	139724-9	ATD	Radonova	08/12/2022	08/15/2023	0.2
401	NSB Kings Bay	1033	BOWLING ALLEY	Office behind the alleys; behind lanes 5 & 6	Left wall next to large switch	175460-5	ATD	Radonova	08/12/2022	08/15/2023	0.2
402	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	152	BTD	589319-3	ATD	Radonova	08/08/2022	08/14/2023	0.3
403	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	152	BTD	976631-2	ATD	Radonova	08/08/2022	08/14/2023	0.4
404	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	across women locker room	next to thermostat	270893-1	ATD	Radonova	08/08/2022	08/14/2023	0.2
405	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	across women locker room	next to thermostat	799514-5	ATD	Radonova	08/08/2022	08/14/2023	0.2
406	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Basketball court	Above water fountain when you walk through doors	395252-0	ATD	Radonova	08/08/2022	08/14/2023	0.2
407	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Basketball court	Above water fountain when you walk through doors	528934-3	ATD	Radonova	08/08/2022	08/14/2023	0.2
408	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	basketball court	back left corner wall	956353-7	ATD	Radonova	08/08/2022	08/14/2023	0.2
409	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	basketball court	back left corner wall	995727-5	ATD	Radonova	08/08/2022	08/14/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
410	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Cardio room	Left wall from room doors closest to building entrance	249070-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
411	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Cardio room	Left wall from room doors closest to building entrance	703606-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
412	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Check in area	behind front desk, next to key locker	692684-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
413	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Check in area	behind front desk, next to key locker	507209-5	ATD	Radonova	08/08/2022	08/14/2023	0.4
414	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Crossfit/Leg room	next to thermastat	111862-9	ATD	Radonova	08/08/2022	08/14/2023	0.2
415	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Crossfit/Leg room	next to thermastat	772456-0	ATD	Radonova	08/08/2022	08/14/2023	0.2
416	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Family fitness rm	By thermostat	374466-1	ATD	Radonova	08/08/2022	08/14/2023	0.2
417	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Family fitness rm	By thermostat	610199-2	ATD	Radonova	08/08/2022	08/14/2023	0.2
418	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Fitness classroom office [smaller hallway at the end of the right hallway from the entrance]	BTD	200177-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
419	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Fitness classroom office [smaller hallway at the end of the right hallway from the entrance]	BTD	406704-7	ATD	Radonova	08/08/2022	08/14/2023	0.2
420	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Free weight	Next to glass window	145673-0	ATD	Radonova	08/08/2022	08/14/2023	0.2
421	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Free weight	Next to glass window	449763-2	ATD	Radonova	08/08/2022	08/14/2023	0.2
422	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	free weight room	next to thermostat	332178-3	ATD	Radonova	08/08/2022	08/14/2023	0.2
423	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	free weight room	next to thermostat	352297-6	ATD	Radonova	08/08/2022	08/14/2023	0.3
424	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	GroupX & spin rm	Right from door above paper towel dispenser	294625-9	ATD	Radonova	08/08/2022	08/14/2023	0.2
425	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	GroupX & spin rm	Right from door above paper towel dispenser	946812-5	ATD	Radonova	08/08/2022	08/14/2023	0.2
426	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Hallway to right	Between racquetball rms 1 & 3	494538-2	ATD	Radonova	08/08/2022	08/14/2023	0.2
427	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Hallway to right	Between racquetball rms 1 & 3	939614-4	ATD	Radonova	08/08/2022	08/14/2023	0.4
428	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Hammer strength room	by the thermostat	164092-9	ATD	Radonova	08/08/2022	08/14/2023	0.4
429	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Hammer strength room	by the thermostat	799870-1	ATD	Radonova	08/08/2022	08/14/2023	0.4
430	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Health promotion & wellness office [down right hallway from entrance]	BTD	166763-3	ATD	Radonova	08/08/2022	08/14/2023	0.3
431	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Health promotion & wellness office [down right hallway from entrance]	BTD	393951-9	ATD	Radonova	08/08/2022	08/14/2023	0.3
432	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Machine weight room	quarter wall behind water fountain	262394-0	ATD	Radonova	08/08/2022	08/14/2023	0.3
433	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Machine weight room	quarter wall behind water fountain	497930-8	ATD	Radonova	08/08/2022	08/14/2023	0.3
434	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Office room near front desk	BTD	667305-7	ATD	Radonova	08/08/2022	08/14/2023	0.2
435	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Office room near front desk	BTD	200589-0	ATD	Radonova	08/08/2022	08/14/2023	0.3
436	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Racquetball court 2	Left from door (face in)	160138-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
437	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Racquetball court 2	Left from door (face in)	983764-2	ATD	Radonova	08/08/2022	08/14/2023	0.2
438	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Racquetball court 4	Right from door/right of glass window	523724-3	ATD	Radonova	08/08/2022	08/14/2023	0.2
439	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Racquetball court 4	Right from door/right of glass window	596195-8	ATD	Radonova	08/08/2022	08/14/2023	0.2
440	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Smaller office (3) in office room near front desk	BTD	804453-9	ATD	Radonova	08/08/2022	08/14/2023	0.2
441	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Smaller office (3) in office room near front desk	BTD	927060-4	ATD	Radonova	08/08/2022	08/14/2023	0.2
442	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Storage area behind basketball court	Right from door near switches	496187-6	ATD	Radonova	08/08/2022	08/14/2023	0.6
443	NSB Kings Bay	1034	GYMNASIUM/FITNESS FACILITY	Storage area behind basketball court	Right from door near switches	799263-9	ATD	Radonova	08/08/2022	08/14/2023	0.6
444	NSB Kings Bay	1037	COMMISSARY	131	BTD	629873-1	ATD	Radonova	08/12/2022	08/15/2023	0.2
445	NSB Kings Bay	1037	COMMISSARY	131	BTD	108401-1	ATD	Radonova	08/12/2022	08/15/2023	0.4
446	NSB Kings Bay	1037	COMMISSARY	157	BTD	772361-2	ATD	Radonova	08/12/2022	08/15/2023	0.3
447	NSB Kings Bay	1037	COMMISSARY	157	BTD	305159-6	ATD	Radonova	08/12/2022	08/15/2023	0.2
448	NSB Kings Bay	1037	COMMISSARY	1471	Left wall by fire extinguisher	452085-4	ATD	Radonova	08/12/2022	08/15/2023	0.3
449	NSB Kings Bay	1037	COMMISSARY	1471	Left wall by fire extinguisher	525756-3	ATD	Radonova	08/12/2022	08/15/2023	0.2
450	NSB Kings Bay	1037	COMMISSARY	132 food inspector office	BTD	210676-3	ATD	Radonova	08/12/2022	08/15/2023	0.4
451	NSB Kings Bay	1037	COMMISSARY	132 food inspector office	BTD	360539-1	ATD	Radonova	08/12/2022	08/15/2023	0.5
452	NSB Kings Bay	1037	COMMISSARY	149 in 147	BTD	206797-3	ATD	Radonova	08/12/2022	08/15/2023	0.2
453	NSB Kings Bay	1037	COMMISSARY	149 in 147	BTD	327078-2	ATD	Radonova	08/12/2022	08/15/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
454	NSB Kings Bay	1037	COMMISSARY	156 Vendor	BTD	825348-6	ATD	Radonova	08/12/2022	08/15/2023	0.2
455	NSB Kings Bay	1037	COMMISSARY	156 Vendor	BTD	611114-0	ATD	Radonova	08/12/2022	08/15/2023	0.2
456	NSB Kings Bay	1037	COMMISSARY	158 Store Manager	BTD	636726-2	ATD	Radonova	08/12/2022	08/15/2023	0.2
457	NSB Kings Bay	1037	COMMISSARY	158 Store Manager	BTD	259793-8	ATD	Radonova	08/12/2022	08/15/2023	0.4
458	NSB Kings Bay	1037	COMMISSARY	Behind deli	Near fire extinguisher	714572-5	ATD	Radonova	08/12/2022	08/15/2023	0.2
459	NSB Kings Bay	1037	COMMISSARY	Behind deli	Near fire extinguisher	657558-3	ATD	Radonova	08/12/2022	08/15/2023	0.2
460	NSB Kings Bay	1037	COMMISSARY	Building manager office	Above fire bill	913307-5	ATD	Radonova	08/12/2022	08/15/2023	0.2
461	NSB Kings Bay	1037	COMMISSARY	Building manager office	Above fire bill	213220-7	ATD	Radonova	08/12/2022	08/15/2023	0.4
462	NSB Kings Bay	1037	COMMISSARY	Cashiers office 166	Outside door 167	757095-5	ATD	Radonova	08/12/2022	08/15/2023	0.2
463	NSB Kings Bay	1037	COMMISSARY	Cashiers office 166	Outside door 167	282218-7	ATD	Radonova	08/12/2022	08/15/2023	0.4
464	NSB Kings Bay	1037	COMMISSARY	Customer service office	BTD	227930-5	ATD	Radonova	08/12/2022	08/15/2023	0.2
465	NSB Kings Bay	1037	COMMISSARY	Customer service office	BTD	819348-4	ATD	Radonova	08/12/2022	08/15/2023	0.3
466	NSB Kings Bay	1037	COMMISSARY	Main store	Last column on aisle 11; near dairy	579878-0	ATD	Radonova	08/12/2022	08/15/2023	0.2
467	NSB Kings Bay	1037	COMMISSARY	Main store	Last column on aisle 11; near dairy	315049-7	ATD	Radonova	08/12/2022	08/15/2023	0.2
468	NSB Kings Bay	1037	COMMISSARY	Main store	Last metal column in aisle 2; near meat	571789-7	ATD	Radonova	08/12/2022	08/15/2023	0.2
469	NSB Kings Bay	1037	COMMISSARY	Main store	Last metal column in aisle 2; near meat	263497-0	ATD	Radonova	08/12/2022	08/15/2023	0.3
470	NSB Kings Bay	1037	COMMISSARY	Main store	Right of sushi on column	140739-4	ATD	Radonova	08/12/2022	08/15/2023	0.2
471	NSB Kings Bay	1037	COMMISSARY	Main store	Right of sushi on column	726509-3	ATD	Radonova	08/12/2022	08/15/2023	0.2
472	NSB Kings Bay	1037	COMMISSARY	Main Store	Right to mechanical doors 159	158499-4	ATD	Radonova	08/12/2022	08/15/2023	0.2
473	NSB Kings Bay	1037	COMMISSARY	Main Store	Right to mechanical doors 159	502728-9	ATD	Radonova	08/12/2022	08/15/2023	0.2
474	NSB Kings Bay	1037	COMMISSARY	Produce 113 manager	BTD	298083-7	ATD	Radonova	08/12/2022	08/15/2023	0.5
475	NSB Kings Bay	1037	COMMISSARY	Produce 113 manager	BTD	200213-7	ATD	Radonova	08/12/2022	08/15/2023	0.2
476	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	2nd office on left from entrance	BTD	476727-3	ATD	Radonova	08/29/2022	09/25/2023	0.3
477	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	2nd office on left from entrance	BTD	921292-9	ATD	Radonova	08/29/2022	09/25/2023	0.4
478	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A02 in A05	BTD	715938-7	ATD	Radonova	08/29/2022	09/25/2023	0.3
479	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A02 in A05	BTD	987197-1	ATD	Radonova	08/29/2022	09/25/2023	0.3
480	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A03 in A05	BTD	213573-9	ATD	Radonova	08/29/2022	09/25/2023	0.2
481	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A03 in A05	BTD	157801-2	ATD	Radonova	08/29/2022	09/25/2023	0.3
482	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A04 in A05	BTD	106101-9	ATD	Radonova	08/29/2022	09/25/2023	0.3
483	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A04 in A05	BTD	923303-2	ATD	Radonova	08/29/2022	09/25/2023	0.3
484	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A05	Behind desk near light switch	159049-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
485	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A05	Behind desk near light switch	983140-5	ATD	Radonova	08/29/2022	09/25/2023	0.2
486	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A07 in A05	BTD	345948-4	ATD	Radonova	08/29/2022	09/25/2023	0.2
487	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	A07 in A05	BTD	167790-5	ATD	Radonova	08/29/2022	09/25/2023	0.3
488	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Behind Triplex concession	BTD (employees only door)	213934-3	ATD	Radonova	08/29/2022	09/25/2023	0.2
489	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Behind Triplex concession	BTD (employees only door)	927053-9	ATD	Radonova	08/29/2022	09/25/2023	0.4
490	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Gaming room with computers	Printer Area	280883-0	ATD	Radonova	08/29/2022	09/25/2023	0.2
491	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Gaming room with computers	Printer Area	299873-0	ATD	Radonova	08/29/2022	09/25/2023	0.4
492	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Maintenance Office	Above thermostat	252131-8	ATD	Radonova	08/29/2022	09/25/2023	0.2
493	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Maintenance Office	Above thermostat	486358-5	ATD	Radonova	08/29/2022	09/25/2023	0.2
494	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Music Room	Behind hidden wall	205796-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
495	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Music Room	Behind hidden wall	953279-7	ATD	Radonova	08/29/2022	09/25/2023	0.2
496	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Triplex programming	BTD	479654-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
497	NSB Kings Bay	1039	RECREATION CONFERENCE CENT	Triplex programming	BTD	251651-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
498	NSB Kings Bay	1041	FIRE DEPART OFFICE	Left side office	Right of door	512677-6	ATD	Radonova	08/31/2022	09/26/2023	0.2
499	NSB Kings Bay	1041	FIRE DEPART OFFICE	Left side office	Right of door	756243-2	ATD	Radonova	08/31/2022	09/26/2023	0.2
500	NSB Kings Bay	1041	FIRE DEPART OFFICE	Main area after entry	Around corner from zig zag	330117-3	ATD	Radonova	08/31/2022	09/26/2023	0.2
501	NSB Kings Bay	1041	FIRE DEPART OFFICE	Main area after entry	Around corner from zig zag	520200-7	ATD	Radonova	08/31/2022	09/26/2023	0.2
502	NSB Kings Bay	1041	FIRE DEPART OFFICE	Middle rm	Right of door	177112-0	ATD	Radonova	08/31/2022	09/26/2023	0.2
503	NSB Kings Bay	1041	FIRE DEPART OFFICE	Middle rm	Right of door	338285-0	ATD	Radonova	08/31/2022	09/26/2023	0.2
504	NSB Kings Bay	1041	FIRE DEPART OFFICE	Right side office	Right of door	806370-3	ATD	Radonova	08/31/2022	09/26/2023	0.2
505	NSB Kings Bay	1041	FIRE DEPART OFFICE	Right side office	Right of door	903309-3	ATD	Radonova	08/31/2022	09/26/2023	0.2
506	NSB Kings Bay	1048	MCDONALDS RESTAURANT	Back office	Above desk	283377-0	ATD	Radonova	08/29/2022	09/25/2023	0.2
507	NSB Kings Bay	1048	MCDONALDS RESTAURANT	Back office	Above desk	429690-1	ATD	Radonova	08/29/2022	09/25/2023	0.2
508	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	105	Right from door by fire bill	661605-6	ATD	Radonova	08/11/2022	08/15/2023	0.3
509	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	105	Right from door by fire bill	317047-9	ATD	Radonova	08/11/2022	08/15/2023	0.2
510	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	106	Right wall by panel K	355347-6	ATD	Radonova	08/11/2022	08/15/2023	0.4
511	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	106	Right wall by panel K	496357-5	ATD	Radonova	08/11/2022	08/15/2023	0.5
512	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	132	BTD	315677-5	ATD	Radonova	08/11/2022	08/15/2023	0.6
513	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	132	BTD	805390-2	ATD	Radonova	08/11/2022	08/15/2023	0.6

	A	B	C	D	E	F	G	H	I	J	K
514	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	133	BTD	647832-5	ATD	Radonova	08/11/2022	08/15/2023	0.7
515	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	133	BTD	259903-3	ATD	Radonova	08/11/2022	08/15/2023	1.9
516	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	134	BTD	389655-2	ATD	Radonova	08/11/2022	08/15/2023	0.7
517	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	134	BTD	914141-7	ATD	Radonova	08/11/2022	08/15/2023	0.8
518	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	135	BTD	156377-4	ATD	Radonova	08/11/2022	08/15/2023	0.6
519	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	135	BTD	731889-2	ATD	Radonova	08/11/2022	08/15/2023	0.7
520	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	136	BTD	287673-8	ATD	Radonova	08/11/2022	08/15/2023	0.8
521	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	136	BTD	536338-7	ATD	Radonova	08/11/2022	08/15/2023	0.8
522	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	140	Left wall from door by fire bill	499850-6	ATD	Radonova	08/11/2022	08/15/2023	0.4
523	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	140	Left wall from door by fire bill	691772-8	ATD	Radonova	08/11/2022	08/15/2023	0.4
524	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	141	Right from door by fire bill	188474-1	ATD	Radonova	08/11/2022	08/15/2023	0.4
525	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	141	Right from door by fire bill	684751-1	ATD	Radonova	08/11/2022	08/15/2023	0.4
526	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	150	BTD	116024-1	ATD	Radonova	08/11/2022	08/15/2023	0.5
527	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	150	BTD	921001-4	ATD	Radonova	08/11/2022	08/15/2023	0.6
528	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	138A	BTD	527606-8	ATD	Radonova	08/11/2022	08/15/2023	0.4
529	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	138A	BTD	502568-9	ATD	Radonova	08/11/2022	08/15/2023	0.6
530	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	144A	BTD	173355-9	ATD	Radonova	08/11/2022	08/15/2023	0.4
531	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	144A	BTD	204714-0	ATD	Radonova	08/11/2022	08/15/2023	0.4
532	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	149 A+B	BTD of 149A	511285-9	ATD	Radonova	08/11/2022	08/15/2023	0.5
533	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	149 A+B	BTD of 149A	553400-3	ATD	Radonova	08/11/2022	08/15/2023	0.5
534	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	152A	BTD	372463-0	ATD	Radonova	08/11/2022	08/15/2023	0.5
535	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	152A	BTD	224825-0	ATD	Radonova	08/11/2022	08/15/2023	0.6
536	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	152B	BTD	938416-5	ATD	Radonova	08/11/2022	08/15/2023	0.5
537	NSB Kings Bay	1049	CHAPEL/RELIGIOUS EDUCATION	152B	BTD	183409-2	ATD	Radonova	08/11/2022	08/15/2023	0.6
538	NSB Kings Bay	1051	FAMILY SERVICES CENTER	Classroom A	Left wall by switch	203636-6	ATD	Radonova	08/09/2022	08/15/2023	0.4
539	NSB Kings Bay	1051	FAMILY SERVICES CENTER	Classroom A	Left wall by switch	632576-5	ATD	Radonova	08/09/2022	08/15/2023	0.4
540	NSB Kings Bay	1051	FAMILY SERVICES CENTER	Main office area in N48/N45	Under camera in corner of room	250158-3	ATD	Radonova	08/09/2022	08/15/2023	0.3
541	NSB Kings Bay	1051	FAMILY SERVICES CENTER	Main office area in N48/N45	Under camera in corner of room	157052-2	ATD	Radonova	08/09/2022	08/15/2023	0.4
542	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N01 in N65 hallway	BTD	213753-7	ATD	Radonova	08/09/2022	08/15/2023	0.4
543	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N01 in N65 hallway	BTD	444311-5	ATD	Radonova	08/09/2022	08/15/2023	0.4
544	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N09 in N65 hallway	BTD	260447-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
545	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N09 in N65 hallway	BTD	425805-9	ATD	Radonova	08/09/2022	08/15/2023	0.4
546	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N11 in N65 hallway	BTD	829107-2	ATD	Radonova	08/09/2022	08/15/2023	0.4
547	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N11 in N65 hallway	BTD	942087-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
548	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N12 in N65 hallway	BTD	579070-4	ATD	Radonova	08/09/2022	08/15/2023	0.4
549	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N12 in N65 hallway	BTD	726087-0	ATD	Radonova	08/09/2022	08/15/2023	0.4
550	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N15 in N65 hallway	BTD	583710-9	ATD	Radonova	08/09/2022	08/15/2023	0.3
551	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N15 in N65 hallway	BTD	490787-9	ATD	Radonova	08/09/2022	08/15/2023	0.5
552	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N24 in N23 child area	BTD	616047-7	ATD	Radonova	08/09/2022	08/15/2023	0.5
553	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N24 in N23 child area	BTD	932195-1	ATD	Radonova	08/09/2022	08/15/2023	0.5
554	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N26 in N23 child area	BTD	162804-9	ATD	Radonova	08/09/2022	08/15/2023	0.4
555	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N26 in N23 child area	BTD	476694-5	ATD	Radonova	08/09/2022	08/15/2023	0.5
556	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N29 in N23 child area	BTD	678041-5	ATD	Radonova	08/09/2022	08/15/2023	0.4
557	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N29 in N23 child area	BTD	313166-1	ATD	Radonova	08/09/2022	08/15/2023	0.7
558	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N33 in N48/N45	BTD	697702-9	ATD	Radonova	08/09/2022	08/15/2023	0.4
559	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N33 in N48/N45	BTD	782374-3	ATD	Radonova	08/09/2022	08/15/2023	0.4
560	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N34 in N48/N45	BTD	134173-4	ATD	Radonova	08/09/2022	08/15/2023	0.4
561	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N34 in N48/N45	BTD	576966-6	ATD	Radonova	08/09/2022	08/15/2023	0.5
562	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N38 in N48/N45	BTD	755162-5	ATD	Radonova	08/09/2022	08/15/2023	0.4
563	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N38 in N48/N45	BTD	670204-7	ATD	Radonova	08/09/2022	08/15/2023	0.5
564	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N40 in N48/N45	BTD	177064-3	ATD	Radonova	08/09/2022	08/15/2023	0.3
565	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N40 in N48/N45	BTD	249815-2	ATD	Radonova	08/09/2022	08/15/2023	0.4
566	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N43 in N48/N45	BTD	492677-0	ATD	Radonova	08/09/2022	08/15/2023	0.4
567	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N43 in N48/N45	BTD	910839-0	ATD	Radonova	08/09/2022	08/15/2023	0.4
568	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N47	By other door in room	328635-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
569	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N47	By other door in room	112024-5	ATD	Radonova	08/09/2022	08/15/2023	0.6
570	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N50 Classroom B	BTD	228924-7	ATD	Radonova	08/09/2022	08/15/2023	0.3
571	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N50 Classroom B	BTD	372593-4	ATD	Radonova	08/09/2022	08/15/2023	0.5
572	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N60 in N65 hallway	Left of door	199406-0	ATD	Radonova	08/09/2022	08/15/2023	0.3
573	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N60 in N65 hallway	Left of door	268181-5	ATD	Radonova	08/09/2022	08/15/2023	0.4
574	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N62 in N58	BTD	834629-8	ATD	Radonova	08/09/2022	08/15/2023	0.3
575	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N62 in N58	BTD	642442-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
576	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N66 break room in N65 hallway	BTD	972566-4	ATD	Radonova	08/09/2022	08/15/2023	0.3
577	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N66 break room in N65 hallway	BTD	373202-1	ATD	Radonova	08/09/2022	08/15/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
578	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N68 in N65 hallway	BTD	608725-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
579	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N68 in N65 hallway	BTD	826856-7	ATD	Radonova	08/09/2022	08/15/2023	0.4
580	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N70 in N65 hallway	BTD	225827-5	ATD	Radonova	08/09/2022	08/15/2023	0.3
581	NSB Kings Bay	1051	FAMILY SERVICES CENTER	N70 in N65 hallway	BTD	631135-1	ATD	Radonova	08/09/2022	08/15/2023	0.3
582	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C106	BTD	954214-3	ATD	Radonova	08/12/2022	08/14/2023	0.2
583	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C106	BTD	650019-3	ATD	Radonova	08/12/2022	08/14/2023	0.2
584	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C107	BTD	793909-3	ATD	Radonova	08/12/2022	08/14/2023	0.4
585	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C107	BTD	990575-3	ATD	Radonova	08/12/2022	08/14/2023	0.4
586	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C109	BTD	689230-1	ATD	Radonova	08/12/2022	08/14/2023	0.2
587	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	C109	BTD	467027-9	ATD	Radonova	08/12/2022	08/14/2023	0.2
588	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	Front desk office	Left wall next to desk	980512-8	ATD	Radonova	08/12/2022	08/14/2023	0.2
589	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	Front desk office	Left wall next to desk	753069-4	ATD	Radonova	08/12/2022	08/14/2023	0.2
590	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	S103	Right from wall above key box; BTD	151869-5	ATD	Radonova	08/12/2022	08/14/2023	1.9
591	NSB Kings Bay	1056	NAVY GATEWAY INN & SUITES	S103	Right from wall above key box; BTD	642632-4	ATD	Radonova	08/12/2022	08/14/2023	2.1
592	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	114	BTD	421256-9	ATD	Radonova	08/30/2022	09/27/2023	0.7
593	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	114	BTD	511123-2	ATD	Radonova	08/30/2022	09/27/2023	0.7
594	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	115	BTD	355051-4	ATD	Radonova	08/30/2022	09/27/2023	0.6
595	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	115	BTD	383844-8	ATD	Radonova	08/30/2022	09/27/2023	0.8
596	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	129	Column, above thermostat	739648-4	ATD	Radonova	08/30/2022	09/27/2023	0.7
597	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	129	Column, above thermostat	494942-6	ATD	Radonova	08/30/2022	09/27/2023	0.9
598	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	129	Right of door	829090-0	ATD	Radonova	08/30/2022	09/27/2023	0.8
599	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	129	Right of door	170408-9	ATD	Radonova	08/30/2022	09/27/2023	0.9
600	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	132	Right of door	605343-3	ATD	Radonova	08/30/2022	09/27/2023	0.7
601	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	132	Right of door	930359-5	ATD	Radonova	08/30/2022	09/27/2023	0.8
602	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	142	BTD	932644-8	ATD	Radonova	08/30/2022	09/27/2023	0.7
603	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	142	BTD	818473-1	ATD	Radonova	08/30/2022	09/27/2023	0.8
604	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	158	Right of door/BTD	243883-6	ATD	Radonova	08/30/2022	09/27/2023	0.8
605	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	158	Right of door/BTD	207193-4	ATD	Radonova	08/30/2022	09/27/2023	0.9
606	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	106A	Above thermostat, around corner from door	684706-5	ATD	Radonova	08/30/2022	09/27/2023	0.8
607	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	106A	Above thermostat, around corner from door	755631-9	ATD	Radonova	08/30/2022	09/27/2023	0.8
608	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	106B	Left of door, around corner	935683-3	ATD	Radonova	08/30/2022	09/27/2023	0.6
609	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	106B	Left of door, around corner	493620-9	ATD	Radonova	08/30/2022	09/27/2023	0.9
610	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	107A	Right of door	764986-6	ATD	Radonova	08/30/2022	09/27/2023	0.7
611	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	107A	Right of door	477870-0	ATD	Radonova	08/30/2022	09/27/2023	0.8
612	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	111A	Above thermostat, around corner from door	192689-8	ATD	Radonova	08/30/2022	09/27/2023	0.7
613	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	111A	Above thermostat, around corner from door	747941-3	ATD	Radonova	08/30/2022	09/27/2023	0.7
614	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	111B	Left of door	428217-4	ATD	Radonova	08/30/2022	09/27/2023	0.7
615	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	111B	Left of door	808574-8	ATD	Radonova	08/30/2022	09/27/2023	0.7
616	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	128B	Left of door/BTD	837711-1	ATD	Radonova	08/30/2022	09/27/2023	0.7
617	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	128B	Left of door/BTD	661533-0	ATD	Radonova	08/30/2022	09/27/2023	0.8
618	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	143A	Right of door/BTD	583218-3	ATD	Radonova	08/30/2022	09/27/2023	0.9
619	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	143A	Right of door/BTD	389099-3	ATD	Radonova	08/30/2022	09/27/2023	1.0
620	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	146A	Right of door/BTD	297656-1	ATD	Radonova	08/30/2022	09/27/2023	0.8
621	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	146A	Right of door/BTD	733947-6	ATD	Radonova	08/30/2022	09/27/2023	0.8
622	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	147C	Left of door	167413-4	ATD	Radonova	08/30/2022	09/27/2023	0.7
623	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	147C	Left of door	820533-8	ATD	Radonova	08/30/2022	09/27/2023	0.8
624	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	147D	Right of door	391815-8	ATD	Radonova	08/30/2022	09/27/2023	0.8
625	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	147D	Right of door	960454-7	ATD	Radonova	08/30/2022	09/27/2023	0.8
626	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	148A	Left of door	177878-6	ATD	Radonova	08/30/2022	09/27/2023	0.6
627	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	148A	Left of door	631243-3	ATD	Radonova	08/30/2022	09/27/2023	0.9
628	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	148B	Left of door	909177-8	ATD	Radonova	08/30/2022	09/27/2023	0.8
629	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	148B	Left of door	453565-4	ATD	Radonova	08/30/2022	09/27/2023	0.9
630	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	157B	Left of door/BTD	131375-8	ATD	Radonova	08/30/2022	09/27/2023	0.7
631	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	157B	Left of door/BTD	931538-3	ATD	Radonova	08/30/2022	09/27/2023	0.9
632	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	Around corner outside inner office	585766-9	ATD	Radonova	08/30/2022	09/27/2023	1.1
633	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	Around corner outside inner office	630195-6	ATD	Radonova	08/30/2022	09/27/2023	1.1
634	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	BTD	416073-5	ATD	Radonova	08/30/2022	09/27/2023	0.6
635	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	BTD	961252-4	ATD	Radonova	08/30/2022	09/27/2023	0.8
636	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	BTD	308308-6	ATD	Radonova	08/30/2022	09/27/2023	1.1
637	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office	BTD	582939-5	ATD	Radonova	08/30/2022	09/27/2023	1.3

	A	B	C	D	E	F	G	H	I	J	K
638	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office, inner office	BTD	726772-7	ATD	Radonova	08/30/2022	09/27/2023	1.1
639	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st left office, inner office	BTD	553806-1	ATD	Radonova	08/30/2022	09/27/2023	1.3
640	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	BTD	144966-9	ATD	Radonova	08/30/2022	09/27/2023	0.6
641	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	BTD	205389-0	ATD	Radonova	08/30/2022	09/27/2023	0.6
642	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	BTD	497209-7	ATD	Radonova	08/30/2022	09/27/2023	1.1
643	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	BTD	505039-8	ATD	Radonova	08/30/2022	09/27/2023	1.1
644	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	Left of doorway	483999-9	ATD	Radonova	08/30/2022	09/27/2023	0.6
645	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office	Left of doorway	657234-1	ATD	Radonova	08/30/2022	09/27/2023	0.6
646	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office, inner office	BTD	308647-7	ATD	Radonova	08/30/2022	09/27/2023	0.6
647	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	1st right office, inner office	BTD	539851-6	ATD	Radonova	08/30/2022	09/27/2023	0.8
648	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd left office	BTD	109591-8	ATD	Radonova	08/30/2022	09/27/2023	0.6
649	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd left office	BTD	419798-4	ATD	Radonova	08/30/2022	09/27/2023	0.6
650	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd left office	BTD	276938-8	ATD	Radonova	08/30/2022	09/27/2023	1.0
651	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd left office	BTD	702922-6	ATD	Radonova	08/30/2022	09/27/2023	1.4
652	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office	BTD	228399-2	ATD	Radonova	08/30/2022	09/27/2023	0.6
653	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office	BTD	363688-3	ATD	Radonova	08/30/2022	09/27/2023	0.6
654	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office	Left of door	711364-0	ATD	Radonova	08/30/2022	09/27/2023	1.0
655	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office	Left of door	212716-5	ATD	Radonova	08/30/2022	09/27/2023	1.1
656	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office, inner office	BTD	164083-8	ATD	Radonova	08/30/2022	09/27/2023	1.3
657	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	2nd right office, inner office	BTD	828852-4	ATD	Radonova	08/30/2022	09/27/2023	1.3
658	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	3rd left office	BTD	488655-2	ATD	Radonova	08/30/2022	09/27/2023	0.6
659	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	3rd left office	BTD	319188-9	ATD	Radonova	08/30/2022	09/27/2023	0.7
660	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A08	BTD	707026-1	ATD	Radonova	08/30/2022	09/27/2023	0.6
661	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A08	BTD	935973-8	ATD	Radonova	08/30/2022	09/27/2023	0.8
662	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A10	BTD	349574-4	ATD	Radonova	08/30/2022	09/27/2023	0.6
663	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A10	BTD	377265-4	ATD	Radonova	08/30/2022	09/27/2023	0.8
664	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A11	Left of door	975783-2	ATD	Radonova	08/30/2022	09/27/2023	0.6
665	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	A11	Left of door	989570-7	ATD	Radonova	08/30/2022	09/27/2023	0.6
666	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B02	BTD	758296-8	ATD	Radonova	08/30/2022	09/27/2023	1.1
667	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B02	BTD	975810-3	ATD	Radonova	08/30/2022	09/27/2023	1.1
668	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B03	BTD	189039-1	ATD	Radonova	08/30/2022	09/27/2023	1.1
669	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B03	BTD	174599-1	ATD	Radonova	08/30/2022	09/27/2023	1.2
670	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B05	BTD	940025-0	ATD	Radonova	08/30/2022	09/27/2023	1.1
671	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B05	BTD	471472-1	ATD	Radonova	08/30/2022	09/27/2023	1.2
672	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B06	BTD	255363-4	ATD	Radonova	08/30/2022	09/27/2023	1.1
673	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B06	BTD	681929-6	ATD	Radonova	08/30/2022	09/27/2023	1.3
674	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B07	BTD	182532-2	ATD	Radonova	08/30/2022	09/27/2023	1.0
675	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B07	BTD	814433-9	ATD	Radonova	08/30/2022	09/27/2023	1.3
676	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B08	Right of door/BTD	420532-4	ATD	Radonova	08/30/2022	09/27/2023	1.0
677	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B08	Right of door/BTD	440824-1	ATD	Radonova	08/30/2022	09/27/2023	1.2
678	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B09	BTD	296063-1	ATD	Radonova	08/30/2022	09/27/2023	1.1
679	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B09	BTD	566834-8	ATD	Radonova	08/30/2022	09/27/2023	1.3
680	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B10	BTD	904157-5	ATD	Radonova	08/30/2022	09/27/2023	1.1
681	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B10	BTD	817397-3	ATD	Radonova	08/30/2022	09/27/2023	1.2
682	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11	Behind TV	127207-9	ATD	Radonova	08/30/2022	09/27/2023	1.1
683	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11	Behind TV	697212-9	ATD	Radonova	08/30/2022	09/27/2023	1.1
684	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11 inner office	BTD	343876-9	ATD	Radonova	08/30/2022	09/27/2023	1.1
685	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11 inner office	BTD	428505-2	ATD	Radonova	08/30/2022	09/27/2023	1.2
686	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11 inner office	Right front corner	171392-4	ATD	Radonova	08/30/2022	09/27/2023	1.2
687	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B11 inner office	Right front corner	446143-0	ATD	Radonova	08/30/2022	09/27/2023	1.2
688	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B17	BTD	664497-5	ATD	Radonova	08/30/2022	09/27/2023	1.0
689	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	B17	BTD	708174-8	ATD	Radonova	08/30/2022	09/27/2023	1.1
690	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Building Manager Office	BTD	622662-5	ATD	Radonova	08/30/2022	09/27/2023	0.7
691	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Building Manager Office	BTD	290898-6	ATD	Radonova	08/30/2022	09/27/2023	0.8
692	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C02	BTD	986161-8	ATD	Radonova	08/30/2022	09/27/2023	1.5
693	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C02	BTD	319424-8	ATD	Radonova	08/30/2022	09/27/2023	1.6
694	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C03	BTD	457190-7	ATD	Radonova	08/30/2022	09/27/2023	1.6
695	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C03	BTD	557515-4	ATD	Radonova	08/30/2022	09/27/2023	1.6
696	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C05	BTD	155429-4	ATD	Radonova	08/30/2022	09/27/2023	1.6
697	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C05	BTD	524044-5	ATD	Radonova	08/30/2022	09/27/2023	1.6
698	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C06	BTD	991636-2	ATD	Radonova	08/30/2022	09/27/2023	1.6
699	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C06	BTD	153009-6	ATD	Radonova	08/30/2022	09/27/2023	1.7
700	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C07	BTD	308485-2	ATD	Radonova	08/30/2022	09/27/2023	1.6
701	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C07	BTD	734506-9	ATD	Radonova	08/30/2022	09/27/2023	1.8
702	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C08	BTD	105201-8	ATD	Radonova	08/30/2022	09/27/2023	1.6
703	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C08	BTD	679907-6	ATD	Radonova	08/30/2022	09/27/2023	1.6
704	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C09	BTD	572827-4	ATD	Radonova	08/30/2022	09/27/2023	1.7
705	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C09	BTD	902497-7	ATD	Radonova	08/30/2022	09/27/2023	1.8

	A	B	C	D	E	F	G	H	I	J	K
706	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C10	BTD	185746-5	ATD	Radonova	08/30/2022	09/27/2023	1.5
707	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C10	BTD	508837-2	ATD	Radonova	08/30/2022	09/27/2023	1.7
708	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C11	BTD	957585-3	ATD	Radonova	08/30/2022	09/27/2023	1.6
709	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C11	BTD	360797-5	ATD	Radonova	08/30/2022	09/27/2023	1.7
710	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C12	BTD	587038-1	ATD	Radonova	08/30/2022	09/27/2023	1.5
711	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C12	BTD	804733-4	ATD	Radonova	08/30/2022	09/27/2023	1.8
712	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C13	BTD	915374-3	ATD	Radonova	08/30/2022	09/27/2023	1.7
713	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C13	BTD	449328-4	ATD	Radonova	08/30/2022	09/27/2023	1.8
714	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C16	Right of door	197675-2	ATD	Radonova	08/30/2022	09/27/2023	1.5
715	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C16	Right of door	425851-3	ATD	Radonova	08/30/2022	09/27/2023	1.5
716	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C17	BTD	351643-2	ATD	Radonova	08/30/2022	09/27/2023	1.6
717	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	C17	BTD	779934-9	ATD	Radonova	08/30/2022	09/27/2023	1.6
718	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	CO	BTD	201424-9	ATD	Radonova	08/30/2022	09/27/2023	1.2
719	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	CO	BTD	284292-0	ATD	Radonova	08/30/2022	09/27/2023	1.2
720	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Conference rm	BTD	730454-6	ATD	Radonova	08/30/2022	09/27/2023	0.6
721	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Conference rm	BTD	826487-1	ATD	Radonova	08/30/2022	09/27/2023	0.6
722	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Conference rm	BTD	823298-5	ATD	Radonova	08/30/2022	09/27/2023	1.1
723	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Conference rm	BTD	652605-7	ATD	Radonova	08/30/2022	09/27/2023	1.2
724	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E02	BTD	826659-5	ATD	Radonova	08/30/2022	09/27/2023	1.4
725	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E02	BTD	936293-0	ATD	Radonova	08/30/2022	09/27/2023	1.4
726	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E03	BTD	702405-2	ATD	Radonova	08/30/2022	09/27/2023	1.4
727	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E03	BTD	970029-5	ATD	Radonova	08/30/2022	09/27/2023	1.4
728	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E05	BTD	467927-0	ATD	Radonova	08/30/2022	09/27/2023	1.3
729	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E05	BTD	901222-0	ATD	Radonova	08/30/2022	09/27/2023	1.4
730	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E06	BTD	789704-4	ATD	Radonova	08/30/2022	09/27/2023	1.2
731	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E06	BTD	777732-9	ATD	Radonova	08/30/2022	09/27/2023	1.3
732	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E07	BTD	192960-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
733	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E07	BTD	923902-1	ATD	Radonova	08/30/2022	09/27/2023	1.3
734	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E08	BTD	177832-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
735	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E08	BTD	178860-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
736	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E08, inner office	Back left corner	818360-0	ATD	Radonova	08/30/2022	09/27/2023	1.2
737	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E08, inner office	Back left corner	418817-3	ATD	Radonova	08/30/2022	09/27/2023	1.4
738	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E09	BTD	279478-2	ATD	Radonova	08/30/2022	09/27/2023	1.4
739	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E09	BTD	731644-1	ATD	Radonova	08/30/2022	09/27/2023	1.6
740	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E10	BTD	493222-4	ATD	Radonova	08/30/2022	09/27/2023	1.3
741	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E10	BTD	381063-7	ATD	Radonova	08/30/2022	09/27/2023	1.4
742	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E11	Left short wall	214425-1	ATD	Radonova	08/30/2022	09/27/2023	1.3
743	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E11	Left short wall	339091-1	ATD	Radonova	08/30/2022	09/27/2023	1.4
744	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E12	Above letter/paper holder on wall	156086-1	ATD	Radonova	08/30/2022	09/27/2023	1.2
745	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E12	Above letter/paper holder on wall	623248-2	ATD	Radonova	08/30/2022	09/27/2023	1.2
746	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E12, inner office	BTD	366512-2	ATD	Radonova	08/30/2022	09/27/2023	1.3
747	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E12, inner office	BTD	527184-6	ATD	Radonova	08/30/2022	09/27/2023	1.5
748	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E16	BTD	415921-6	ATD	Radonova	08/30/2022	09/27/2023	1.4
749	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E16	BTD	763570-9	ATD	Radonova	08/30/2022	09/27/2023	1.4
750	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E17	BTD	199518-2	ATD	Radonova	08/30/2022	09/27/2023	1.3
751	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	E17	BTD	820293-9	ATD	Radonova	08/30/2022	09/27/2023	1.3
752	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	End hallway office	Short wall	191173-4	ATD	Radonova	08/30/2022	09/27/2023	1.2
753	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	End hallway office	Short wall	578937-5	ATD	Radonova	08/30/2022	09/27/2023	1.3
754	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	End hallway office, inner office	BTD	491304-2	ATD	Radonova	08/30/2022	09/27/2023	1.1
755	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	End hallway office, inner office	BTD	917472-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
756	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Inner office w/in A08	BTD	448441-6	ATD	Radonova	08/30/2022	09/27/2023	0.8
757	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Inner office w/in A08	BTD	204846-0	ATD	Radonova	08/30/2022	09/27/2023	1.1
758	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Left of B06	BTD	149799-9	ATD	Radonova	08/30/2022	09/27/2023	1.1
759	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Left of B06	BTD	742421-1	ATD	Radonova	08/30/2022	09/27/2023	1.3
760	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Left office w/in Weapons dept.	BTD	356097-6	ATD	Radonova	08/30/2022	09/27/2023	1.1
761	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Left office w/in Weapons dept.	BTD	752277-1	ATD	Radonova	08/30/2022	09/27/2023	1.2
762	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Quarter Deck	By rm 103 door	269870-2	ATD	Radonova	08/30/2022	09/27/2023	0.6
763	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Quarter Deck	By rm 103 door	666822-2	ATD	Radonova	08/30/2022	09/27/2023	0.7
764	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Ship's Office	BTD	181423-5	ATD	Radonova	08/30/2022	09/27/2023	1.2
765	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Ship's Office	BTD	391853-9	ATD	Radonova	08/30/2022	09/27/2023	1.2
766	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	SRS-36	BTD	314914-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
767	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	SRS-36	BTD	723750-6	ATD	Radonova	08/30/2022	09/27/2023	1.4
768	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	The Office	BTD	278729-9	ATD	Radonova	08/30/2022	09/27/2023	0.5
769	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	The Office	BTD	905973-4	ATD	Radonova	08/30/2022	09/27/2023	0.9
770	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Weapons dept.	BTD	249994-5	ATD	Radonova	08/30/2022	09/27/2023	1.1
771	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	Weapons dept.	BTD	987901-6	ATD	Radonova	08/30/2022	09/27/2023	1.2

	A	B	C	D	E	F	G	H	I	J	K
772	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	XO	BTD	327441-2	ATD	Radonova	08/30/2022	09/27/2023	1.2
773	NSB Kings Bay	1059	OFF-CREW ADMIN BLDG	XO	BTD	221180-3	ATD	Radonova	08/30/2022	09/27/2023	1.3
774	NSB Kings Bay	1063	FLUCKEY HALL	110	Above light switch in inner room	636607-4	ATD	Radonova	08/08/2022	08/14/2023	1.0
775	NSB Kings Bay	1063	FLUCKEY HALL	110	Above light switch in inner room	900978-8	ATD	Radonova	08/08/2022	08/14/2023	1.0
776	NSB Kings Bay	1063	FLUCKEY HALL	111		266776-4	ATD	Radonova	08/08/2022	08/14/2023	0.8
777	NSB Kings Bay	1063	FLUCKEY HALL	111		254074-8	ATD	Radonova	08/08/2022	08/14/2023	1.0
778	NSB Kings Bay	1063	FLUCKEY HALL	118	Above light switch on right wall	549825-8	ATD	Radonova	08/08/2022	08/14/2023	0.9
779	NSB Kings Bay	1063	FLUCKEY HALL	118	Above light switch on right wall	552782-5	ATD	Radonova	08/08/2022	08/14/2023	0.9
780	NSB Kings Bay	1063	FLUCKEY HALL	129	BTD	182023-2	ATD	Radonova	08/08/2022	08/14/2023	0.7
781	NSB Kings Bay	1063	FLUCKEY HALL	129	BTD	359146-8	ATD	Radonova	08/08/2022	08/14/2023	0.9
782	NSB Kings Bay	1063	FLUCKEY HALL	145	BTD Next to White board	133531-4	ATD	Radonova	08/08/2022	08/14/2023	0.9
783	NSB Kings Bay	1063	FLUCKEY HALL	145	BTD Next to White board	568291-9	ATD	Radonova	08/08/2022	08/14/2023	0.9
784	NSB Kings Bay	1063	FLUCKEY HALL	150	BTD	670557-8	ATD	Radonova	08/08/2022	08/14/2023	0.9
785	NSB Kings Bay	1063	FLUCKEY HALL	150	BTD	622351-5	ATD	Radonova	08/08/2022	08/14/2023	1.1
786	NSB Kings Bay	1063	FLUCKEY HALL	154	BTD	579013-4	ATD	Radonova	08/08/2022	08/14/2023	0.8
787	NSB Kings Bay	1063	FLUCKEY HALL	154	BTD	113666-2	ATD	Radonova	08/08/2022	08/14/2023	0.9
788	NSB Kings Bay	1063	FLUCKEY HALL	157	Backside of Column	924460-9	ATD	Radonova	08/08/2022	08/14/2023	0.8
789	NSB Kings Bay	1063	FLUCKEY HALL	157	Backside of Column	490825-7	ATD	Radonova	08/08/2022	08/14/2023	1.0
790	NSB Kings Bay	1063	FLUCKEY HALL	105 snack bar	BTD	622838-1	ATD	Radonova	08/08/2022	08/14/2023	0.9
791	NSB Kings Bay	1063	FLUCKEY HALL	105 snack bar	BTD	713347-3	ATD	Radonova	08/08/2022	08/14/2023	1.0
792	NSB Kings Bay	1063	FLUCKEY HALL	115A	Above fire safety map	587474-8	ATD	Radonova	08/08/2022	08/14/2023	1.9
793	NSB Kings Bay	1063	FLUCKEY HALL	115A	Above fire safety map	685882-3	ATD	Radonova	08/08/2022	08/14/2023	1.9
794	NSB Kings Bay	1063	FLUCKEY HALL	124 inside 129	BTD	933784-1	ATD	Radonova	08/08/2022	08/14/2023	0.8
795	NSB Kings Bay	1063	FLUCKEY HALL	124 inside 129	BTD	434633-4	ATD	Radonova	08/08/2022	08/14/2023	0.9
796	NSB Kings Bay	1063	FLUCKEY HALL	129A inside 129	BTD	162181-2	ATD	Radonova	08/08/2022	08/14/2023	0.9
797	NSB Kings Bay	1063	FLUCKEY HALL	129A inside 129	BTD	474099-9	ATD	Radonova	08/08/2022	08/14/2023	0.9
798	NSB Kings Bay	1063	FLUCKEY HALL	129B inside 129	BTD	273035-6	ATD	Radonova	08/08/2022	08/14/2023	0.8
799	NSB Kings Bay	1063	FLUCKEY HALL	129B inside 129	BTD	733317-2	ATD	Radonova	08/08/2022	08/14/2023	0.9
800	NSB Kings Bay	1063	FLUCKEY HALL	136 1st door	BTD Thermostat	174867-2	ATD	Radonova	08/08/2022	08/14/2023	0.8
801	NSB Kings Bay	1063	FLUCKEY HALL	136 1st door	BTD Thermostat	602707-2	ATD	Radonova	08/08/2022	08/14/2023	0.8
802	NSB Kings Bay	1063	FLUCKEY HALL	136 Marketing Office	Next to white board	925589-4	ATD	Radonova	08/08/2022	08/14/2023	0.8
803	NSB Kings Bay	1063	FLUCKEY HALL	136 Marketing Office	Next to white board	249663-6	ATD	Radonova	08/08/2022	08/14/2023	1.1
804	NSB Kings Bay	1063	FLUCKEY HALL	136 Second door	BTD	557947-9	ATD	Radonova	08/08/2022	08/14/2023	0.9
805	NSB Kings Bay	1063	FLUCKEY HALL	136 Second door	BTD	599629-3	ATD	Radonova	08/08/2022	08/14/2023	1.1
806	NSB Kings Bay	1063	FLUCKEY HALL	B.C. office	BTD	426409-9	ATD	Radonova	08/08/2022	08/14/2023	0.7
807	NSB Kings Bay	1063	FLUCKEY HALL	B.C. office	BTD	375381-1	ATD	Radonova	08/08/2022	08/14/2023	0.8
808	NSB Kings Bay	1063	FLUCKEY HALL	B.C. office Conference	BTD	454585-1	ATD	Radonova	08/08/2022	08/14/2023	0.7
809	NSB Kings Bay	1063	FLUCKEY HALL	B.C. office Conference	BTD	295066-5	ATD	Radonova	08/08/2022	08/14/2023	0.8
810	NSB Kings Bay	1063	FLUCKEY HALL	Business manager	BTD	308317-7	ATD	Radonova	08/08/2022	08/14/2023	0.9
811	NSB Kings Bay	1063	FLUCKEY HALL	Business manager	BTD	955250-6	ATD	Radonova	08/08/2022	08/14/2023	0.9
812	NSB Kings Bay	1063	FLUCKEY HALL	Front by check in desk	Above thermostat	160462-8	ATD	Radonova	08/08/2022	08/14/2023	0.7
813	NSB Kings Bay	1063	FLUCKEY HALL	Front by check in desk	Above thermostat	197967-3	ATD	Radonova	08/08/2022	08/14/2023	0.8
814	NSB Kings Bay	1063	FLUCKEY HALL	Front desk flag room	BTD	402168-9	ATD	Radonova	08/08/2022	08/14/2023	0.6
815	NSB Kings Bay	1063	FLUCKEY HALL	Front desk flag room	BTD	518335-5	ATD	Radonova	08/08/2022	08/14/2023	0.7
816	NSB Kings Bay	1063	FLUCKEY HALL	Main Director	BTD	666585-5	ATD	Radonova	08/08/2022	08/14/2023	0.8
817	NSB Kings Bay	1063	FLUCKEY HALL	Main Director	BTD	580061-0	ATD	Radonova	08/08/2022	08/14/2023	1.0
818	NSB Kings Bay	1063	FLUCKEY HALL	Mic Room 127	Left of door	157692-5	ATD	Radonova	08/08/2022	08/14/2023	0.8
819	NSB Kings Bay	1063	FLUCKEY HALL	Mic Room 127	Left of door	201967-7	ATD	Radonova	08/08/2022	08/14/2023	0.8
820	NSB Kings Bay	1063	FLUCKEY HALL	Operation director	BTD	180944-1	ATD	Radonova	08/08/2022	08/14/2023	0.9
821	NSB Kings Bay	1063	FLUCKEY HALL	Operation director	BTD	386995-5	ATD	Radonova	08/08/2022	08/14/2023	0.9
822	NSB Kings Bay	1063	FLUCKEY HALL	outside 154B	wall next to 154B	186330-7	ATD	Radonova	08/08/2022	08/14/2023	0.8
823	NSB Kings Bay	1063	FLUCKEY HALL	outside 154B	wall next to 154B	381274-0	ATD	Radonova	08/08/2022	08/14/2023	0.8
824	NSB Kings Bay	1063	FLUCKEY HALL	Room at end of right hallway	BTD	802544-7	ATD	Radonova	08/08/2022	08/14/2023	0.9
825	NSB Kings Bay	1063	FLUCKEY HALL	Room at end of right hallway	BTD	838088-3	ATD	Radonova	08/08/2022	08/14/2023	1.1
826	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1112	Wall that pops out, near desk	969990-1	ATD	Radonova	08/29/2022	09/26/2023	0.6
827	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1112	Wall that pops out, near desk	826433-5	ATD	Radonova	08/29/2022	09/26/2023	0.7
828	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2104	BTD	246244-8	ATD	Radonova	08/29/2022	09/26/2023	0.3
829	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2104	BTD	724577-2	ATD	Radonova	08/29/2022	09/26/2023	0.3
830	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2106	Right wall above thermostat	193062-7	ATD	Radonova	08/29/2022	09/26/2023	0.5
831	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2106	Right wall above thermostat	683689-4	ATD	Radonova	08/29/2022	09/26/2023	0.6
832	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column	312799-0	ATD	Radonova	08/29/2022	09/26/2023	0.3
833	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column	253236-4	ATD	Radonova	08/29/2022	09/26/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
834	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column	431004-1	ATD	Radonova	08/29/2022	09/26/2023	0.5
835	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column	177173-2	ATD	Radonova	08/29/2022	09/26/2023	0.6
836	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column, class desks area	677962-3	ATD	Radonova	08/29/2022	09/26/2023	0.4
837	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2111	Column, class desks area	533748-0	ATD	Radonova	08/29/2022	09/26/2023	0.5
838	NSB Kings Bay	1065	TRIDENT TRAINING FAC	3102	Right wall on column	395324-7	ATD	Radonova	08/29/2022	09/26/2023	0.2
839	NSB Kings Bay	1065	TRIDENT TRAINING FAC	3102	Right wall on column	464142-9	ATD	Radonova	08/29/2022	09/26/2023	0.3
840	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4100	Right wall above switch	644792-4	ATD	Radonova	08/29/2022	09/26/2023	0.4
841	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4100	Right wall above switch	198821-1	ATD	Radonova	08/29/2022	09/26/2023	0.6
842	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4106	Right wall by electric panel	279885-8	ATD	Radonova	08/29/2022	09/26/2023	0.4
843	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4106	Right wall by electric panel	119358-0	ATD	Radonova	08/29/2022	09/26/2023	0.5
844	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4108	BTD	352199-4	ATD	Radonova	08/29/2022	09/26/2023	0.5
845	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4108	BTD	617654-9	ATD	Radonova	08/29/2022	09/26/2023	0.5
846	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4109	Right wall by electric panel	392611-0	ATD	Radonova	08/29/2022	09/26/2023	0.4
847	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4109	Right wall by electric panel	122028-4	ATD	Radonova	08/29/2022	09/26/2023	0.5
848	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4111	By thermostat on wall between doors	307654-4	ATD	Radonova	08/29/2022	09/26/2023	0.4
849	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4111	By thermostat on wall between doors	739840-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
850	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4113	Right wall on column	465972-8	ATD	Radonova	08/29/2022	09/26/2023	0.6
851	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4113	Right wall on column	788011-5	ATD	Radonova	08/29/2022	09/26/2023	0.7
852	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4114	Right from door above switch	402669-6	ATD	Radonova	08/29/2022	09/26/2023	0.5
853	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4114	Right from door above switch	612359-0	ATD	Radonova	08/29/2022	09/26/2023	0.7
854	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4115	Right wall above light switch	956537-5	ATD	Radonova	08/29/2022	09/26/2023	0.3
855	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4115	Right wall above light switch	975190-0	ATD	Radonova	08/29/2022	09/26/2023	0.4
856	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4120	BTD	905108-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
857	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4120	BTD	263356-8	ATD	Radonova	08/29/2022	09/26/2023	0.5
858	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4120	Right of door	805547-7	ATD	Radonova	08/29/2022	09/26/2023	0.3
859	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4120	Right of door	501697-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
860	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4122	BTD	640707-6	ATD	Radonova	08/29/2022	09/26/2023	0.4
861	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4122	BTD	687769-0	ATD	Radonova	08/29/2022	09/26/2023	0.5
862	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4123	Left of door	327546-8	ATD	Radonova	08/29/2022	09/26/2023	0.3
863	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4123	Left of door	517561-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
864	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4124	Right wall on column	357683-2	ATD	Radonova	08/29/2022	09/26/2023	0.4
865	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4124	Right wall on column	983775-8	ATD	Radonova	08/29/2022	09/26/2023	0.4
866	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4125	Left of door	813858-8	ATD	Radonova	08/29/2022	09/26/2023	0.4
867	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4125	Left of door	458660-8	ATD	Radonova	08/29/2022	09/26/2023	0.9
868	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4127	Left of door	377732-3	ATD	Radonova	08/29/2022	09/26/2023	0.2
869	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4127	Left of door	362076-2	ATD	Radonova	08/29/2022	09/26/2023	0.3
870	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4131	Right of door	457016-4	ATD	Radonova	08/29/2022	09/26/2023	0.2
871	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4131	Right of door	177621-0	ATD	Radonova	08/29/2022	09/26/2023	0.2
872	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4135	Left of door	812205-3	ATD	Radonova	08/29/2022	09/26/2023	0.4
873	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4135	Left of door	570928-2	ATD	Radonova	08/29/2022	09/26/2023	0.6
874	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4137	Right of door	818301-4	ATD	Radonova	08/29/2022	09/26/2023	0.4
875	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4137	Right of door	900121-5	ATD	Radonova	08/29/2022	09/26/2023	0.4
876	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4139	Left of door	281614-8	ATD	Radonova	08/29/2022	09/26/2023	0.3
877	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4139	Left of door	327004-8	ATD	Radonova	08/29/2022	09/26/2023	0.3
878	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8101	Right from door	334007-2	ATD	Radonova	08/29/2022	09/26/2023	0.5
879	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8101	Right from door	580145-1	ATD	Radonova	08/29/2022	09/26/2023	0.5
880	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8104	Righy from door	572711-0	ATD	Radonova	08/29/2022	09/26/2023	0.5
881	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8104	Righy from door	295144-0	ATD	Radonova	08/29/2022	09/26/2023	0.6
882	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100A	Left wall	453118-2	ATD	Radonova	08/29/2022	09/26/2023	0.5
883	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100A	Left wall	797438-9	ATD	Radonova	08/29/2022	09/26/2023	0.7
884	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100B	BTD	935140-4	ATD	Radonova	08/29/2022	09/26/2023	0.4
885	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100B	BTD	543339-6	ATD	Radonova	08/29/2022	09/26/2023	0.5
886	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100C	Left from door	378269-5	ATD	Radonova	08/29/2022	09/26/2023	0.8
887	NSB Kings Bay	1065	TRIDENT TRAINING FAC	1100C	Left from door	711908-4	ATD	Radonova	08/29/2022	09/26/2023	0.8
888	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2110 AMCS	Right of door	777997-8	ATD	Radonova	08/29/2022	09/26/2023	0.4
889	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2110 AMCS	Right of door	829660-0	ATD	Radonova	08/29/2022	09/26/2023	0.6
890	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2113B	BTD	179322-3	ATD	Radonova	08/29/2022	09/26/2023	0.4
891	NSB Kings Bay	1065	TRIDENT TRAINING FAC	2113B	BTD	104215-9	ATD	Radonova	08/29/2022	09/26/2023	0.6
892	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4108B	Column near end of hallway	508574-1	ATD	Radonova	08/29/2022	09/26/2023	0.5
893	NSB Kings Bay	1065	TRIDENT TRAINING FAC	4108B	Column near end of hallway	354096-0	ATD	Radonova	08/29/2022	09/26/2023	0.7
894	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102A	Right from door	699541-9	ATD	Radonova	08/29/2022	09/26/2023	0.4
895	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102A	Right from door	764928-8	ATD	Radonova	08/29/2022	09/26/2023	0.5
896	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102B	BTD	736719-6	ATD	Radonova	08/29/2022	09/26/2023	0.5
897	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102B	BTD	747174-1	ATD	Radonova	08/29/2022	09/26/2023	0.5

	A	B	C	D	E	F	G	H	I	J	K
898	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102C	Left wall from door above switch	147986-4	ATD	Radonova	08/29/2022	09/26/2023	0.5
899	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8102C	Left wall from door above switch	338317-1	ATD	Radonova	08/29/2022	09/26/2023	0.6
900	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103A in 8103	BTD	449358-1	ATD	Radonova	08/29/2022	09/26/2023	0.4
901	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103A in 8103	BTD	259347-3	ATD	Radonova	08/29/2022	09/26/2023	0.5
902	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103B in 8103	BTD	374755-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
903	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103B in 8103	BTD	435259-7	ATD	Radonova	08/29/2022	09/26/2023	0.5
904	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103E in 8013	Right from door about light switch	330919-2	ATD	Radonova	08/29/2022	09/26/2023	0.4
905	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103E in 8013	Right from door about light switch	487334-5	ATD	Radonova	08/29/2022	09/26/2023	0.5
906	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103F in 8013	Right from door	146859-4	ATD	Radonova	08/29/2022	09/26/2023	0.4
907	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8103F in 8013	Right from door	268008-0	ATD	Radonova	08/29/2022	09/26/2023	0.5
908	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8105C	Left from door above light switch	424706-0	ATD	Radonova	08/29/2022	09/26/2023	0.4
909	NSB Kings Bay	1065	TRIDENT TRAINING FAC	8105C	Left from door above light switch	555643-6	ATD	Radonova	08/29/2022	09/26/2023	0.5
910	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Auditorium	By 2100B projection rm arch way	265921-7	ATD	Radonova	08/29/2022	09/26/2023	0.3
911	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Auditorium	By 2100B projection rm arch way	346828-7	ATD	Radonova	08/29/2022	09/26/2023	0.5
912	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123	Column	149923-5	ATD	Radonova	08/29/2022	09/26/2023	0.2
913	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123	Column	118322-7	ATD	Radonova	08/29/2022	09/26/2023	0.3
914	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123	Column, below fire alert	479705-6	ATD	Radonova	08/29/2022	09/26/2023	0.2
915	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123	Column, below fire alert	490047-8	ATD	Radonova	08/29/2022	09/26/2023	0.3
916	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123- 5101 Office	Next to bulletin board	472695-6	ATD	Radonova	08/29/2022	09/26/2023	0.3
917	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Double door entry btwn 3107 & 3123- 5101 Office	Next to bulletin board	738471-2	ATD	Radonova	08/29/2022	09/26/2023	0.3
918	NSB Kings Bay	1065	TRIDENT TRAINING FAC	GOAT locker	BTD	623580-8	ATD	Radonova	08/29/2022	09/26/2023	0.4
919	NSB Kings Bay	1065	TRIDENT TRAINING FAC	GOAT locker	BTD	961293-8	ATD	Radonova	08/29/2022	09/26/2023	0.5
920	NSB Kings Bay	1065	TRIDENT TRAINING FAC	hallway	Next to door 4105 facilities	273701-3	ATD	Radonova	08/29/2022	09/26/2023	0.2
921	NSB Kings Bay	1065	TRIDENT TRAINING FAC	hallway	Next to door 4105 facilities	795536-2	ATD	Radonova	08/29/2022	09/26/2023	0.4
922	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Main lobby	Behind front desk	141432-5	ATD	Radonova	08/29/2022	09/26/2023	0.2
923	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Main lobby	Behind front desk	474736-6	ATD	Radonova	08/29/2022	09/26/2023	0.2
924	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Outside Auditorium	On yellow sub display	179544-2	ATD	Radonova	08/29/2022	09/26/2023	0.2
925	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Outside Auditorium	On yellow sub display	563458-9	ATD	Radonova	08/29/2022	09/26/2023	0.2
926	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Right class before 4125	BTD	645552-1	ATD	Radonova	08/29/2022	09/26/2023	0.4
927	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Right class before 4125	BTD	193546-9	ATD	Radonova	08/29/2022	09/26/2023	0.5
928	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Right of 4121	Left of door	591438-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
929	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Right of 4121	Left of door	256842-6	ATD	Radonova	08/29/2022	09/26/2023	0.2
930	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Urinalysis office	Right from door	812053-7	ATD	Radonova	08/29/2022	09/26/2023	0.4
931	NSB Kings Bay	1065	TRIDENT TRAINING FAC	Urinalysis office	Right from door	328885-9	ATD	Radonova	08/29/2022	09/26/2023	0.5
932	NSB Kings Bay	1066	LIBRARY	Area in front of front desk	Column NE to front desk	587270-0	ATD	Radonova	08/11/2022	09/25/2023	0.2
933	NSB Kings Bay	1066	LIBRARY	Area in front of front desk	Column NE to front desk	125663-5	ATD	Radonova	08/11/2022	09/25/2023	0.2
934	NSB Kings Bay	1066	LIBRARY	Crab crew area	Right wall under black mechanical boxes	208492-9	ATD	Radonova	08/11/2022	09/25/2023	0.2
935	NSB Kings Bay	1066	LIBRARY	Crab crew area	Right wall under black mechanical boxes	313253-7	ATD	Radonova	08/11/2022	09/25/2023	0.2
936	NSB Kings Bay	1066	LIBRARY	Former break rm	BTD	594742-9	ATD	Radonova	08/11/2022	09/25/2023	0.2
937	NSB Kings Bay	1066	LIBRARY	Former break rm	BTD	307721-1	ATD	Radonova	08/11/2022	09/25/2023	0.2
938	NSB Kings Bay	1066	LIBRARY	Library north of front desk	BTD	516243-3	ATD	Radonova	08/11/2022	09/25/2023	0.2
939	NSB Kings Bay	1066	LIBRARY	Library north of front desk	BTD	417998-2	ATD	Radonova	08/11/2022	09/25/2023	0.2
940	NSB Kings Bay	1066	LIBRARY	NE theater room	BTD	324731-9	ATD	Radonova	08/11/2022	09/25/2023	0.2
941	NSB Kings Bay	1066	LIBRARY	NE theater room	BTD	604833-4	ATD	Radonova	08/11/2022	09/25/2023	0.2
942	NSB Kings Bay	1066	LIBRARY	Next to SE theater room		364060-4	ATD	Radonova	08/11/2022	09/25/2023	0.2
943	NSB Kings Bay	1066	LIBRARY	Next to SE theater room		919352-5	ATD	Radonova	08/11/2022	09/25/2023	0.2
944	NSB Kings Bay	1066	LIBRARY	Office in SW part of building	BTD	650749-5	ATD	Radonova	08/11/2022	09/25/2023	0.2
945	NSB Kings Bay	1066	LIBRARY	Office in SW part of building	BTD	736065-4	ATD	Radonova	08/11/2022	09/25/2023	0.2
946	NSB Kings Bay	1066	LIBRARY	Party room #2	Right wall from front entrance	267627-8	ATD	Radonova	08/11/2022	09/25/2023	0.2
947	NSB Kings Bay	1066	LIBRARY	Party room #2	Right wall from front entrance	546901-0	ATD	Radonova	08/11/2022	09/25/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
948	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	102	BTD	474344-9	ATD	Radonova	08/09/2022	08/14/2023	0.3
949	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	102	BTD	474552-7	ATD	Radonova	08/09/2022	08/14/2023	0.5
950	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	105	BTD	167798-8	ATD	Radonova	08/09/2022	08/14/2023	0.3
951	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	105	BTD	821305-0	ATD	Radonova	08/09/2022	08/14/2023	0.3
952	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	107	Left wall above metal lock box	535231-5	ATD	Radonova	08/09/2022	08/14/2023	0.4
953	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	107	Left wall above metal lock box	203566-5	ATD	Radonova	08/09/2022	08/14/2023	0.5
954	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	109	Back wall by closet	339491-3	ATD	Radonova	08/09/2022	08/14/2023	0.2
955	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	109	Back wall by closet	829362-3	ATD	Radonova	08/09/2022	08/14/2023	0.2
956	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	109	BTD	664385-2	ATD	Radonova	08/09/2022	08/14/2023	0.3
957	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	109	BTD	308505-7	ATD	Radonova	08/09/2022	08/14/2023	0.4
958	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	122	Left to "operations" door	218523-9	ATD	Radonova	08/09/2022	08/14/2023	0.3
959	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	122	Left to "operations" door	402348-7	ATD	Radonova	08/09/2022	08/14/2023	0.3
960	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	125	BTD	225132-0	ATD	Radonova	08/09/2022	08/14/2023	0.4
961	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	125	BTD	358754-0	ATD	Radonova	08/09/2022	08/14/2023	0.4
962	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	127	Right from door by thermostat	335216-8	ATD	Radonova	08/09/2022	08/14/2023	0.3
963	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	127	Right from door by thermostat	687401-0	ATD	Radonova	08/09/2022	08/14/2023	0.4
964	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	128	BTD	777531-5	ATD	Radonova	08/09/2022	08/14/2023	0.4
965	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	128	BTD	914160-7	ATD	Radonova	08/09/2022	08/14/2023	0.4
966	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	129	Above light	544165-4	ATD	Radonova	08/09/2022	08/14/2023	0.4
967	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	129	Above light	950138-8	ATD	Radonova	08/09/2022	08/14/2023	0.4
968	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	129	Above light switch	508809-1	ATD	Radonova	08/09/2022	08/14/2023	0.3
969	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	129	Above light switch	763181-5	ATD	Radonova	08/09/2022	08/14/2023	0.4
970	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	177	BTD	373549-5	ATD	Radonova	08/09/2022	08/14/2023	0.4
971	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	177	BTD	836212-1	ATD	Radonova	08/09/2022	08/14/2023	0.4
972	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	181	BTD	197966-5	ATD	Radonova	08/09/2022	08/14/2023	0.5
973	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	181	BTD	385862-8	ATD	Radonova	08/09/2022	08/14/2023	0.5
974	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	182	BTD	698250-8	ATD	Radonova	08/09/2022	08/14/2023	0.5
975	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	182	BTD	628352-7	ATD	Radonova	08/09/2022	08/14/2023	0.6
976	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	"Mackies Room"	Behind front desk above floorplan	238425-3	ATD	Radonova	08/09/2022	08/14/2023	0.3
977	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	"Mackies Room"	Behind front desk above floorplan	169725-9	ATD	Radonova	08/09/2022	08/14/2023	0.4
978	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	123 in Operations rm	Right from door	479185-1	ATD	Radonova	08/09/2022	08/14/2023	0.4
979	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	123 in Operations rm	Right from door	949373-5	ATD	Radonova	08/09/2022	08/14/2023	0.4
980	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	133b	Above thermostat	579339-3	ATD	Radonova	08/09/2022	08/14/2023	0.4
981	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	133b	Above thermostat	681338-0	ATD	Radonova	08/09/2022	08/14/2023	0.5
982	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	134 in 132A Hallway	BTD	162996-3	ATD	Radonova	08/09/2022	08/14/2023	0.4
983	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	134 in 132A Hallway	BTD	443695-2	ATD	Radonova	08/09/2022	08/14/2023	0.4
984	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	139 in 132A Hallway	BTD	243738-2	ATD	Radonova	08/09/2022	08/14/2023	0.4
985	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	139 in 132A Hallway	BTD	319558-3	ATD	Radonova	08/09/2022	08/14/2023	0.4
986	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	140 in rm 143		183603-0	ATD	Radonova	08/09/2022	08/14/2023	0.4
987	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	140 in rm 143		826324-6	ATD	Radonova	08/09/2022	08/14/2023	0.5
988	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	142A in 132A Hallway	BTD	431942-2	ATD	Radonova	08/09/2022	08/14/2023	0.3
989	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	142A in 132A Hallway	BTD	273610-6	ATD	Radonova	08/09/2022	08/14/2023	0.4
990	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	145 in 145B Hallway	Second column	317486-9	ATD	Radonova	08/09/2022	08/14/2023	0.4
991	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	145 in 145B Hallway	Second column	692328-8	ATD	Radonova	08/09/2022	08/14/2023	0.5
992	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	185 in 145B Hallway	A column by the far cubicles	122149-8	ATD	Radonova	08/09/2022	08/14/2023	0.5
993	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	185 in 145B Hallway	A column by the far cubicles	161778-6	ATD	Radonova	08/09/2022	08/14/2023	0.5
994	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	Operations room in 122	First column	100756-6	ATD	Radonova	08/09/2022	08/14/2023	0.4
995	NSB Kings Bay	1068	ADMINISTRATION BLDG/MARINE BARRACKS GEN	Operations room in 122	First column	342926-3	ATD	Radonova	08/09/2022	08/14/2023	0.4
996	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 1	above AED	253183-8	ATD	Radonova	10/12/2022	09/27/2023	0.5
997	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 1	above AED	621048-8	ATD	Radonova	10/12/2022	09/27/2023	0.5
998	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 2	next to training	985409-2	ATD	Radonova	10/12/2022	09/27/2023	0.4
999	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 2	next to training	764922-1	ATD	Radonova	10/12/2022	09/27/2023	0.5
1000	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 3	BTD	352357-8	ATD	Radonova	10/12/2022	09/27/2023	0.9
1001	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 3	BTD	949200-0	ATD	Radonova	10/12/2022	09/27/2023	1.1
1002	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 4	above water tank	820624-5	ATD	Radonova	10/12/2022	09/27/2023	0.4
1003	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 4	above water tank	742246-2	ATD	Radonova	10/12/2022	09/27/2023	0.6
1004	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 7	under spk lood	392983-3	ATD	Radonova	10/12/2022	09/27/2023	0.8
1005	NSB Kings Bay	1095	FIREFIGHTING TRAINING CTR	Rm 7	under spk lood	532733-3	ATD	Radonova	10/12/2022	09/27/2023	0.8
1006	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 1	Next to fire Plan	290371-4	ATD	Radonova	10/12/2022	09/27/2023	0.5
1007	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 1	Next to fire Plan	798328-1	ATD	Radonova	10/12/2022	09/27/2023	0.5
1008	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 10	BTD	663920-7	ATD	Radonova	10/12/2022	09/27/2023	0.5
1009	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 10	BTD	689626-0	ATD	Radonova	10/12/2022	09/27/2023	0.6

	A	B	C	D	E	F	G	H	I	J	K
1010	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 2	BTD	494747-9	ATD	Radonova	10/12/2022	09/27/2023	0.5
1011	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 2	BTD	644755-1	ATD	Radonova	10/12/2022	09/27/2023	0.5
1012	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 3	BTD	362086-1	ATD	Radonova	10/12/2022	09/27/2023	0.5
1013	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 3	BTD	909578-7	ATD	Radonova	10/12/2022	09/27/2023	0.8
1014	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 5	Above Fire Plan	179985-7	ATD	Radonova	10/12/2022	09/27/2023	0.5
1015	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 5	Above Fire Plan	707583-1	ATD	Radonova	10/12/2022	09/27/2023	0.5
1016	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 6	Next to Rm 6	178013-9	ATD	Radonova	10/12/2022	09/27/2023	0.5
1017	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 6	Next to Rm 6	906014-6	ATD	Radonova	10/12/2022	09/27/2023	0.5
1018	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 9	Below Clock	628142-2	ATD	Radonova	10/12/2022	09/27/2023	0.5
1019	NSB Kings Bay	1096	FIREFIGHTING TRNG SUPP FAC	Rm 9	Below Clock	308124-7	ATD	Radonova	10/12/2022	09/27/2023	0.6
1020	NSB Kings Bay	1099	EMERGENCY MEDICAL SERVICE	Main room	Right side by fire extinguisher	347797-3	ATD	Radonova	09/01/2022	09/26/2023	0.4
1021	NSB Kings Bay	1099	EMERGENCY MEDICAL SERVICE	Main room	Right side by fire extinguisher	211758-8	ATD	Radonova	09/01/2022	09/26/2023	0.5
1022	NSB Kings Bay	2004	FIRE STATION #1	102	BTD	159705-3	ATD	Radonova	08/29/2022	09/25/2023	0.2
1023	NSB Kings Bay	2004	FIRE STATION #1	102	BTD	354534-0	ATD	Radonova	08/29/2022	09/25/2023	0.2
1024	NSB Kings Bay	2004	FIRE STATION #1	104	BTD	322968-9	ATD	Radonova	08/29/2022	09/25/2023	0.2
1025	NSB Kings Bay	2004	FIRE STATION #1	104	BTD	907957-5	ATD	Radonova	08/29/2022	09/25/2023	0.2
1026	NSB Kings Bay	2004	FIRE STATION #1	107	BTD	319148-3	ATD	Radonova	08/29/2022	09/25/2023	0.2
1027	NSB Kings Bay	2004	FIRE STATION #1	107	BTD	423476-1	ATD	Radonova	08/29/2022	09/25/2023	0.2
1028	NSB Kings Bay	2004	FIRE STATION #1	131	Left of door	473539-5	ATD	Radonova	08/29/2022	09/25/2023	0.5
1029	NSB Kings Bay	2004	FIRE STATION #1	131	Left of door	697813-4	ATD	Radonova	08/29/2022	09/25/2023	0.6
1030	NSB Kings Bay	2004	FIRE STATION #1	Computer rm	Left of door	342825-7	ATD	Radonova	08/29/2022	09/25/2023	0.2
1031	NSB Kings Bay	2004	FIRE STATION #1	Computer rm	Left of door	825145-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
1032	NSB Kings Bay	2004	FIRE STATION #1	Exercise rm	Left of door	913724-1	ATD	Radonova	08/29/2022	09/25/2023	0.2
1033	NSB Kings Bay	2004	FIRE STATION #1	Exercise rm	Left of door	317867-0	ATD	Radonova	08/29/2022	09/25/2023	0.4
1034	NSB Kings Bay	2004	FIRE STATION #1	Kitchen area	Right of doorway	223919-2	ATD	Radonova	08/29/2022	09/25/2023	0.2
1035	NSB Kings Bay	2004	FIRE STATION #1	Kitchen area	Right of doorway	347792-4	ATD	Radonova	08/29/2022	09/25/2023	0.2
1036	NSB Kings Bay	2004	FIRE STATION #1	SCBA rm	Right of door	143540-3	ATD	Radonova	08/29/2022	09/25/2023	0.4
1037	NSB Kings Bay	2004	FIRE STATION #1	SCBA rm	Right of door	837289-8	ATD	Radonova	08/29/2022	09/25/2023	0.5
1038	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	003	BTD	982490-5	ATD	Radonova	08/30/2022	09/25/2023	0.6
1039	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	003	BTD	243787-9	ATD	Radonova	08/30/2022	09/25/2023	0.7
1040	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	004	BTD	734618-2	ATD	Radonova	08/30/2022	09/25/2023	0.7
1041	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	004	BTD	980385-9	ATD	Radonova	08/30/2022	09/25/2023	0.7
1042	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	008	Right of door	451048-3	ATD	Radonova	08/30/2022	09/25/2023	0.5
1043	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	008	Right of door	722316-7	ATD	Radonova	08/30/2022	09/25/2023	0.7
1044	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	008	Shelf, right panel	454088-6	ATD	Radonova	08/30/2022	09/25/2023	0.5
1045	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	008	Shelf, right panel	363925-9	ATD	Radonova	08/30/2022	09/25/2023	0.7
1046	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	009	Left of doorway, near bug eye	445788-3	ATD	Radonova	08/29/2022	09/25/2023	0.8
1047	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	009	Left of doorway, near bug eye	671115-4	ATD	Radonova	08/29/2022	09/25/2023	0.8
1048	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	011	Above key pad	327653-2	ATD	Radonova	08/29/2022	09/25/2023	0.7
1049	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	011	Above key pad	901224-6	ATD	Radonova	08/29/2022	09/25/2023	0.8
1050	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	017	Next to white board	734689-3	ATD	Radonova	08/29/2022	09/25/2023	0.9
1051	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	017	Next to white board	552275-0	ATD	Radonova	08/29/2022	09/25/2023	1.0
1052	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	018	Left of door	958045-7	ATD	Radonova	08/29/2022	09/25/2023	0.9
1053	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	018	Left of door	214687-6	ATD	Radonova	08/29/2022	09/25/2023	1.0
1054	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	102	BTD	827239-5	ATD	Radonova	08/29/2022	09/25/2023	0.9
1055	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	102	BTD	364756-7	ATD	Radonova	08/29/2022	09/25/2023	1.0
1056	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	103	BTD	837571-9	ATD	Radonova	08/29/2022	09/25/2023	1.1
1057	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	103	BTD	198958-1	ATD	Radonova	08/29/2022	09/25/2023	1.2
1058	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	104	BTD	200096-6	ATD	Radonova	08/30/2022	09/25/2023	1.2
1059	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	104	BTD	913173-1	ATD	Radonova	08/30/2022	09/25/2023	1.2
1060	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	105	BTD	591083-1	ATD	Radonova	08/29/2022	09/25/2023	1.0
1061	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	105	BTD	909605-8	ATD	Radonova	08/29/2022	09/25/2023	1.0
1062	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	106	Above fire pull/next to light switch	522506-5	ATD	Radonova	08/29/2022	09/25/2023	0.9
1063	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	106	Above fire pull/next to light switch	504279-1	ATD	Radonova	08/29/2022	09/25/2023	1.0
1064	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	111	BTD	100713-7	ATD	Radonova	08/29/2022	09/25/2023	1.0
1065	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	111	BTD	503556-3	ATD	Radonova	08/29/2022	09/25/2023	1.1
1066	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	112	Wall next to stove	696579-2	ATD	Radonova	08/29/2022	09/25/2023	1.0
1067	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	112	Wall next to stove	496814-5	ATD	Radonova	08/29/2022	09/25/2023	1.2
1068	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	113	Left of door	815945-1	ATD	Radonova	08/29/2022	09/25/2023	1.1
1069	NSB Kings Bay	2005	CENTREX/PH SHOP/BOSC/F&E/TDS	113	Left of door	927538-9	ATD	Radonova	08/29/2022	09/25/2023	1.1
1070	NSB Kings Bay	2006	LCI SERVMART	200 Training	Above purell dispenser	519604-3	ATD	Radonova	08/29/2022	09/25/2023	0.6
1071	NSB Kings Bay	2006	LCI SERVMART	200 Training	Above purell dispenser	113050-9	ATD	Radonova	08/29/2022	09/25/2023	0.7

	A	B	C	D	E	F	G	H	I	J	K
1072	NSB Kings Bay	2006	LCI SERVMART	Break Rm	Right of door	605241-9	ATD	Radonova	08/29/2022	09/25/2023	0.5
1073	NSB Kings Bay	2006	LCI SERVMART	Break Rm	Right of door	808781-9	ATD	Radonova	08/29/2022	09/25/2023	0.5
1074	NSB Kings Bay	2006	LCI SERVMART	Inside cage	Cabinet, left side panel	111505-4	ATD	Radonova	08/29/2022	09/25/2023	0.2
1075	NSB Kings Bay	2006	LCI SERVMART	Inside cage	Cabinet, left side panel	797642-6	ATD	Radonova	08/29/2022	09/25/2023	0.2
1076	NSB Kings Bay	2006	LCI SERVMART	Serv mart office	Left of door, above bulletin	152869-4	ATD	Radonova	08/29/2022	09/25/2023	0.8
1077	NSB Kings Bay	2006	LCI SERVMART	Serv mart office	Left of door, above bulletin	575301-7	ATD	Radonova	08/29/2022	09/25/2023	0.8
1078	NSB Kings Bay	2006	LCI SERVMART	Serv mart shopping	Column behind checkout	104856-0	ATD	Radonova	08/29/2022	09/25/2023	0.8
1079	NSB Kings Bay	2006	LCI SERVMART	Serv mart shopping	Column behind checkout	653789-8	ATD	Radonova	08/29/2022	09/25/2023	0.8
1080	NSB Kings Bay	2006	LCI SERVMART	Supervisor's office	BTD	367506-3	ATD	Radonova	08/29/2022	09/25/2023	1.5
1081	NSB Kings Bay	2006	LCI SERVMART	Supervisor's office	BTD	749315-8	ATD	Radonova	08/29/2022	09/25/2023	1.5
1082	NSB Kings Bay	2006	LCI SERVMART	Warehouse space	Back of column	294623-4	ATD	Radonova	08/29/2022	09/25/2023	0.3
1083	NSB Kings Bay	2006	LCI SERVMART	Warehouse space	Back of column	203695-2	ATD	Radonova	08/29/2022	09/25/2023	0.2
1084	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	7	BTD	388927-6	ATD	Radonova	08/30/2022	09/26/2023	0.4
1085	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	7	BTD	674046-8	ATD	Radonova	08/30/2022	09/26/2023	0.5
1086	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	8	Left of electrical panel	804483-6	ATD	Radonova	08/30/2022	09/26/2023	0.4
1087	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	8	Left of electrical panel	958072-1	ATD	Radonova	08/30/2022	09/26/2023	0.4
1088	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	10	BTD	169354-8	ATD	Radonova	08/30/2022	09/26/2023	0.4
1089	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	10	BTD	222613-2	ATD	Radonova	08/30/2022	09/26/2023	0.4
1090	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	12	BTD	641982-4	ATD	Radonova	08/30/2022	09/26/2023	0.3
1091	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	12	BTD	951744-2	ATD	Radonova	08/30/2022	09/26/2023	0.4
1092	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	14	Left of door	622490-1	ATD	Radonova	08/30/2022	09/26/2023	0.3
1093	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	14	Left of door	649984-2	ATD	Radonova	08/30/2022	09/26/2023	0.3
1094	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	15	BTD	187162-3	ATD	Radonova	08/30/2022	09/26/2023	0.3
1095	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	15	BTD	687363-2	ATD	Radonova	08/30/2022	09/26/2023	0.4
1096	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	17	BTD	821525-3	ATD	Radonova	08/30/2022	09/26/2023	0.4
1097	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	17	BTD	742560-6	ATD	Radonova	08/30/2022	09/26/2023	0.6
1098	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	21	Right of door/files basket	578728-8	ATD	Radonova	08/30/2022	09/26/2023	0.3
1099	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	21	Right of door/files basket	309102-2	ATD	Radonova	08/30/2022	09/26/2023	0.5
1100	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Bay	By eye wash area	391309-2	ATD	Radonova	08/30/2022	09/26/2023	0.2
1101	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Bay	By eye wash area	428599-5	ATD	Radonova	08/30/2022	09/26/2023	0.2
1102	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Left of MHE/WHE	BTD	306835-0	ATD	Radonova	08/30/2022	09/26/2023	0.4
1103	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Left of MHE/WHE	BTD	483000-6	ATD	Radonova	08/30/2022	09/26/2023	0.4
1104	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	MHE/WHE Manager	BTD	335253-1	ATD	Radonova	08/30/2022	09/26/2023	0.3
1105	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	MHE/WHE Manager	BTD	938171-6	ATD	Radonova	08/30/2022	09/26/2023	0.4
1106	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	MHE/WHE Manager	Left of door/BTD	100206-2	ATD	Radonova	08/30/2022	09/26/2023	0.3
1107	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	MHE/WHE Manager	Left of door/BTD	138925-3	ATD	Radonova	08/30/2022	09/26/2023	0.3
1108	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Outside hallway door	Left of door	595910-1	ATD	Radonova	08/30/2022	09/26/2023	0.2
1109	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Outside hallway door	Left of door	699734-0	ATD	Radonova	08/30/2022	09/26/2023	0.2
1110	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Parts Rm	Left of door	184231-9	ATD	Radonova	08/30/2022	09/26/2023	0.2
1111	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Parts Rm	Left of door	566389-3	ATD	Radonova	08/30/2022	09/26/2023	0.2
1112	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Tire Rm	Above fire extinguisher	582550-0	ATD	Radonova	08/30/2022	09/26/2023	0.2
1113	NSB Kings Bay	2007	VEH/CONST EQUIP MAINT (F&E)	Tire Rm	Above fire extinguisher	958617-3	ATD	Radonova	08/30/2022	09/26/2023	0.2
1114	NSB Kings Bay	2010	MAINT BLDG F&E	13	Behind TV	201410-8	ATD	Radonova	08/29/2022	09/27/2023	0.5
1115	NSB Kings Bay	2010	MAINT BLDG F&E	13	Behind TV	551379-1	ATD	Radonova	08/29/2022	09/27/2023	0.5
1116	NSB Kings Bay	2010	MAINT BLDG F&E	13 [1st left office, admin]	BTD	800161-2	ATD	Radonova	08/29/2022	09/27/2023	0.5
1117	NSB Kings Bay	2010	MAINT BLDG F&E	13 [1st left office, admin]	BTD	469232-3	ATD	Radonova	08/29/2022	09/27/2023	0.6
1118	NSB Kings Bay	2010	MAINT BLDG F&E	13 [right inner office]	BTD	126695-6	ATD	Radonova	08/29/2022	09/27/2023	0.5
1119	NSB Kings Bay	2010	MAINT BLDG F&E	13 [right inner office]	BTD	668416-1	ATD	Radonova	08/29/2022	09/27/2023	0.5
1120	NSB Kings Bay	2010	MAINT BLDG F&E	14A [Within 14B]	BTD	395241-3	ATD	Radonova	08/29/2022	09/27/2023	0.3
1121	NSB Kings Bay	2010	MAINT BLDG F&E	14A [Within 14B]	BTD	413702-2	ATD	Radonova	08/29/2022	09/27/2023	0.3
1122	NSB Kings Bay	2010	MAINT BLDG F&E	14B	Left of door	758153-1	ATD	Radonova	08/29/2022	09/27/2023	0.2
1123	NSB Kings Bay	2010	MAINT BLDG F&E	14B	Left of door	342220-1	ATD	Radonova	08/29/2022	09/27/2023	0.2
1124	NSB Kings Bay	2010	MAINT BLDG F&E	14D [GCR]	By bookshelf/clock, corner wall by inner door	167877-0	ATD	Radonova	08/29/2022	09/27/2023	0.3
1125	NSB Kings Bay	2010	MAINT BLDG F&E	14D [GCR]	By bookshelf/clock, corner wall by inner door	510824-6	ATD	Radonova	08/29/2022	09/27/2023	0.3
1126	NSB Kings Bay	2010	MAINT BLDG F&E	17 [Within 17A]	Left of door	414341-8	ATD	Radonova	08/29/2022	09/27/2023	0.4
1127	NSB Kings Bay	2010	MAINT BLDG F&E	17 [Within 17A]	Left of door	451063-2	ATD	Radonova	08/29/2022	09/27/2023	0.4
1128	NSB Kings Bay	2010	MAINT BLDG F&E	17A	Above thermostat	518514-5	ATD	Radonova	08/29/2022	09/27/2023	0.3
1129	NSB Kings Bay	2010	MAINT BLDG F&E	17A	Above thermostat	415840-8	ATD	Radonova	08/29/2022	09/27/2023	0.4
1130	NSB Kings Bay	2010	MAINT BLDG F&E	18 [Work control]	Above thermostat	635159-7	ATD	Radonova	08/29/2022	09/27/2023	0.3
1131	NSB Kings Bay	2010	MAINT BLDG F&E	18 [Work control]	Above thermostat	749167-3	ATD	Radonova	08/29/2022	09/27/2023	0.4
1132	NSB Kings Bay	2010	MAINT BLDG F&E	18 Inner Office [IT]	Airhandler shut off	674255-5	ATD	Radonova	08/29/2022	09/27/2023	0.4
1133	NSB Kings Bay	2010	MAINT BLDG F&E	18 Inner Office [IT]	Airhandler shut off	913825-6	ATD	Radonova	08/29/2022	09/27/2023	0.4
1134	NSB Kings Bay	2010	MAINT BLDG F&E	2A [Inner office]	BTD/left wall (face in)	459394-3	ATD	Radonova	08/29/2022	09/27/2023	0.2
1135	NSB Kings Bay	2010	MAINT BLDG F&E	2A [Inner office]	BTD/left wall (face in)	140458-1	ATD	Radonova	08/29/2022	09/27/2023	0.3
1136	NSB Kings Bay	2010	MAINT BLDG F&E	4A [Aegis]	Left of door	561911-9	ATD	Radonova	08/29/2022	09/27/2023	0.2
1137	NSB Kings Bay	2010	MAINT BLDG F&E	4A [Aegis]	Left of door	315133-9	ATD	Radonova	08/29/2022	09/27/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
1138	NSB Kings Bay	2010	MAINT BLDG F&E	5A	Right of door	162315-6	ATD	Radonova	08/29/2022	09/27/2023	0.3
1139	NSB Kings Bay	2010	MAINT BLDG F&E	5A	Right of door	429005-2	ATD	Radonova	08/29/2022	09/27/2023	0.3
1140	NSB Kings Bay	2010	MAINT BLDG F&E	7A	Left of door	189849-3	ATD	Radonova	08/29/2022	09/27/2023	0.2
1141	NSB Kings Bay	2010	MAINT BLDG F&E	7A	Left of door	573774-7	ATD	Radonova	08/29/2022	09/27/2023	0.3
1142	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop (main rm)	By thermostat	532506-3	ATD	Radonova	08/29/2022	09/27/2023	0.3
1143	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop (main rm)	By thermostat	323813-6	ATD	Radonova	08/29/2022	09/27/2023	0.2
1144	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop [1st right rm, inner rm]	BTD	336713-3	ATD	Radonova	08/29/2022	09/27/2023	0.6
1145	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop [1st right rm, inner rm]	BTD	728648-7	ATD	Radonova	08/29/2022	09/27/2023	0.6
1146	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop [1st right rm]	Right of door	136368-8	ATD	Radonova	08/29/2022	09/27/2023	0.4
1147	NSB Kings Bay	2010	MAINT BLDG F&E	Facility Paint Shop [1st right rm]	Right of door	997496-5	ATD	Radonova	08/29/2022	09/27/2023	0.6
1148	NSB Kings Bay	2010	MAINT BLDG F&E	GCR	Above key box, around corner from door.	756226-7	ATD	Radonova	08/29/2022	09/27/2023	0.5
1149	NSB Kings Bay	2010	MAINT BLDG F&E	GCR	Above key box, around corner from door.	663520-5	ATD	Radonova	08/29/2022	09/27/2023	0.2
1150	NSB Kings Bay	2010	MAINT BLDG F&E	Left Left of 14B (office)	Left of door	960947-0	ATD	Radonova	08/29/2022	09/27/2023	0.3
1151	NSB Kings Bay	2010	MAINT BLDG F&E	Left Left of 14B (office)	Left of door	112775-2	ATD	Radonova	08/29/2022	09/27/2023	0.5
1152	NSB Kings Bay	2010	MAINT BLDG F&E	Left of 14B (office)	Left of door	168126-1	ATD	Radonova	08/29/2022	09/27/2023	0.3
1153	NSB Kings Bay	2010	MAINT BLDG F&E	Left of 14B (office)	Left of door	533694-6	ATD	Radonova	08/29/2022	09/27/2023	0.3
1154	NSB Kings Bay	2010	MAINT BLDG F&E	Left of 14B (outside)	MDI spaces, wall outside offices, by time clock cards	678522-4	ATD	Radonova	08/29/2022	09/27/2023	0.3
1155	NSB Kings Bay	2010	MAINT BLDG F&E	Left of 14B (outside)	MDI spaces, wall outside offices, by time clock cards	709302-4	ATD	Radonova	08/29/2022	09/27/2023	0.2
1156	NSB Kings Bay	2010	MAINT BLDG F&E	Metal shop	By fire extinguisher, Back wall of 3A/4A (outside)	153778-6	ATD	Radonova	08/29/2022	09/27/2023	0.2
1157	NSB Kings Bay	2010	MAINT BLDG F&E	Metal shop	By fire extinguisher, Back wall of 3A/4A (outside)	649827-3	ATD	Radonova	08/29/2022	09/27/2023	0.2
1158	NSB Kings Bay	2010	MAINT BLDG F&E	Metal shop	Right of roller door, by electrical box	287848-6	ATD	Radonova	08/29/2022	09/27/2023	0.2
1159	NSB Kings Bay	2010	MAINT BLDG F&E	Metal shop	Right of roller door, by electrical box	640507-0	ATD	Radonova	08/29/2022	09/27/2023	0.2
1160	NSB Kings Bay	2010	MAINT BLDG F&E	Office leading to 2A	Right of door	250676-4	ATD	Radonova	08/29/2022	09/27/2023	0.2
1161	NSB Kings Bay	2010	MAINT BLDG F&E	Office leading to 2A	Right of door	381260-9	ATD	Radonova	08/29/2022	09/27/2023	0.3
1162	NSB Kings Bay	2010	MAINT BLDG F&E	Warehouse	Column across 17A, in cage, by light switch	148200-9	ATD	Radonova	08/29/2022	09/27/2023	0.2
1163	NSB Kings Bay	2010	MAINT BLDG F&E	Warehouse	Column across 17A, in cage, by light switch	611155-3	ATD	Radonova	08/29/2022	09/27/2023	0.2
1164	NSB Kings Bay	2010	MAINT BLDG F&E	Warehouse spaces [Across from "the huddle." Next to break rm.]	Around corner from TV	520695-8	ATD	Radonova	08/29/2022	09/27/2023	0.2
1165	NSB Kings Bay	2010	MAINT BLDG F&E	Warehouse spaces [Across from "the huddle." Next to break rm.]	Around corner from TV	239067-2	ATD	Radonova	08/29/2022	09/27/2023	0.7
1166	NSB Kings Bay	2010	MAINT BLDG F&E	Wood shop	Right side panel on bookshelf, outside office leading to 2A	191690-7	ATD	Radonova	08/29/2022	09/27/2023	0.2
1167	NSB Kings Bay	2010	MAINT BLDG F&E	Wood shop	Right side panel on bookshelf, outside office leading to 2A	675024-4	ATD	Radonova	08/29/2022	09/27/2023	0.2
1168	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	115	BTD	330500-0	ATD	Radonova	08/12/2022	08/15/2023	0.2
1169	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	115	BTD	668024-3	ATD	Radonova	08/12/2022	08/15/2023	0.2
1170	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	120	BTD	172825-2	ATD	Radonova	08/12/2022	08/15/2023	0.3
1171	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	120	BTD	946238-3	ATD	Radonova	08/12/2022	08/15/2023	0.4
1172	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	123	BTD	455676-7	ATD	Radonova	08/12/2022	08/15/2023	0.3
1173	NSB Kings Bay	2011	PRINTING PLANT & USCG MAT	123	BTD	165963-0	ATD	Radonova	08/12/2022	08/15/2023	0.2
1174	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Breakroom	BTD	173342-7	ATD	Radonova	08/08/2022	08/14/2023	0.4
1175	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Breakroom	BTD	715300-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1176	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Human resource office	Outside door	838647-6	ATD	Radonova	08/08/2022	08/14/2023	0.4
1177	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Human resource office	Outside door	309038-8	ATD	Radonova	08/08/2022	08/14/2023	0.6
1178	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	I.T.	BTD	272854-1	ATD	Radonova	08/08/2022	08/14/2023	0.5
1179	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	I.T.	BTD	607558-4	ATD	Radonova	08/08/2022	08/14/2023	0.5
1180	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left as you walk in	BTD	600052-5	ATD	Radonova	08/08/2022	08/14/2023	0.5
1181	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left as you walk in	BTD	277244-0	ATD	Radonova	08/08/2022	08/14/2023	0.6
1182	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	Below mirror camera on ceiling/wall	207597-6	ATD	Radonova	08/08/2022	08/14/2023	0.5
1183	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	Below mirror camera on ceiling/wall	460994-7	ATD	Radonova	08/08/2022	08/14/2023	0.5
1184	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	257396-2	ATD	Radonova	08/08/2022	08/14/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
1185	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	363320-3	ATD	Radonova	08/08/2022	08/14/2023	0.4
1186	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	917097-8	ATD	Radonova	08/08/2022	08/14/2023	0.4
1187	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	169286-2	ATD	Radonova	08/08/2022	08/14/2023	0.5
1188	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	218951-2	ATD	Radonova	08/08/2022	08/14/2023	0.5
1189	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	252302-5	ATD	Radonova	08/08/2022	08/14/2023	0.5
1190	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	309613-8	ATD	Radonova	08/08/2022	08/14/2023	0.5
1191	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	352295-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1192	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	376995-7	ATD	Radonova	08/08/2022	08/14/2023	0.5
1193	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	385272-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1194	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	507683-1	ATD	Radonova	08/08/2022	08/14/2023	0.5
1195	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	688218-7	ATD	Radonova	08/08/2022	08/14/2023	0.5
1196	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	932907-9	ATD	Radonova	08/08/2022	08/14/2023	0.5
1197	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	578977-1	ATD	Radonova	08/08/2022	08/14/2023	0.6
1198	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	754986-8	ATD	Radonova	08/08/2022	08/14/2023	0.6
1199	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Left work area from large parking lot entrance	BTD	453397-2	ATD	Radonova	08/08/2022	08/14/2023	0.7
1200	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Logistic support manager office	BTD	191723-6	ATD	Radonova	08/08/2022	08/14/2023	0.4
1201	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Logistic support manager office	BTD	481747-4	ATD	Radonova	08/08/2022	08/14/2023	0.4
1202	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Safety Office	BTD	113200-0	ATD	Radonova	08/08/2022	08/14/2023	0.4
1203	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Safety Office	BTD	918656-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1204	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Security Specialist	BTD	247920-2	ATD	Radonova	08/08/2022	08/14/2023	0.4
1205	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Security Specialist	BTD	161069-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1206	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Technical Library	above fire escape plan	222504-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1207	NSB Kings Bay	2012	FISC BOS NUWC ADMING BLDG	Technical Library	above fire escape plan	687016-6	ATD	Radonova	08/08/2022	08/14/2023	0.5
1208	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	101	Above white board	591841-2	ATD	Radonova	08/29/2022	09/25/2023	0.4
1209	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	101	Above white board	745278-2	ATD	Radonova	08/29/2022	09/25/2023	0.6
1210	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	102	BTD	242423-2	ATD	Radonova	08/29/2022	09/25/2023	0.4
1211	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	102	BTD	816653-0	ATD	Radonova	08/29/2022	09/25/2023	0.4
1212	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	108	BTD	200742-5	ATD	Radonova	08/29/2022	09/25/2023	0.3
1213	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	108	BTD	977723-6	ATD	Radonova	08/29/2022	09/25/2023	0.4
1214	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	114	Left of door	163747-9	ATD	Radonova	08/29/2022	09/25/2023	0.4
1215	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	114	Left of door	911445-5	ATD	Radonova	08/29/2022	09/25/2023	0.6
1216	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	Dive Locker	Left of door, above light switch	235948-7	ATD	Radonova	08/29/2022	09/25/2023	0.2
1217	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	Dive Locker	Left of door, above light switch	473877-9	ATD	Radonova	08/29/2022	09/25/2023	0.3
1218	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	High bay	Left of roller door	305965-6	ATD	Radonova	08/29/2022	09/25/2023	0.3
1219	NSB Kings Bay	2013	EXPLOSIVE ORDNANCE DISPOSAL	High bay	Left of roller door	654717-8	ATD	Radonova	08/29/2022	09/25/2023	0.3
1220	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	101	BTD	213942-6	ATD	Radonova	08/29/2022	09/27/2023	0.5
1221	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	101	BTD	523628-6	ATD	Radonova	08/29/2022	09/27/2023	0.5
1222	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	102	BTD	757601-0	ATD	Radonova	08/29/2022	09/25/2023	0.5
1223	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	102	BTD	767490-6	ATD	Radonova	08/29/2022	09/25/2023	0.5
1224	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	108	Left of door	165745-1	ATD	Radonova	08/29/2022	09/25/2023	0.5
1225	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	108	Left of door	311872-6	ATD	Radonova	08/29/2022	09/25/2023	0.5
1226	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	115	BTD	939870-2	ATD	Radonova	08/29/2022	09/26/2023	0.4
1227	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	115	BTD	513552-0	ATD	Radonova	08/29/2022	09/26/2023	0.6
1228	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	116	BTD	577078-9	ATD	Radonova	08/29/2022	09/25/2023	0.4
1229	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	116	BTD	697908-2	ATD	Radonova	08/29/2022	09/25/2023	0.4
1230	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	Outside 103	Above copier, right corner	826782-5	ATD	Radonova	08/29/2022	09/25/2023	0.4
1231	NSB Kings Bay	2014	FIRE DEPARTMENT ANNEX	Outside 103	Above copier, right corner	836748-4	ATD	Radonova	08/29/2022	09/25/2023	0.4
1232	NSB Kings Bay	2015	PUBLIC WORK ROICC	106	above fire plan/Light switch	329680-3	ATD	Radonova	08/08/2022	08/14/2023	0.4
1233	NSB Kings Bay	2015	PUBLIC WORK ROICC	106	above fire plan/Light switch	486450-0	ATD	Radonova	08/08/2022	08/14/2023	0.4
1234	NSB Kings Bay	2015	PUBLIC WORK ROICC	110	Front right corner of wall	376713-4	ATD	Radonova	08/08/2022	08/14/2023	0.5
1235	NSB Kings Bay	2015	PUBLIC WORK ROICC	110	Front right corner of wall	707856-1	ATD	Radonova	08/08/2022	08/14/2023	0.5

	A	B	C	D	E	F	G	H	I	J	K
1236	NSB Kings Bay	2015	PUBLIC WORK ROICC	112	BTD	572846-4	ATD	Radonova	08/08/2022	08/14/2023	0.5
1237	NSB Kings Bay	2015	PUBLIC WORK ROICC	112	BTD	604692-4	ATD	Radonova	08/08/2022	08/14/2023	0.6
1238	NSB Kings Bay	2015	PUBLIC WORK ROICC	124	On outter cubicle	724354-6	ATD	Radonova	08/08/2022	08/14/2023	0.5
1239	NSB Kings Bay	2015	PUBLIC WORK ROICC	124	On outter cubicle	907294-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1240	NSB Kings Bay	2015	PUBLIC WORK ROICC	129	BTD	719533-2	ATD	Radonova	08/08/2022	08/14/2023	0.5
1241	NSB Kings Bay	2015	PUBLIC WORK ROICC	129	BTD	608602-9	ATD	Radonova	08/08/2022	08/14/2023	0.6
1242	NSB Kings Bay	2015	PUBLIC WORK ROICC	104 inside 127 Front Office	BTD	760559-5	ATD	Radonova	08/08/2022	08/14/2023	0.4
1243	NSB Kings Bay	2015	PUBLIC WORK ROICC	104 inside 127 Front Office	BTD	537502-7	ATD	Radonova	08/08/2022	08/14/2023	0.5
1244	NSB Kings Bay	2015	PUBLIC WORK ROICC	105 inside 127 Front Office	BTD	523536-1	ATD	Radonova	08/08/2022	08/14/2023	0.5
1245	NSB Kings Bay	2015	PUBLIC WORK ROICC	105 inside 127 Front Office	BTD	116351-8	ATD	Radonova	08/08/2022	08/14/2023	0.7
1246	NSB Kings Bay	2015	PUBLIC WORK ROICC	108 / 131	Left of door next to electrical panel	453633-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1247	NSB Kings Bay	2015	PUBLIC WORK ROICC	108 / 131	Left of door next to electrical panel	504693-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1248	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	BTD	236021-2	ATD	Radonova	08/08/2022	08/14/2023	0.4
1249	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	BTD	397328-6	ATD	Radonova	08/08/2022	08/14/2023	0.4
1250	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	BTD	511508-4	ATD	Radonova	08/08/2022	08/14/2023	0.5
1251	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	BTD	753348-2	ATD	Radonova	08/08/2022	08/14/2023	0.5
1252	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	Left of door	103773-8	ATD	Radonova	08/08/2022	08/14/2023	0.5
1253	NSB Kings Bay	2015	PUBLIC WORK ROICC	124 inside 123	Left of door	460137-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1254	NSB Kings Bay	2015	PUBLIC WORK ROICC	126 inside 127 Front Office	Right of door by thermostat	484620-0	ATD	Radonova	08/08/2022	08/14/2023	0.5
1255	NSB Kings Bay	2015	PUBLIC WORK ROICC	126 inside 127 Front Office	Right of door by thermostat	603424-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1256	NSB Kings Bay	2015	PUBLIC WORK ROICC	127 Front Office	BTD behind column	918467-2	ATD	Radonova	08/08/2022	08/14/2023	0.5
1257	NSB Kings Bay	2015	PUBLIC WORK ROICC	127 Front Office	BTD behind column	355940-8	ATD	Radonova	08/08/2022	08/14/2023	0.6
1258	NSB Kings Bay	2015	PUBLIC WORK ROICC	Conference rm next to rm 106	BTD	303368-5	ATD	Radonova	08/08/2022	08/14/2023	0.5
1259	NSB Kings Bay	2015	PUBLIC WORK ROICC	Conference rm next to rm 106	BTD	683290-1	ATD	Radonova	08/08/2022	08/14/2023	0.5
1260	NSB Kings Bay	2015	PUBLIC WORK ROICC	Conference room	BTD	517882-7	ATD	Radonova	08/08/2022	08/14/2023	0.5
1261	NSB Kings Bay	2015	PUBLIC WORK ROICC	Conference room	BTD	517129-3	ATD	Radonova	08/08/2022	08/14/2023	0.6
1262	NSB Kings Bay	2015	PUBLIC WORK ROICC	Entry way conference rm	BTD	793023-3	ATD	Radonova	08/08/2022	08/14/2023	0.4
1263	NSB Kings Bay	2015	PUBLIC WORK ROICC	Entry way conference rm	BTD	250869-5	ATD	Radonova	08/08/2022	08/14/2023	0.5
1264	NSB Kings Bay	2015	PUBLIC WORK ROICC	Small office inside 106	BTD	332387-0	ATD	Radonova	08/08/2022	08/14/2023	0.4
1265	NSB Kings Bay	2015	PUBLIC WORK ROICC	Small office inside 106	BTD	617455-1	ATD	Radonova	08/08/2022	08/14/2023	0.4
1266	NSB Kings Bay	2015	PUBLIC WORK ROICC	Transportation	BTD	233668-3	ATD	Radonova	08/08/2022	08/14/2023	0.5
1267	NSB Kings Bay	2015	PUBLIC WORK ROICC	Transportation	BTD	326091-6	ATD	Radonova	08/08/2022	08/14/2023	0.5
1268	NSB Kings Bay	2017	PEST CONTROL SHOP, FE	Office	Outside bathroom	779340-9	ATD	Radonova	08/30/2022	09/25/2023	0.3
1269	NSB Kings Bay	2017	PEST CONTROL SHOP, FE	Office	Outside bathroom	153091-4	ATD	Radonova	08/30/2022	09/25/2023	0.2
1270	NSB Kings Bay	2017	PEST CONTROL SHOP, FE	Shop area	Left of storage door (outside)	211798-4	ATD	Radonova	08/30/2022	09/26/2023	0.2
1271	NSB Kings Bay	2017	PEST CONTROL SHOP, FE	Shop area	Left of storage door (outside)	581089-0	ATD	Radonova	08/30/2022	09/26/2023	0.2
1272	NSB Kings Bay	2018	CRANE TEST FACILITY (F&E)		On fridge	386228-1	ATD	Radonova	08/29/2022	09/26/2023	0.3
1273	NSB Kings Bay	2018	CRANE TEST FACILITY (F&E)		On fridge	710276-7	ATD	Radonova	08/29/2022	09/26/2023	0.3
1274	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Break Room	BTD	513226-1	ATD	Radonova	10/11/2022	09/28/2023	0.4
1275	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Break Room	BTD	992853-2	ATD	Radonova	10/11/2022	09/28/2023	0.4
1276	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Freezer Hallway	Freezer Boxes	167703-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1277	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Freezer Hallway	Freezer Boxes	994272-3	ATD	Radonova	10/11/2022	09/28/2023	0.2
1278	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Freezer Hallway	Freezer Boxes	163024-3	ATD	Radonova	10/11/2022	09/28/2023	0.3
1279	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Freezer Hallway	Freezer Boxes	448491-1	ATD	Radonova	10/11/2022	09/28/2023	0.3
1280	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Front Office	Behind TV	199886-3	ATD	Radonova	10/11/2022	09/28/2023	0.2
1281	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Front Office	Behind TV	811152-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1282	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Office	BTD	819126-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1283	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Office	BTD	379075-5	ATD	Radonova	10/11/2022	09/28/2023	0.2
1284	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Warehouse	Front Shelf	727141-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1285	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Warehouse	Front Shelf	959641-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1286	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Warehouse	Rear Shelf	725335-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1287	NSB Kings Bay	2021	PROVISIONS WAREHOUSE/TRF	Warehouse	Rear Shelf	300650-9	ATD	Radonova	10/11/2022	09/28/2023	0.2
1288	NSB Kings Bay	2022	GENERAL WAREHOUSE	Break Room	BTD	945438-0	ATD	Radonova	10/11/2022	09/28/2023	0.4
1289	NSB Kings Bay	2022	GENERAL WAREHOUSE	Break Room	BTD	589460-5	ATD	Radonova	10/11/2022	09/28/2023	0.6
1290	NSB Kings Bay	2022	GENERAL WAREHOUSE	Office	Next to door	337169-7	ATD	Radonova	10/11/2022	09/28/2023	0.6
1291	NSB Kings Bay	2022	GENERAL WAREHOUSE	Office	Next to door	291134-5	ATD	Radonova	10/11/2022	09/28/2023	0.7
1292	NSB Kings Bay	2022	GENERAL WAREHOUSE	Office	Next to men's restroom	400364-6	ATD	Radonova	10/11/2022	09/28/2023	0.5
1293	NSB Kings Bay	2022	GENERAL WAREHOUSE	Office	Next to men's restroom	154200-0	ATD	Radonova	10/11/2022	09/28/2023	0.6
1294	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Column next to stairs	632208-5	ATD	Radonova	10/11/2022	09/28/2023	0.4
1295	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Column next to stairs	807124-3	ATD	Radonova	10/11/2022	09/28/2023	0.2
1296	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	First Desk	154140-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1297	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	First Desk	563310-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1298	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Interior Bay Door'	731121-0	ATD	Radonova	10/11/2022	09/28/2023	0.3
1299	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Interior Bay Door'	612874-8	ATD	Radonova	10/11/2022	09/28/2023	0.5

	A	B	C	D	E	F	G	H	I	J	K
1300	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Left Row 201/202	547845-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1301	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Left Row 201/202	589602-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1302	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Left Row 211/212	304279-3	ATD	Radonova	10/11/2022	09/28/2023	0.2
1303	NSB Kings Bay	2022	GENERAL WAREHOUSE	Warehouse	Left Row 211/212	501916-1	ATD	Radonova	10/11/2022	09/28/2023	0.2
1304	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Break Room	Left of door	333254-1	ATD	Radonova	10/11/2022	09/28/2023	0.2
1305	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Break Room	Left of door	667424-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1306	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Chiller Area Pump	2nd Column [labeled Rm 102], 2nd row, next to Phone	279384-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1307	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Chiller Area Pump	2nd Column [labeled Rm 102], 2nd row, next to Phone	916153-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1308	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Cream Team	Bulletin Board	166470-5	ATD	Radonova	10/11/2022	09/28/2023	0.2
1309	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Cream Team	Bulletin Board	563070-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1310	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Right Work Area	5th Column 2nd row, under caution sign	329097-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1311	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Right Work Area	5th Column 2nd row, under caution sign	704907-5	ATD	Radonova	10/11/2022	09/28/2023	0.2
1312	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Tunnel Area	Right Wall	447895-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1313	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Tunnel Area	Right Wall	679578-5	ATD	Radonova	10/11/2022	09/28/2023	0.4
1314	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Visitor's Office	Under Right Window	290144-5	ATD	Radonova	10/11/2022	09/28/2023	0.3
1315	NSB Kings Bay	2023	CENTRAL THERMAL PLANT	Visitor's Office	Under Right Window	952217-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1316	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	1st office left	next to hand sanitizer	291959-5	ATD	Radonova	10/11/2022	09/28/2023	0.3
1317	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	1st office left	next to hand sanitizer	306670-1	ATD	Radonova	10/11/2022	09/28/2023	0.3
1318	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	1st office right	above hand sanitizer	799701-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1319	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	1st office right	above hand sanitizer	153292-8	ATD	Radonova	10/11/2022	09/28/2023	0.3
1320	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	2nd office left	BTD	462105-8	ATD	Radonova	10/11/2022	09/28/2023	0.3
1321	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	2nd office left	BTD	819675-0	ATD	Radonova	10/11/2022	09/28/2023	0.4
1322	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	2nd office right	BTD	958363-4	ATD	Radonova	10/11/2022	09/28/2023	0.3
1323	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	2nd office right	BTD	585232-2	ATD	Radonova	10/11/2022	09/28/2023	0.4
1324	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	3rd office left	BTD, a little past door	545421-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1325	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	3rd office left	BTD, a little past door	652745-1	ATD	Radonova	10/11/2022	09/28/2023	0.3
1326	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	3rd office right	BTD	636502-7	ATD	Radonova	10/11/2022	09/28/2023	0.3
1327	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	3rd office right	BTD	923675-3	ATD	Radonova	10/11/2022	09/28/2023	0.3
1328	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	4th office left	BTD	212782-7	ATD	Radonova	10/11/2022	09/28/2023	0.2
1329	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	4th office left	BTD	702356-7	ATD	Radonova	10/11/2022	09/28/2023	0.3
1330	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	4th office right [break room]	next to fire alarm	171785-9	ATD	Radonova	10/11/2022	09/28/2023	0.4
1331	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	4th office right [break room]	next to fire alarm	396307-1	ATD	Radonova	10/11/2022	09/28/2023	0.5
1332	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	5th office left	BTD	488160-3	ATD	Radonova	10/11/2022	09/28/2023	0.3
1333	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	5th office left	BTD	902758-2	ATD	Radonova	10/11/2022	09/28/2023	0.3
1334	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Entry	above thermometer	341117-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1335	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Entry	above thermometer	833575-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1336	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Utility Control Center	next to clock	933822-9	ATD	Radonova	10/11/2022	09/28/2023	0.3
1337	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Utility Control Center	next to clock	177818-2	ATD	Radonova	10/11/2022	09/28/2023	0.5
1338	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Warehouse	outside storage room	574852-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1339	NSB Kings Bay	2025	ELEC SYSTEMS MAINT SHOPS	Warehouse	outside storage room	605619-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1340	NSB Kings Bay	2026	SECURITY HEADQUARTERS	103	above light switch	304355-1	ATD	Radonova	10/11/2022	09/27/2023	0.5
1341	NSB Kings Bay	2026	SECURITY HEADQUARTERS	103	above light switch	231740-2	ATD	Radonova	10/11/2022	09/27/2023	0.2
1342	NSB Kings Bay	2026	SECURITY HEADQUARTERS	105	below key pad	546257-7	ATD	Radonova	10/11/2022	09/27/2023	0.2
1343	NSB Kings Bay	2026	SECURITY HEADQUARTERS	105	below key pad	813197-1	ATD	Radonova	10/11/2022	09/27/2023	3.7
1344	NSB Kings Bay	2026	SECURITY HEADQUARTERS	107	next to thermostat	159164-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1345	NSB Kings Bay	2026	SECURITY HEADQUARTERS	107	next to thermostat	216993-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1346	NSB Kings Bay	2026	SECURITY HEADQUARTERS	108	BTD	948250-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1347	NSB Kings Bay	2026	SECURITY HEADQUARTERS	108	BTD	190989-4	ATD	Radonova	10/11/2022	09/27/2023	0.2
1348	NSB Kings Bay	2026	SECURITY HEADQUARTERS	110	BTD	159929-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1349	NSB Kings Bay	2026	SECURITY HEADQUARTERS	110	BTD	136256-5	ATD	Radonova	10/11/2022	09/27/2023	0.2
1350	NSB Kings Bay	2026	SECURITY HEADQUARTERS	114	BTD	937965-2	ATD	Radonova	10/12/2022	09/27/2023	0.2
1351	NSB Kings Bay	2026	SECURITY HEADQUARTERS	114	BTD	419398-3	ATD	Radonova	10/12/2022	09/27/2023	0.4
1352	NSB Kings Bay	2026	SECURITY HEADQUARTERS	115	BTD	951509-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1353	NSB Kings Bay	2026	SECURITY HEADQUARTERS	115	BTD	425220-1	ATD	Radonova	10/11/2022	09/27/2023	0.4
1354	NSB Kings Bay	2026	SECURITY HEADQUARTERS	116	BTD	170265-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1355	NSB Kings Bay	2026	SECURITY HEADQUARTERS	116	BTD	837839-0	ATD	Radonova	10/11/2022	09/27/2023	0.2
1356	NSB Kings Bay	2026	SECURITY HEADQUARTERS	117	above light switch	160658-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1357	NSB Kings Bay	2026	SECURITY HEADQUARTERS	117	above light switch	998543-3	ATD	Radonova	10/11/2022	09/27/2023	0.5
1358	NSB Kings Bay	2026	SECURITY HEADQUARTERS	118	BTD	816449-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1359	NSB Kings Bay	2026	SECURITY HEADQUARTERS	118	BTD	569845-1	ATD	Radonova	10/11/2022	09/27/2023	0.5
1360	NSB Kings Bay	2026	SECURITY HEADQUARTERS	120	BTD	429823-8	ATD	Radonova	10/11/2022	09/27/2023	0.3
1361	NSB Kings Bay	2026	SECURITY HEADQUARTERS	120	BTD	635891-5	ATD	Radonova	10/11/2022	09/27/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
1362	NSB Kings Bay	2026	SECURITY HEADQUARTERS	121	BTD	762518-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1363	NSB Kings Bay	2026	SECURITY HEADQUARTERS	121	BTD	967295-7	ATD	Radonova	10/11/2022	09/27/2023	0.3
1364	NSB Kings Bay	2026	SECURITY HEADQUARTERS	122	BTD	194055-0	ATD	Radonova	10/12/2022	09/27/2023	0.2
1365	NSB Kings Bay	2026	SECURITY HEADQUARTERS	122	BTD	941510-0	ATD	Radonova	10/12/2022	09/27/2023	0.2
1366	NSB Kings Bay	2026	SECURITY HEADQUARTERS	123	BTD	646854-0	ATD	Radonova	10/11/2022	09/27/2023	0.2
1367	NSB Kings Bay	2026	SECURITY HEADQUARTERS	123	BTD	239122-5	ATD	Radonova	10/11/2022	09/27/2023	0.4
1368	NSB Kings Bay	2026	SECURITY HEADQUARTERS	124	BTD	402830-4	ATD	Radonova	10/12/2022	09/27/2023	0.2
1369	NSB Kings Bay	2026	SECURITY HEADQUARTERS	124	BTD	377947-7	ATD	Radonova	10/12/2022	09/27/2023	0.4
1370	NSB Kings Bay	2026	SECURITY HEADQUARTERS	125	BTD	224848-2	ATD	Radonova	10/11/2022	09/27/2023	0.2
1371	NSB Kings Bay	2026	SECURITY HEADQUARTERS	125	BTD	812897-7	ATD	Radonova	10/11/2022	09/27/2023	0.2
1372	NSB Kings Bay	2026	SECURITY HEADQUARTERS	129	BTD	709260-4	ATD	Radonova	10/11/2022	09/27/2023	0.2
1373	NSB Kings Bay	2026	SECURITY HEADQUARTERS	129	BTD	818191-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1374	NSB Kings Bay	2026	SECURITY HEADQUARTERS	130	BTD	836542-1	ATD	Radonova	10/12/2022	09/27/2023	0.2
1375	NSB Kings Bay	2026	SECURITY HEADQUARTERS	130	BTD	943716-1	ATD	Radonova	10/12/2022	09/27/2023	0.2
1376	NSB Kings Bay	2026	SECURITY HEADQUARTERS	131	above light switch	667446-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1377	NSB Kings Bay	2026	SECURITY HEADQUARTERS	131	above light switch	547172-7	ATD	Radonova	10/11/2022	09/27/2023	0.5
1378	NSB Kings Bay	2026	SECURITY HEADQUARTERS	132	above light switch	158659-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1379	NSB Kings Bay	2026	SECURITY HEADQUARTERS	132	above light switch	245381-9	ATD	Radonova	10/11/2022	09/27/2023	0.5
1380	NSB Kings Bay	2026	SECURITY HEADQUARTERS	133	next to black board	196301-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1381	NSB Kings Bay	2026	SECURITY HEADQUARTERS	133	next to black board	233454-8	ATD	Radonova	10/11/2022	09/27/2023	0.3
1382	NSB Kings Bay	2026	SECURITY HEADQUARTERS	134	BTD	542064-1	ATD	Radonova	10/11/2022	09/27/2023	0.3
1383	NSB Kings Bay	2026	SECURITY HEADQUARTERS	134	BTD	654135-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1384	NSB Kings Bay	2026	SECURITY HEADQUARTERS	135	BTD	169369-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1385	NSB Kings Bay	2026	SECURITY HEADQUARTERS	135	BTD	505409-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1386	NSB Kings Bay	2026	SECURITY HEADQUARTERS	136	above light switch	805787-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1387	NSB Kings Bay	2026	SECURITY HEADQUARTERS	136	above light switch	932302-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1388	NSB Kings Bay	2026	SECURITY HEADQUARTERS	137	BTD	766682-9	ATD	Radonova	10/12/2022	09/27/2023	0.4
1389	NSB Kings Bay	2026	SECURITY HEADQUARTERS	137	BTD	586843-5	ATD	Radonova	10/12/2022	09/27/2023	0.5
1390	NSB Kings Bay	2026	SECURITY HEADQUARTERS	138	BTD	574832-2	ATD	Radonova	10/11/2022	09/27/2023	0.2
1391	NSB Kings Bay	2026	SECURITY HEADQUARTERS	138	BTD	246972-4	ATD	Radonova	10/11/2022	09/27/2023	0.3
1392	NSB Kings Bay	2026	SECURITY HEADQUARTERS	139	above light switch	357134-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1393	NSB Kings Bay	2026	SECURITY HEADQUARTERS	139	above light switch	342188-0	ATD	Radonova	10/11/2022	09/27/2023	0.3
1394	NSB Kings Bay	2026	SECURITY HEADQUARTERS	140	back rear wall	406204-8	ATD	Radonova	10/11/2022	09/27/2023	0.4
1395	NSB Kings Bay	2026	SECURITY HEADQUARTERS	140	back rear wall	174880-5	ATD	Radonova	10/11/2022	09/27/2023	0.6
1396	NSB Kings Bay	2026	SECURITY HEADQUARTERS	142	above fire extinguisher	278400-7	ATD	Radonova	10/11/2022	09/27/2023	0.4
1397	NSB Kings Bay	2026	SECURITY HEADQUARTERS	142	above fire extinguisher	493711-6	ATD	Radonova	10/11/2022	09/27/2023	0.4
1398	NSB Kings Bay	2026	SECURITY HEADQUARTERS	157	Next to door	252688-7	ATD	Radonova	10/11/2022	09/27/2023	0.3
1399	NSB Kings Bay	2026	SECURITY HEADQUARTERS	157	Next to door	802876-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1400	NSB Kings Bay	2026	SECURITY HEADQUARTERS	162	BTD	139007-9	ATD	Radonova	10/12/2022	09/27/2023	0.2
1401	NSB Kings Bay	2026	SECURITY HEADQUARTERS	162	BTD	398258-4	ATD	Radonova	10/12/2022	09/27/2023	0.2
1402	NSB Kings Bay	2026	SECURITY HEADQUARTERS	165	BTD	306868-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1403	NSB Kings Bay	2026	SECURITY HEADQUARTERS	165	BTD	277935-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1404	NSB Kings Bay	2026	SECURITY HEADQUARTERS	166	Right Wall next ot desk	363680-0	ATD	Radonova	10/11/2022	09/27/2023	0.3
1405	NSB Kings Bay	2026	SECURITY HEADQUARTERS	166	Right Wall next ot desk	691775-1	ATD	Radonova	10/11/2022	09/27/2023	0.4
1406	NSB Kings Bay	2026	SECURITY HEADQUARTERS	167	above lounge	922509-5	ATD	Radonova	10/11/2022	09/27/2023	0.2
1407	NSB Kings Bay	2026	SECURITY HEADQUARTERS	167	above lounge	215141-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1408	NSB Kings Bay	2026	SECURITY HEADQUARTERS	168	BTD	350493-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1409	NSB Kings Bay	2026	SECURITY HEADQUARTERS	168	BTD	330589-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1410	NSB Kings Bay	2026	SECURITY HEADQUARTERS	169	BTD	469577-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1411	NSB Kings Bay	2026	SECURITY HEADQUARTERS	169	BTD	909507-6	ATD	Radonova	10/11/2022	09/27/2023	1.6
1412	NSB Kings Bay	2026	SECURITY HEADQUARTERS	171	above key pad	414976-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1413	NSB Kings Bay	2026	SECURITY HEADQUARTERS	171	above key pad	645975-4	ATD	Radonova	10/11/2022	09/27/2023	0.2
1414	NSB Kings Bay	2026	SECURITY HEADQUARTERS	112A	next to whiteboard	769272-6	ATD	Radonova	10/11/2022	09/27/2023	0.2
1415	NSB Kings Bay	2026	SECURITY HEADQUARTERS	112A	next to whiteboard	954139-2	ATD	Radonova	10/11/2022	09/27/2023	0.2
1416	NSB Kings Bay	2026	SECURITY HEADQUARTERS	112B	Next to door	223633-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1417	NSB Kings Bay	2026	SECURITY HEADQUARTERS	112B	Next to door	651453-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1418	NSB Kings Bay	2026	SECURITY HEADQUARTERS	148A/B	next to thermostat	927613-0	ATD	Radonova	10/11/2022	09/27/2023	0.4
1419	NSB Kings Bay	2026	SECURITY HEADQUARTERS	148A/B	next to thermostat	734945-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1420	NSB Kings Bay	2026	SECURITY HEADQUARTERS	front entry	left nook	266654-3	ATD	Radonova	10/11/2022	09/27/2023	0.2
1421	NSB Kings Bay	2026	SECURITY HEADQUARTERS	front entry	left nook	798663-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1422	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	Food Prep	BTD	279299-2	ATD	Radonova	10/12/2022	09/28/2023	0.3
1423	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	Food Prep	BTD	614173-3	ATD	Radonova	10/12/2022	09/28/2023	0.3
1424	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	H Office	BTD	610722-1	ATD	Radonova	10/12/2022	09/28/2023	0.2
1425	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	H Office	BTD	930174-8	ATD	Radonova	10/12/2022	09/28/2023	0.2
1426	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	Handler's Office	BTD	691699-3	ATD	Radonova	10/12/2022	09/28/2023	0.2
1427	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	Handler's Office	BTD	250813-3	ATD	Radonova	10/12/2022	09/28/2023	0.2
1428	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	K Master	BTD	769966-3	ATD	Radonova	10/12/2022	09/28/2023	0.2
1429	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	K Master	BTD	816945-0	ATD	Radonova	10/12/2022	09/28/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1430	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	SWF K Master	BTD	509237-4	ATD	Radonova	10/12/2022	09/28/2023	0.3
1431	NSB Kings Bay	2027	KENNEL, MILITARY WORKING DOG	SWF K Master	BTD	597977-8	ATD	Radonova	10/12/2022	09/28/2023	0.2
1432	NSB Kings Bay	2029	DFM FACILITY CONTROL BLDG	main office area	Next to door	215577-8	ATD	Radonova	10/11/2022	09/25/2023	0.2
1433	NSB Kings Bay	2029	DFM FACILITY CONTROL BLDG	main office area	Next to door	222443-4	ATD	Radonova	10/11/2022	09/25/2023	0.2
1434	NSB Kings Bay	2031	RAILROAD MAINT SHOP	Break Room	Right wall	823704-2	ATD	Radonova	10/11/2022	09/27/2023	0.4
1435	NSB Kings Bay	2031	RAILROAD MAINT SHOP	Break Room	Right wall	174968-8	ATD	Radonova	10/11/2022	09/27/2023	0.6
1436	NSB Kings Bay	2031	RAILROAD MAINT SHOP	Office	Right wall	273239-4	ATD	Radonova	10/11/2022	09/27/2023	0.2
1437	NSB Kings Bay	2031	RAILROAD MAINT SHOP	Office	Right wall	676997-0	ATD	Radonova	10/11/2022	09/27/2023	0.2
1438	NSB Kings Bay	2032	VEHICLE PAINT/BODY SHOP (F&E)	Office	Behind bookcase	504665-1	ATD	Radonova	08/29/2022	09/26/2023	0.2
1439	NSB Kings Bay	2032	VEHICLE PAINT/BODY SHOP (F&E)	Office	Behind bookcase	595313-8	ATD	Radonova	08/29/2022	09/26/2023	0.2
1440	NSB Kings Bay	2033	DISPATCH BUILDING (F&E)		Below fire alarm switch	618310-7	ATD	Radonova	08/29/2022	09/26/2023	0.2
1441	NSB Kings Bay	2033	DISPATCH BUILDING (F&E)		Below fire alarm switch	656352-2	ATD	Radonova	08/29/2022	09/26/2023	0.2
1442	NSB Kings Bay	2034	VEHICLE REFUEL/RPR SHOP (FE)	Office	Left side panel metal cabinet, back of rm	551648-9	ATD	Radonova	08/30/2022	09/27/2023	0.2
1443	NSB Kings Bay	2034	VEHICLE REFUEL/RPR SHOP (FE)	Office	Left side panel metal cabinet, back of rm	293573-2	ATD	Radonova	08/30/2022	09/27/2023	0.2
1444	NSB Kings Bay	2035	DFM OPERATIONS	break area	next to fridge	829747-5	ATD	Radonova	10/11/2022	09/25/2023	0.3
1445	NSB Kings Bay	2035	DFM OPERATIONS	break area	next to fridge	199491-2	ATD	Radonova	10/11/2022	09/25/2023	0.5
1446	NSB Kings Bay	2035	DFM OPERATIONS	rear office	BTD	158921-7	ATD	Radonova	10/11/2022	09/25/2023	0.2
1447	NSB Kings Bay	2035	DFM OPERATIONS	rear office	BTD	839529-5	ATD	Radonova	10/11/2022	09/25/2023	0.3
1448	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	101	Left of door	561505-9	ATD	Radonova	08/29/2022	09/25/2023	0.3
1449	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	101	Left of door	770625-2	ATD	Radonova	08/29/2022	09/25/2023	0.4
1450	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	Bay	By eye wash station	918484-7	ATD	Radonova	08/29/2022	09/25/2023	0.2
1451	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	Bay	By eye wash station	836121-4	ATD	Radonova	08/29/2022	09/25/2023	0.2
1452	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	Break Area	Next to TV/bulletin	695488-7	ATD	Radonova	08/29/2022	09/25/2023	0.4
1453	NSB Kings Bay	2038	ARMORED FIGHTING VEH SUP FAC	Break Area	Next to TV/bulletin	810705-4	ATD	Radonova	08/29/2022	09/25/2023	0.6
1454	NSB Kings Bay	2045	CBU OPERATIONS CENTER	101	left wall	491204-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1455	NSB Kings Bay	2045	CBU OPERATIONS CENTER	101	left wall	521976-1	ATD	Radonova	10/11/2022	09/28/2023	0.2
1456	NSB Kings Bay	2045	CBU OPERATIONS CENTER	102	above fire panel	100823-4	ATD	Radonova	10/11/2022	09/28/2023	0.3
1457	NSB Kings Bay	2045	CBU OPERATIONS CENTER	102	above fire panel	515629-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1458	NSB Kings Bay	2045	CBU OPERATIONS CENTER	103	BTD	385987-3	ATD	Radonova	10/11/2022	09/28/2023	0.2
1459	NSB Kings Bay	2045	CBU OPERATIONS CENTER	103	BTD	179491-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1460	NSB Kings Bay	2045	CBU OPERATIONS CENTER	104	BTD	308711-1	ATD	Radonova	10/11/2022	09/28/2023	0.2
1461	NSB Kings Bay	2045	CBU OPERATIONS CENTER	104	BTD	168023-0	ATD	Radonova	10/11/2022	09/28/2023	0.2
1462	NSB Kings Bay	2045	CBU OPERATIONS CENTER	105	BTD	147626-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1463	NSB Kings Bay	2045	CBU OPERATIONS CENTER	105	BTD	729125-5	ATD	Radonova	10/11/2022	09/28/2023	0.2
1464	NSB Kings Bay	2045	CBU OPERATIONS CENTER	106	BTD	316726-9	ATD	Radonova	10/11/2022	09/28/2023	0.2
1465	NSB Kings Bay	2045	CBU OPERATIONS CENTER	106	BTD	509952-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1466	NSB Kings Bay	2045	CBU OPERATIONS CENTER	108	BTD	561993-7	ATD	Radonova	10/11/2022	09/28/2023	0.4
1467	NSB Kings Bay	2045	CBU OPERATIONS CENTER	108	BTD	521818-5	ATD	Radonova	10/11/2022	09/28/2023	0.2
1468	NSB Kings Bay	2045	CBU OPERATIONS CENTER	109	above thermostat	753855-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1469	NSB Kings Bay	2045	CBU OPERATIONS CENTER	109	above thermostat	245794-3	ATD	Radonova	10/11/2022	09/28/2023	0.4
1470	NSB Kings Bay	2045	CBU OPERATIONS CENTER	109	Next to door	589413-4	ATD	Radonova	10/11/2022	09/28/2023	0.2
1471	NSB Kings Bay	2045	CBU OPERATIONS CENTER	109	Next to door	983662-8	ATD	Radonova	10/11/2022	09/28/2023	0.5
1472	NSB Kings Bay	2045	CBU OPERATIONS CENTER	116	next to thermostat	589159-3	ATD	Radonova	10/11/2022	09/28/2023	0.3
1473	NSB Kings Bay	2045	CBU OPERATIONS CENTER	116	next to thermostat	672330-8	ATD	Radonova	10/11/2022	09/28/2023	0.2
1474	NSB Kings Bay	2045	CBU OPERATIONS CENTER	121	above thermostat	660842-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1475	NSB Kings Bay	2045	CBU OPERATIONS CENTER	121	above thermostat	802430-9	ATD	Radonova	10/11/2022	09/28/2023	0.2
1476	NSB Kings Bay	2045	CBU OPERATIONS CENTER	124	above thermostat	443839-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1477	NSB Kings Bay	2045	CBU OPERATIONS CENTER	124	above thermostat	500813-1	ATD	Radonova	10/11/2022	09/28/2023	0.2
1478	NSB Kings Bay	2045	CBU OPERATIONS CENTER	125	Next to door	921335-6	ATD	Radonova	10/11/2022	09/28/2023	0.2
1479	NSB Kings Bay	2045	CBU OPERATIONS CENTER	125	Next to door	624850-4	ATD	Radonova	10/11/2022	09/28/2023	0.3
1480	NSB Kings Bay	2045	CBU OPERATIONS CENTER	128	above thermostat	164722-1	ATD	Radonova	10/11/2022	09/28/2023	0.5
1481	NSB Kings Bay	2045	CBU OPERATIONS CENTER	128	above thermostat	562020-8	ATD	Radonova	10/11/2022	09/28/2023	0.5
1482	NSB Kings Bay	2045	CBU OPERATIONS CENTER	129	next to 128 door	750952-4	ATD	Radonova	10/11/2022	09/28/2023	0.4
1483	NSB Kings Bay	2045	CBU OPERATIONS CENTER	129	next to 128 door	667686-0	ATD	Radonova	10/11/2022	09/28/2023	0.5
1484	NSB Kings Bay	2045	CBU OPERATIONS CENTER	Warehouse	under stairwell	955803-2	ATD	Radonova	10/11/2022	09/28/2023	0.2
1485	NSB Kings Bay	2045	CBU OPERATIONS CENTER	Warehouse	under stairwell	816942-7	ATD	Radonova	10/11/2022	09/28/2023	0.2
1486	NSB Kings Bay	2054	ARMORY	left hallway	middle	724196-1	ATD	Radonova	10/11/2022	09/27/2023	2.8
1487	NSB Kings Bay	2054	ARMORY	left hallway	middle	244718-3	ATD	Radonova	10/11/2022	09/27/2023	2.9
1488	NSB Kings Bay	2054	ARMORY	office area	below lock box	144550-1	ATD	Radonova	10/11/2022	09/27/2023	2.5
1489	NSB Kings Bay	2054	ARMORY	office area	below lock box	538086-0	ATD	Radonova	10/11/2022	09/27/2023	2.9
1490	NSB Kings Bay	2054	ARMORY	rear work area	above mentor sign	176911-6	ATD	Radonova	10/11/2022	09/27/2023	2.7
1491	NSB Kings Bay	2054	ARMORY	rear work area	above mentor sign	534125-0	ATD	Radonova	10/11/2022	09/27/2023	2.7
1492	NSB Kings Bay	2054	ARMORY	right hallway	middle	837800-2	ATD	Radonova	10/11/2022	09/27/2023	2.7
1493	NSB Kings Bay	2054	ARMORY	right hallway	middle	188216-6	ATD	Radonova	10/11/2022	09/27/2023	2.9
1494	NSB Kings Bay	2055	ARMORED FIGHTING VEHICLE STORAGE	101	BTD	135566-8	ATD	Radonova	10/11/2022	09/27/2023	0.2
1495	NSB Kings Bay	2055	ARMORED FIGHTING VEHICLE STORAGE	101	BTD	150992-6	ATD	Radonova	10/11/2022	09/27/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1496	NSB Kings Bay	2055	ARMORED FIGHTING VEHICLE STORAGE	Warehouse	above 104 label	409746-5	ATD	Radonova	10/11/2022	09/27/2023	0.3
1497	NSB Kings Bay	2055	ARMORED FIGHTING VEHICLE STORAGE	Warehouse	above 104 label	499368-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1498	NSB Kings Bay	3007	STORAGE BLDG (F&E)/GAME WARDEN	Office	Back wall	574227-5	ATD	Radonova	08/30/2022	08/15/2023	0.3
1499	NSB Kings Bay	3007	STORAGE BLDG (F&E)/GAME WARDEN	Office	Back wall	708732-3	ATD	Radonova	08/30/2022	08/15/2023	0.3
1500	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	101	BTD	559946-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1501	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	101	BTD	559807-3	ATD	Radonova	10/11/2022	09/27/2023	0.6
1502	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	102	BTD	431509-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1503	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	102	BTD	970907-2	ATD	Radonova	10/11/2022	09/27/2023	0.4
1504	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	104	BTD	517701-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1505	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	104	BTD	828608-0	ATD	Radonova	10/11/2022	09/27/2023	0.4
1506	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	105	BTD	260035-1	ATD	Radonova	10/11/2022	09/27/2023	0.4
1507	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	105	BTD	584414-7	ATD	Radonova	10/11/2022	09/27/2023	0.4
1508	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	106	BTD	734156-3	ATD	Radonova	10/11/2022	09/27/2023	0.6
1509	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	106	BTD	720914-1	ATD	Radonova	10/11/2022	09/27/2023	0.7
1510	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	202	BTD	662292-2	ATD	Radonova	10/11/2022	09/27/2023	0.2
1511	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	202	BTD	490596-4	ATD	Radonova	10/11/2022	09/27/2023	0.3
1512	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	103 [Break Rm]	Around corner from door, short wall	707326-5	ATD	Radonova	10/11/2022	09/27/2023	0.4
1513	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	103 [Break Rm]	Around corner from door, short wall	946147-6	ATD	Radonova	10/11/2022	09/27/2023	0.4
1514	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	104 Inner Office	BTD	252369-4	ATD	Radonova	10/11/2022	09/27/2023	0.4
1515	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	104 Inner Office	BTD	809399-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1516	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	106A [w/in 106, left back side]	BTD	614906-6	ATD	Radonova	10/11/2022	09/27/2023	0.5
1517	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	106A [w/in 106, left back side]	BTD	973490-6	ATD	Radonova	10/11/2022	09/27/2023	0.6
1518	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	207 [welding shop]	Right of door, near eye wash	945114-7	ATD	Radonova	10/11/2022	09/27/2023	0.4
1519	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	207 [welding shop]	Right of door, near eye wash	305367-5	ATD	Radonova	10/11/2022	09/27/2023	0.5
1520	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	208 [carpentry shop]	Next to electrical panel, left of door	451818-9	ATD	Radonova	10/11/2022	09/27/2023	0.3
1521	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	208 [carpentry shop]	Next to electrical panel, left of door	918721-2	ATD	Radonova	10/11/2022	09/27/2023	0.4
1522	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	307 [SWFLANT QA]	Left of door	138671-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1523	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	307 [SWFLANT QA]	Left of door	554211-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1524	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	308 [sewing shop]	Right of door	817936-8	ATD	Radonova	10/11/2022	09/27/2023	0.3
1525	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	308 [sewing shop]	Right of door	560139-8	ATD	Radonova	10/11/2022	09/27/2023	0.4
1526	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	402 [Logistics/Schedule Expeditor Office]	Left of door	621487-8	ATD	Radonova	10/11/2022	09/27/2023	0.8
1527	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	402 [Logistics/Schedule Expeditor Office]	Left of door	234198-0	ATD	Radonova	10/11/2022	09/27/2023	3.0
1528	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	403 [w/in 106, right side]	BTD	505072-9	ATD	Radonova	10/11/2022	09/27/2023	0.6
1529	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	403 [w/in 106, right side]	BTD	705476-0	ATD	Radonova	10/11/2022	09/27/2023	0.9
1530	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	506 [training rm, SPK51]	BTD	920390-2	ATD	Radonova	10/11/2022	09/27/2023	0.4
1531	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	506 [training rm, SPK51]	BTD	986222-8	ATD	Radonova	10/11/2022	09/27/2023	0.4
1532	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Btwn high & low bay	K4 column	692296-7	ATD	Radonova	10/11/2022	09/27/2023	0.3
1533	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Btwn high & low bay	K4 column	195287-8	ATD	Radonova	10/11/2022	09/27/2023	0.4
1534	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	High bay	P8 column, outside rm 305 TRC	348537-2	ATD	Radonova	10/11/2022	09/27/2023	0.4
1535	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	High bay	P8 column, outside rm 305 TRC	408525-4	ATD	Radonova	10/11/2022	09/27/2023	0.4
1536	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Lock & key [SPK51]	Right of door	133403-6	ATD	Radonova	10/11/2022	09/27/2023	0.6
1537	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Lock & key [SPK51]	Right of door	573703-6	ATD	Radonova	10/11/2022	09/27/2023	0.7
1538	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Lock & key inner rm [SPK51]	Right of door	106530-9	ATD	Radonova	10/11/2022	09/27/2023	0.4
1539	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Lock & key inner rm [SPK51]	Right of door	590847-0	ATD	Radonova	10/11/2022	09/27/2023	0.5
1540	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Machine Shop	Above fire extinguisher	659159-8	ATD	Radonova	10/11/2022	09/27/2023	0.4
1541	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Machine Shop	Above fire extinguisher	236494-1	ATD	Radonova	10/11/2022	09/27/2023	0.5
1542	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Machine Shop	Above fire extinguisher, outside carpentry shop	662086-8	ATD	Radonova	10/11/2022	09/27/2023	0.3
1543	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Machine Shop	Above fire extinguisher, outside carpentry shop	345062-4	ATD	Radonova	10/11/2022	09/27/2023	0.6
1544	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Northrop G. 401 [north side]	Next to fire extinguisher	519528-4	ATD	Radonova	10/11/2022	09/27/2023	0.5
1545	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Northrop G. 401 [north side]	Next to fire extinguisher	523201-2	ATD	Radonova	10/11/2022	09/27/2023	0.8
1546	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Northrop G. 401 [south side]	Wall next to staircase, next to bulletin board	798690-4	ATD	Radonova	10/11/2022	09/27/2023	0.5
1547	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Northrop G. 401 [south side]	Wall next to staircase, next to bulletin board	213923-6	ATD	Radonova	10/11/2022	09/27/2023	0.7
1548	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Reception	Outside Rm 101, right side of rm 101 door	903756-5	ATD	Radonova	10/11/2022	09/27/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
1549	NSB Kings Bay	3019	MAINTENANCE SUPPORT BLDG	Reception	Outside Rm 101, right side of rm 101 door	627557-2	ATD	Radonova	10/11/2022	09/27/2023	0.5
1550	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	104	Next to 104A door, left corner	171787-5	ATD	Radonova	10/11/2022	09/27/2023	0.2
1551	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	104	Next to 104A door, left corner	419145-8	ATD	Radonova	10/11/2022	09/27/2023	0.2
1552	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	105 [tool rm, inside 104]	Right of door	366030-5	ATD	Radonova	10/11/2022	09/27/2023	0.2
1553	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	105 [tool rm, inside 104]	Right of door	697604-7	ATD	Radonova	10/11/2022	09/27/2023	0.3
1554	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	21A/B	Behind TV	100798-8	ATD	Radonova	10/11/2022	09/27/2023	0.2
1555	NSB Kings Bay	3020	EQUIPMENT MAINTENANCE SHOP	21A/B	Behind TV	993515-6	ATD	Radonova	10/11/2022	09/27/2023	0.7
1556	NSB Kings Bay	3021	SUBSTATION #1 @ BLDG A	Controller area	Outside bathroom	143761-5	ATD	Radonova	08/30/2022	09/27/2023	2.0
1557	NSB Kings Bay	3021	SUBSTATION #1 @ BLDG A	Controller area	Outside bathroom	908383-3	ATD	Radonova	08/30/2022	09/27/2023	2.2
1558	NSB Kings Bay	3026	SUBSTATION #1 GEN BLDG	Non-Emergency IC	Left of IC030 HAPGuard, on metal beam, right side. Near fire extinguisher.	824130-9	ATD	Radonova	08/30/2022	09/27/2023	0.2
1559	NSB Kings Bay	3026	SUBSTATION #1 GEN BLDG	Non-Emergency IC	Left of IC030 HAPGuard, on metal beam, right side. Near fire extinguisher.	961846-3	ATD	Radonova	08/30/2022	09/27/2023	0.2
1560	NSB Kings Bay	3026	SUBSTATION #1 GEN BLDG	Non-Emergency IC	Middle of rm on right side by IC032, on electrical panel	337566-4	ATD	Radonova	08/30/2022	09/27/2023	0.2
1561	NSB Kings Bay	3026	SUBSTATION #1 GEN BLDG	Non-Emergency IC	Middle of rm on right side by IC032, on electrical panel	364143-8	ATD	Radonova	08/30/2022	09/27/2023	0.2
1562	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Break room	Left wall by binder shelf	274244-3	ATD	Radonova	08/10/2022	08/17/2023	0.2
1563	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Break room	Left wall by binder shelf	280389-8	ATD	Radonova	08/10/2022	08/17/2023	0.3
1564	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Large bay (lower)	Beam on East wall left to rm 11	808164-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1565	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Large bay (lower)	Beam on East wall left to rm 11	911133-7	ATD	Radonova	08/10/2022	08/17/2023	0.2
1566	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Large bay (upper)	Beam on East wall near gas line	437960-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1567	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Large bay (upper)	Beam on East wall near gas line	703823-5	ATD	Radonova	08/10/2022	08/17/2023	0.2
1568	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Main office	Right side by restroom	646529-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1569	NSB Kings Bay	3035	MOTOR TRANSFER FAC	Main office	Right side by restroom	245777-8	ATD	Radonova	08/10/2022	08/17/2023	0.3
1570	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	102	Left from entry	557056-9	ATD	Radonova	08/10/2022	08/17/2023	0.3
1571	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	102	Left from entry	801279-1	ATD	Radonova	08/10/2022	08/17/2023	0.4
1572	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	108	Right from door	125069-5	ATD	Radonova	08/10/2022	08/17/2023	0.3
1573	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	108	Right from door	925473-1	ATD	Radonova	08/10/2022	08/17/2023	0.4
1574	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	112	BTD	108817-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1575	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	112	BTD	247133-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1576	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	113	Left from door	212705-8	ATD	Radonova	08/10/2022	08/17/2023	0.3
1577	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	113	Left from door	536213-2	ATD	Radonova	08/10/2022	08/17/2023	0.3
1578	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	114	Opposite wal from door by calendar	729552-0	ATD	Radonova	08/10/2022	08/17/2023	0.3
1579	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	114	Opposite wal from door by calendar	434776-1	ATD	Radonova	08/10/2022	08/17/2023	0.5
1580	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Beam in front of tool office 124	297476-4	ATD	Radonova	08/10/2022	08/17/2023	0.3
1581	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Beam in front of tool office 124	560899-7	ATD	Radonova	08/10/2022	08/17/2023	0.6
1582	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Beam with fire extinguisher	129330-7	ATD	Radonova	08/10/2022	08/17/2023	0.4
1583	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Beam with fire extinguisher	282518-0	ATD	Radonova	08/10/2022	08/17/2023	0.4
1584	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Corner of bay door 42 & 41	837956-2	ATD	Radonova	08/10/2022	08/17/2023	0.4
1585	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Corner of bay door 42 & 41	574366-1	ATD	Radonova	08/10/2022	08/17/2023	0.5
1586	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	In front of 131 large opening	300028-8	ATD	Radonova	08/10/2022	08/17/2023	0.3
1587	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	In front of 131 large opening	793179-3	ATD	Radonova	08/10/2022	08/17/2023	0.4
1588	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Left of door by fire alarm	702204-9	ATD	Radonova	08/10/2022	08/17/2023	0.4
1589	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	Left of door by fire alarm	131760-1	ATD	Radonova	08/10/2022	08/17/2023	0.5
1590	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	West wall left of door 131	206729-6	ATD	Radonova	08/10/2022	08/17/2023	0.3
1591	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	123	West wall left of door 131	766456-8	ATD	Radonova	08/10/2022	08/17/2023	0.4
1592	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam between rows F10 & F11	279554-0	ATD	Radonova	08/10/2022	08/17/2023	0.4
1593	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam between rows F10 & F11	355260-1	ATD	Radonova	08/10/2022	08/17/2023	0.4
1594	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam between rows F50 & F51	377300-9	ATD	Radonova	08/10/2022	08/17/2023	0.4
1595	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam between rows F50 & F51	536543-2	ATD	Radonova	08/10/2022	08/17/2023	0.5

	A	B	C	D	E	F	G	H	I	J	K
1596	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam in between rows C31 & C30	169327-4	ATD	Radonova	08/10/2022	08/17/2023	0.5
1597	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam in between rows C31 & C30	730766-3	ATD	Radonova	08/10/2022	08/17/2023	0.5
1598	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam in front of yellow stairs	584815-5	ATD	Radonova	08/10/2022	08/17/2023	0.4
1599	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam in front of yellow stairs	562718-7	ATD	Radonova	08/10/2022	08/17/2023	0.5
1600	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam that is 3 beams away from Bay door 25A	207720-4	ATD	Radonova	08/10/2022	08/17/2023	0.4
1601	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	Beam that is 3 beams away from Bay door 25A	361081-3	ATD	Radonova	08/10/2022	08/17/2023	0.5
1602	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	In 129, but corner of room 130	825136-5	ATD	Radonova	08/10/2022	08/17/2023	0.4
1603	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	129	In 129, but corner of room 130	554820-1	ATD	Radonova	08/10/2022	08/17/2023	0.5
1604	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	103 in 102	BTD	789470-2	ATD	Radonova	08/10/2022	08/17/2023	0.3
1605	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	103 in 102	BTD	719294-1	ATD	Radonova	08/10/2022	08/17/2023	0.5
1606	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	105 in 107	BTD	142234-4	ATD	Radonova	08/10/2022	08/17/2023	0.3
1607	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	105 in 107	BTD	455036-4	ATD	Radonova	08/10/2022	08/17/2023	0.5
1608	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	106 in 107	BTD	260106-0	ATD	Radonova	08/10/2022	08/17/2023	0.3
1609	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	106 in 107	BTD	546174-4	ATD	Radonova	08/10/2022	08/17/2023	0.4
1610	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	109 in 109A	Right wall by clock	741790-0	ATD	Radonova	08/10/2022	08/17/2023	0.3
1611	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	109 in 109A	Right wall by clock	419429-6	ATD	Radonova	08/10/2022	08/17/2023	0.5
1612	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	109A	BTD	183608-9	ATD	Radonova	08/10/2022	08/17/2023	0.3
1613	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	109A	BTD	258040-5	ATD	Radonova	08/10/2022	08/17/2023	0.5
1614	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	110 in 111	BTD	414144-6	ATD	Radonova	08/10/2022	08/17/2023	0.3
1615	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	110 in 111	BTD	964053-3	ATD	Radonova	08/10/2022	08/17/2023	0.3
1616	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	111 Entry		183293-0	ATD	Radonova	08/10/2022	08/17/2023	0.3
1617	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	111 Entry		469376-8	ATD	Radonova	08/10/2022	08/17/2023	0.3
1618	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	115 & 116	By entry between these two rooms	205679-4	ATD	Radonova	08/10/2022	08/17/2023	0.2
1619	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	115 & 116	By entry between these two rooms	148756-0	ATD	Radonova	08/10/2022	08/17/2023	0.3
1620	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	TRLR Trailer Office; closest to 123	BTD	180403-8	ATD	Radonova	08/10/2022	08/17/2023	0.7
1621	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	TRLR Trailer Office; closest to 123	BTD	951097-5	ATD	Radonova	08/10/2022	08/17/2023	0.8
1622	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	TRLR Trailer Office; last office	Glass window	680384-5	ATD	Radonova	08/10/2022	08/17/2023	0.8
1623	NSB Kings Bay	3036	MISSILE PARTS WAREHOUSE	TRLR Trailer Office; last office	Glass window	151637-6	ATD	Radonova	08/10/2022	08/17/2023	0.9
1624	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	108	BTD	327972-6	ATD	Radonova	08/10/2022	08/16/2023	0.3
1625	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	108	BTD	776270-1	ATD	Radonova	08/10/2022	08/16/2023	0.4
1626	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	110	BTD	605238-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1627	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	110	BTD	983601-6	ATD	Radonova	08/10/2022	08/16/2023	0.3
1628	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	111	Right wall from door	396693-4	ATD	Radonova	08/10/2022	08/16/2023	0.4
1629	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	111	Right wall from door	706074-2	ATD	Radonova	08/10/2022	08/16/2023	0.4
1630	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	112	BTD	964243-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1631	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	112	BTD	321260-2	ATD	Radonova	08/10/2022	08/16/2023	0.3
1632	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	114	Right from door	464871-3	ATD	Radonova	08/10/2022	08/16/2023	0.4
1633	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	114	Right from door	728719-6	ATD	Radonova	08/10/2022	08/16/2023	0.4
1634	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	117	Right from door on East wall	676764-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1635	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	117	Right from door on East wall	448143-8	ATD	Radonova	08/10/2022	08/16/2023	0.3
1636	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	121	Left from door by fire alarm	915210-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1637	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	121	Left from door by fire alarm	935977-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1638	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	125	Right from door by clock	295665-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1639	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	125	Right from door by clock	513620-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1640	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	127	BTD	159868-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1641	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	127	BTD	391572-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1642	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	Above fire extinguisher	136630-1	ATD	Radonova	08/10/2022	08/16/2023	0.4
1643	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	Above fire extinguisher	707740-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1644	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	Left of electric box	138086-4	ATD	Radonova	08/10/2022	08/16/2023	0.3
1645	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	Left of electric box	511483-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1646	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	West wall by Red Switch	607618-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1647	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	128	West wall by Red Switch	693153-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1648	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	129	Right from door	903322-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1649	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	129	Right from door	159821-8	ATD	Radonova	08/10/2022	08/16/2023	0.3
1650	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	130	Right wall from door	509951-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1651	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	130	Right wall from door	808670-4	ATD	Radonova	08/10/2022	08/16/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
1652	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	132	Right wall	153894-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
1653	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	132	Right wall	447020-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1654	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	139	Right of 139A at back of room	187594-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1655	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	139	Right of 139A at back of room	761578-4	ATD	Radonova	08/10/2022	08/16/2023	0.3
1656	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	140	BTD	644110-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1657	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	140	BTD	497500-9	ATD	Radonova	08/10/2022	08/16/2023	0.3
1658	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	141	Near 142 by entrance	641905-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1659	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	141	Near 142 by entrance	176641-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1660	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	106B	BTD	160659-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1661	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	106B	BTD	740757-0	ATD	Radonova	08/10/2022	08/16/2023	0.3
1662	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	107 in 108	Right from the door by clock	446623-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
1663	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	107 in 108	Right from the door by clock	775560-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1664	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	118 in 117	South wall by red crane switch	323462-2	ATD	Radonova	08/10/2022	08/16/2023	0.4
1665	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	118 in 117	South wall by red crane switch	468042-7	ATD	Radonova	08/10/2022	08/16/2023	2.4
1666	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	118 in 117	South wall; right from double doors	574325-7	ATD	Radonova	08/10/2022	08/16/2023	0.3
1667	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	118 in 117	South wall; right from double doors	926570-3	ATD	Radonova	08/10/2022	08/16/2023	0.3
1668	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	119 in 117	South wall by red crane switch	498161-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1669	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	119 in 117	South wall by red crane switch	576125-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1670	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	121C in 128	Left of door by switch	822994-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1671	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	121C in 128	Left of door by switch	200586-6	ATD	Radonova	08/10/2022	08/16/2023	0.4
1672	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	126 in 128	BTD	220282-8	ATD	Radonova	08/10/2022	08/16/2023	0.3
1673	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	126 in 128	BTD	508734-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
1674	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	133 in 88-31 34	BTD	825058-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
1675	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	133 in 88-31 34	BTD	419494-0	ATD	Radonova	08/10/2022	08/16/2023	0.3
1676	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	134 Bravo in 134A	Right from door by clock	689984-3	ATD	Radonova	08/10/2022	08/16/2023	0.4
1677	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	134 Bravo in 134A	Right from door by clock	376979-1	ATD	Radonova	08/10/2022	08/16/2023	0.5
1678	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	134A	BTD	103113-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1679	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	134A	BTD	594067-1	ATD	Radonova	08/10/2022	08/16/2023	0.4
1680	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145A	Beam by southwest corner	112458-5	ATD	Radonova	08/10/2022	08/16/2023	0.4
1681	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145A	Beam by southwest corner	960403-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1682	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145B	North wall by crane switch	514996-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1683	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145B	North wall by crane switch	209034-8	ATD	Radonova	08/10/2022	08/16/2023	0.4
1684	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145B	Right of exit 78	835979-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1685	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145B	Right of exit 78	219367-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1686	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145C	Beam by west wall	118235-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
1687	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	145C	Beam by west wall	979849-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1688	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	88-31 34	BTD	786055-4	ATD	Radonova	08/10/2022	08/16/2023	0.3
1689	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	88-31 34	BTD	559626-7	ATD	Radonova	08/10/2022	08/16/2023	0.4
1690	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	Corner office in 121	BTD	582745-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1691	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	Corner office in 121	BTD	664399-3	ATD	Radonova	08/10/2022	08/16/2023	0.3
1692	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	Office in 114	BTD	396097-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1693	NSB Kings Bay	3038	INERT COMPONENT & CONTROL BLDG	Office in 114	BTD	789105-4	ATD	Radonova	08/10/2022	08/16/2023	0.3
1694	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	103	BTD	608496-6	ATD	Radonova	08/10/2022	08/17/2023	0.6
1695	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	103	BTD	566011-3	ATD	Radonova	08/10/2022	08/17/2023	0.7
1696	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	108	Right wall under shelves	629147-0	ATD	Radonova	08/10/2022	08/17/2023	0.7
1697	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	108	Right wall under shelves	931227-3	ATD	Radonova	08/10/2022	08/17/2023	0.7
1698	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	109	Right from door	463796-3	ATD	Radonova	08/10/2022	08/17/2023	0.6
1699	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	109	Right from door	962096-4	ATD	Radonova	08/10/2022	08/17/2023	0.7
1700	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	120	Below fire alert under stairs	554936-5	ATD	Radonova	08/10/2022	08/17/2023	0.7
1701	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	120	Below fire alert under stairs	924643-0	ATD	Radonova	08/10/2022	08/17/2023	0.7
1702	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	121	Left wall next to floor plan	279442-8	ATD	Radonova	08/10/2022	08/17/2023	0.9
1703	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	121	Left wall next to floor plan	590398-4	ATD	Radonova	08/10/2022	08/17/2023	0.9
1704	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	105 Break Room	BTD	614778-9	ATD	Radonova	08/10/2022	08/17/2023	0.8
1705	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	105 Break Room	BTD	526172-2	ATD	Radonova	08/10/2022	08/17/2023	1.0
1706	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	107 Navy QA	BTD	939907-2	ATD	Radonova	08/10/2022	08/17/2023	0.7
1707	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	107 Navy QA	BTD	947722-5	ATD	Radonova	08/10/2022	08/17/2023	0.9
1708	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 114	Northwest beam	719423-6	ATD	Radonova	08/10/2022	08/17/2023	0.6
1709	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 114	Northwest beam	973099-5	ATD	Radonova	08/10/2022	08/17/2023	0.6
1710	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 114	South wall by fire bill	314872-3	ATD	Radonova	08/10/2022	08/17/2023	0.7
1711	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 114	South wall by fire bill	777733-7	ATD	Radonova	08/10/2022	08/17/2023	3.4

	A	B	C	D	E	F	G	H	I	J	K
1712	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 119	North wall near east wall; next to fire alert	385820-6	ATD	Radonova	08/10/2022	08/17/2023	0.7
1713	NSB Kings Bay	3039	MISSILE ASSEMBLY BLDG #1	Missile rm 119	North wall near east wall; next to fire alert	304697-6	ATD	Radonova	08/10/2022	08/17/2023	0.8
1714	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	102	In front of door	762309-3	ATD	Radonova	08/10/2022	08/17/2023	1.0
1715	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	102	In front of door	704757-4	ATD	Radonova	08/10/2022	08/17/2023	1.1
1716	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	103	BTD	606687-2	ATD	Radonova	08/10/2022	08/17/2023	1.1
1717	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	103	BTD	826524-1	ATD	Radonova	08/10/2022	08/17/2023	1.1
1718	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	115	Right wall above switch	304215-7	ATD	Radonova	08/10/2022	08/17/2023	1.2
1719	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	115	Right wall above switch	760770-8	ATD	Radonova	08/10/2022	08/17/2023	1.2
1720	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	118	Left wall on column	151682-2	ATD	Radonova	08/10/2022	08/17/2023	1.4
1721	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	118	Left wall on column	167294-8	ATD	Radonova	08/10/2022	08/17/2023	1.4
1722	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	121	Right to door by eyewash station	581508-9	ATD	Radonova	08/10/2022	08/17/2023	1.4
1723	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	121	Right to door by eyewash station	230126-5	ATD	Radonova	08/10/2022	08/17/2023	1.5
1724	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	126	Left from door	822896-7	ATD	Radonova	08/10/2022	08/17/2023	1.4
1725	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	126	Left from door	200746-6	ATD	Radonova	08/10/2022	08/17/2023	1.5
1726	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	129	Left wall from double doors	385093-0	ATD	Radonova	08/10/2022	08/17/2023	1.3
1727	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	129	Left wall from double doors	662694-9	ATD	Radonova	08/10/2022	08/17/2023	1.5
1728	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	130	Left from door by switch	590753-0	ATD	Radonova	08/10/2022	08/17/2023	1.2
1729	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	130	Left from door by switch	758597-9	ATD	Radonova	08/10/2022	08/17/2023	1.5
1730	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	132	Back wall by water pipe	354899-7	ATD	Radonova	08/10/2022	08/17/2023	1.4
1731	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	132	Back wall by water pipe	777431-8	ATD	Radonova	08/10/2022	08/17/2023	1.6
1732	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	135	Above air hose and right from door	458134-4	ATD	Radonova	08/10/2022	08/17/2023	1.2
1733	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	135	Above air hose and right from door	316257-5	ATD	Radonova	08/10/2022	08/17/2023	1.3
1734	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	102A	Right from door	805633-5	ATD	Radonova	08/10/2022	08/17/2023	1.1
1735	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	102A	Right from door	214615-7	ATD	Radonova	08/10/2022	08/17/2023	1.2
1736	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	East pit room	Near rectangle pit entrance	195770-3	ATD	Radonova	08/10/2022	08/17/2023	151
1737	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	East pit room	Near rectangle pit entrance	422393-9	ATD	Radonova	08/10/2022	08/17/2023	151
1738	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	East pit room	Next to energy electrical equipment	520817-8	ATD	Radonova	08/10/2022	08/17/2023	151
1739	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	East pit room	Next to energy electrical equipment	794858-1	ATD	Radonova	08/10/2022	08/17/2023	151
1740	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	Next to 136	Left from door	825796-6	ATD	Radonova	08/10/2022	08/17/2023	1.3
1741	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	Next to 136	Left from door	636315-4	ATD	Radonova	08/10/2022	08/17/2023	1.4
1742	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	Small rm next to the 121 double doors	BTD	429870-9	ATD	Radonova	08/10/2022	08/17/2023	1.0
1743	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	Small rm next to the 121 double doors	BTD	775572-1	ATD	Radonova	08/10/2022	08/17/2023	1.1
1744	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	West pit room	Above rectangle pit entrance	504553-9	ATD	Radonova	08/10/2022	08/17/2023	151
1745	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	West pit room	Above rectangle pit entrance	481267-3	ATD	Radonova	08/10/2022	08/17/2023	ERR
1746	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	West pit room	By emergency electric equipment	257819-3	ATD	Radonova	08/10/2022	08/17/2023	151
1747	NSB Kings Bay	3044	RADIOGRAPHIC INSPECTION BLDG	West pit room	By emergency electric equipment	532347-2	ATD	Radonova	08/10/2022	08/17/2023	ERR
1748	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	103	Left from door	226661-7	ATD	Radonova	08/10/2022	08/17/2023	0.4
1749	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	103	Left from door	177671-5	ATD	Radonova	08/10/2022	08/17/2023	0.2
1750	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	104	BTD	762040-4	ATD	Radonova	08/10/2022	08/17/2023	0.2
1751	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	104	BTD	947941-1	ATD	Radonova	08/10/2022	08/17/2023	0.2
1752	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	105	Right from door	349829-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1753	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	105	Right from door	601368-4	ATD	Radonova	08/10/2022	08/17/2023	0.2
1754	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	106	BTD	164889-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1755	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	106	BTD	417050-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1756	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	107	BTD	729358-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1757	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	107	BTD	813332-4	ATD	Radonova	08/10/2022	08/17/2023	0.2
1758	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	114	Right from door	336434-6	ATD	Radonova	08/10/2022	08/17/2023	0.2
1759	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	114	Right from door	531265-7	ATD	Radonova	08/10/2022	08/17/2023	0.2
1760	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	115	Right from door	414872-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1761	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	115	Right from door	910040-5	ATD	Radonova	08/10/2022	08/17/2023	0.2
1762	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	116	Left from door	202013-9	ATD	Radonova	08/10/2022	08/17/2023	0.2
1763	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	116	Left from door	363910-1	ATD	Radonova	08/10/2022	08/17/2023	0.2
1764	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	117	Left from door	825988-9	ATD	Radonova	08/10/2022	08/17/2023	0.2
1765	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	117	Left from door	757240-7	ATD	Radonova	08/10/2022	08/17/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1766	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	118	Right from door	616999-9	ATD	Radonova	08/10/2022	08/17/2023	0.2
1767	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	118	Right from door	819556-2	ATD	Radonova	08/10/2022	08/17/2023	0.2
1768	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	119	Right from door hidden by column	377648-1	ATD	Radonova	08/10/2022	08/17/2023	0.2
1769	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	119	Right from door hidden by column	485508-6	ATD	Radonova	08/10/2022	08/17/2023	0.2
1770	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	120	Right from door	826312-1	ATD	Radonova	08/10/2022	08/17/2023	0.2
1771	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	120	Right from door	902371-4	ATD	Radonova	08/10/2022	08/17/2023	0.2
1772	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	106A	BTD	826167-9	ATD	Radonova	08/10/2022	08/17/2023	0.2
1773	NSB Kings Bay	3045	MOTOR INSPECTION BLDG	106A	BTD	916719-8	ATD	Radonova	08/10/2022	08/17/2023	0.2
1774	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	102	Right from door	659496-4	ATD	Radonova	08/31/2022	09/27/2023	0.2
1775	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	102	Right from door	837605-5	ATD	Radonova	08/31/2022	09/27/2023	0.2
1776	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	103	BTD	803535-4	ATD	Radonova	08/31/2022	09/27/2023	0.2
1777	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	103	BTD	910865-5	ATD	Radonova	08/31/2022	09/27/2023	0.4
1778	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	104	BTD	191544-6	ATD	Radonova	08/31/2022	09/27/2023	0.3
1779	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	104	BTD	191944-8	ATD	Radonova	08/31/2022	09/27/2023	0.2
1780	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	106	BTD	725537-5	ATD	Radonova	08/31/2022	09/27/2023	0.2
1781	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	106	BTD	628415-2	ATD	Radonova	08/31/2022	09/27/2023	0.3
1782	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	107 [SPK QA]	BTD	494536-6	ATD	Radonova	08/31/2022	09/27/2023	0.2
1783	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	107 [SPK QA]	BTD	205351-0	ATD	Radonova	08/31/2022	09/27/2023	0.2
1784	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	AV2 beam, near pits	321418-6	ATD	Radonova	08/31/2022	09/27/2023	0.3
1785	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	AV2 beam, near pits	201869-5	ATD	Radonova	08/31/2022	09/27/2023	0.6
1786	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	On room 106 wall, by fire extinguisher	112822-2	ATD	Radonova	08/31/2022	09/27/2023	0.3
1787	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	On room 106 wall, by fire extinguisher	935483-8	ATD	Radonova	08/31/2022	09/27/2023	0.4
1788	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	Wall on elevator, by eyewash station	185469-4	ATD	Radonova	08/31/2022	09/27/2023	0.3
1789	NSB Kings Bay	3047	VERT MISSILE PACKAGING #1	110 Bay	Wall on elevator, by eyewash station	448002-6	ATD	Radonova	08/31/2022	09/27/2023	0.5
1790	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	102	Right from door	368975-9	ATD	Radonova	08/31/2022	09/27/2023	0.2
1791	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	102	Right from door	752806-0	ATD	Radonova	08/31/2022	09/27/2023	0.2
1792	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	103	BTD	679616-3	ATD	Radonova	08/31/2022	09/27/2023	0.2
1793	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	103	BTD	434835-5	ATD	Radonova	08/31/2022	09/27/2023	0.4
1794	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	104	BTD	771148-4	ATD	Radonova	08/31/2022	09/27/2023	0.2
1795	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	104	BTD	168342-4	ATD	Radonova	08/31/2022	09/27/2023	0.2
1796	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	106	BTD	533316-6	ATD	Radonova	08/31/2022	09/27/2023	0.2
1797	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	106	BTD	688864-8	ATD	Radonova	08/31/2022	09/27/2023	0.3
1798	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	107	BTD	492572-3	ATD	Radonova	08/31/2022	09/27/2023	0.2
1799	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	107	BTD	204517-7	ATD	Radonova	08/31/2022	09/27/2023	0.2
1800	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	Beam C	625189-6	ATD	Radonova	08/31/2022	09/27/2023	0.2
1801	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	Beam C	211207-6	ATD	Radonova	08/31/2022	09/27/2023	0.3
1802	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	By fire extinguisher	355243-7	ATD	Radonova	08/31/2022	09/27/2023	0.4
1803	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	By fire extinguisher	630272-3	ATD	Radonova	08/31/2022	09/27/2023	0.2
1804	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	Wall on elevator, by eyewash station	300051-0	ATD	Radonova	08/31/2022	09/27/2023	0.2
1805	NSB Kings Bay	3048	VERT MISSILE PACKAGING #2	110 Bay	Wall on elevator, by eyewash station	813287-0	ATD	Radonova	08/31/2022	09/27/2023	0.2
1806	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	101	BTD	451233-1	ATD	Radonova	10/11/2022	09/27/2023	0.2
1807	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	101	BTD	391700-2	ATD	Radonova	10/11/2022	09/27/2023	0.3
1808	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	117	Above thermostat	190243-6	ATD	Radonova	10/11/2022	09/27/2023	0.4
1809	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	117	Above thermostat	935574-4	ATD	Radonova	10/11/2022	09/27/2023	0.5
1810	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	104 [weapons cleaning rm]	Right of door, below fire alarm	221202-5	ATD	Radonova	10/11/2022	09/27/2023	0.3
1811	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	104 [weapons cleaning rm]	Right of door, below fire alarm	837943-0	ATD	Radonova	10/11/2022	09/27/2023	0.4
1812	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	112 [classroom]	BTD	825660-4	ATD	Radonova	10/11/2022	09/27/2023	0.3
1813	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	112 [classroom]	BTD	181363-3	ATD	Radonova	10/11/2022	09/27/2023	0.5
1814	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	113 [classroom]	BTD	818826-0	ATD	Radonova	10/11/2022	09/27/2023	0.4
1815	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	113 [classroom]	BTD	957176-1	ATD	Radonova	10/11/2022	09/27/2023	0.5
1816	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	114 [classroom]	BTD	493473-3	ATD	Radonova	10/11/2022	09/27/2023	0.3
1817	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	114 [classroom]	BTD	958661-1	ATD	Radonova	10/11/2022	09/27/2023	0.4
1818	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	116 [NLW classroom]	Above light switch	653627-0	ATD	Radonova	10/11/2022	09/27/2023	0.3
1819	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	116 [NLW classroom]	Above light switch	400901-5	ATD	Radonova	10/11/2022	09/27/2023	0.4
1820	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	119 [RSO west range]	Left of door	141242-8	ATD	Radonova	10/11/2022	09/27/2023	0.3
1821	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	119 [RSO west range]	Left of door	816937-7	ATD	Radonova	10/11/2022	09/27/2023	0.3
1822	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	124 [RSO east range]	Right of door	134463-9	ATD	Radonova	10/11/2022	09/27/2023	0.2
1823	NSB Kings Bay	3072	INDOOR SMALL ARMS RANGE	124 [RSO east range]	Right of door	326672-3	ATD	Radonova	10/11/2022	09/27/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1824	NSB Kings Bay	3079	RV PARK COMMUNITY CENTER	101 [community rm]	Next to bulletin board	773156-5	ATD	Radonova	10/11/2022	09/26/2023	0.4
1825	NSB Kings Bay	3079	RV PARK COMMUNITY CENTER	101 [community rm]	Next to bulletin board	991773-3	ATD	Radonova	10/11/2022	09/26/2023	0.4
1826	NSB Kings Bay	3079	RV PARK COMMUNITY CENTER	Outside porch dining area	Left of door (door that leads to 101, not outside entry door)	167740-0	ATD	Radonova	10/11/2022	09/26/2023	0.3
1827	NSB Kings Bay	3079	RV PARK COMMUNITY CENTER	Outside porch dining area	Left of door (door that leads to 101, not outside entry door)	753010-8	ATD	Radonova	10/11/2022	09/26/2023	0.3
1828	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Main lobby	Behind half wall	294848-7	ATD	Radonova	08/30/2022	08/16/2023	0.3
1829	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Main lobby	Behind half wall	718948-3	ATD	Radonova	08/30/2022	08/16/2023	0.3
1830	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Office down hallway	Left from door	584307-3	ATD	Radonova	08/30/2022	08/16/2023	0.3
1831	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Office down hallway	Left from door	658555-8	ATD	Radonova	08/30/2022	08/16/2023	0.3
1832	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Wastewater lab	BTD	203635-8	ATD	Radonova	08/30/2022	08/16/2023	0.2
1833	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Wastewater lab	BTD	990171-1	ATD	Radonova	08/30/2022	08/16/2023	0.3
1834	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Water lab	Left from door	170208-3	ATD	Radonova	08/30/2022	08/16/2023	0.4
1835	NSB Kings Bay	4001	CONTROL BLDG (WTP)	Water lab	Left from door	436895-7	ATD	Radonova	08/30/2022	08/16/2023	0.4
1836	NSB Kings Bay	4024	HAZ WASTE TEMP COLL AREA,IND/TRF	Storage Area	Steel Column	690774-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1837	NSB Kings Bay	4024	HAZ WASTE TEMP COLL AREA,IND/TRF	Storage Area	Steel Column	978611-2	ATD	Radonova	08/09/2022	08/14/2023	0.2
1838	NSB Kings Bay	4024	HAZ WASTE TEMP COLL AREA,IND/TRF	Trailer [Conex box]	back side of cabinet	762803-5	ATD	Radonova	08/09/2022	08/14/2023	0.3
1839	NSB Kings Bay	4024	HAZ WASTE TEMP COLL AREA,IND/TRF	Trailer [Conex box]	back side of cabinet	187399-1	ATD	Radonova	08/09/2022	08/14/2023	0.2
1840	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	111	Next to Thermostat	357021-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1841	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	111	Next to Thermostat	558821-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1842	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	115	above exhaust fan switch box	725298-4	ATD	Radonova	08/10/2022	08/14/2023	0.2
1843	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	115	above exhaust fan switch box	248784-1	ATD	Radonova	08/10/2022	08/14/2023	0.2
1844	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	119	right of door	342807-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1845	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	119	right of door	624390-1	ATD	Radonova	08/09/2022	08/14/2023	0.2
1846	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	127	BTD, above white board	551555-6	ATD	Radonova	08/10/2022	08/14/2023	0.4
1847	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	127	BTD, above white board	939089-9	ATD	Radonova	08/10/2022	08/14/2023	0.5
1848	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	130	Left of door	723544-3	ATD	Radonova	08/10/2022	08/14/2023	0.3
1849	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	130	Left of door	701104-2	ATD	Radonova	08/10/2022	08/14/2023	0.2
1850	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	131	next to light switch	521484-6	ATD	Radonova	08/10/2022	08/14/2023	0.3
1851	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	131	next to light switch	574650-8	ATD	Radonova	08/10/2022	08/14/2023	0.3
1852	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138	after 2 rows cabinet 138-143	519730-6	ATD	Radonova	08/09/2022	08/15/2023	0.3
1853	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138	after 2 rows cabinet 138-143	772289-5	ATD	Radonova	08/09/2022	08/15/2023	0.3
1854	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	31A trainer	169516-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
1855	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	31A trainer	573160-9	ATD	Radonova	08/09/2022	08/15/2023	0.5
1856	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	above light switch	707769-6	ATD	Radonova	08/09/2022	08/15/2023	0.4
1857	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	above light switch	433710-1	ATD	Radonova	08/09/2022	08/15/2023	0.5
1858	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	Breakarea	140175-1	ATD	Radonova	08/09/2022	08/15/2023	0.3
1859	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139	Breakarea	810491-1	ATD	Radonova	08/09/2022	08/15/2023	0.3
1860	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	140	above light switch	194810-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
1861	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	140	above light switch	777824-4	ATD	Radonova	08/09/2022	08/15/2023	0.4
1862	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	146	Left wall	810984-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1863	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	146	Left wall	934388-0	ATD	Radonova	08/09/2022	08/14/2023	0.2
1864	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	147	Under exit sign	145118-6	ATD	Radonova	08/09/2022	08/14/2023	0.2
1865	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	147	Under exit sign	766093-9	ATD	Radonova	08/09/2022	08/14/2023	0.2
1866	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	169	Next to emergency shut off	656690-5	ATD	Radonova	08/10/2022	08/14/2023	0.2
1867	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	169	Next to emergency shut off	657664-9	ATD	Radonova	08/10/2022	08/14/2023	0.2
1868	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170	1st steel column	198837-7	ATD	Radonova	08/10/2022	08/14/2023	0.2
1869	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170	1st steel column	431074-4	ATD	Radonova	08/10/2022	08/14/2023	0.3
1870	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170	back column	825946-7	ATD	Radonova	08/10/2022	08/14/2023	0.2
1871	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170	back column	227995-8	ATD	Radonova	08/10/2022	08/14/2023	0.3
1872	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	174	Right of door	905103-8	ATD	Radonova	08/10/2022	08/15/2023	0.7
1873	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	174	Right of door	598552-8	ATD	Radonova	08/10/2022	08/15/2023	0.8
1874	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	175	Right of door	822880-1	ATD	Radonova	08/10/2022	08/15/2023	0.3
1875	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	175	Right of door	952574-2	ATD	Radonova	08/10/2022	08/15/2023	0.4
1876	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Back wall column, right side	807446-0	ATD	Radonova	08/09/2022	08/14/2023	0.3
1877	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Back wall column, right side	941859-1	ATD	Radonova	08/09/2022	08/14/2023	0.2
1878	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Outside 178	425248-2	ATD	Radonova	08/09/2022	08/14/2023	0.3
1879	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Outside 178	794250-1	ATD	Radonova	08/09/2022	08/14/2023	0.4
1880	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Steel Column by bug eye emergency light	303654-8	ATD	Radonova	08/09/2022	08/14/2023	0.2
1881	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	177	Steel Column by bug eye emergency light	229050-0	ATD	Radonova	08/09/2022	08/14/2023	0.2
1882	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	178	inside door left (face in)	455319-4	ATD	Radonova	08/09/2022	08/14/2023	0.2
1883	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	178	inside door left (face in)	988046-9	ATD	Radonova	08/09/2022	08/14/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1884	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	179	above thermostat	819976-2	ATD	Radonova	08/09/2022	08/14/2023	0.3
1885	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	179	above thermostat	189013-6	ATD	Radonova	08/09/2022	08/14/2023	1.5
1886	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	189	BTD	297840-1	ATD	Radonova	08/10/2022	08/15/2023	0.2
1887	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	189	BTD	647794-7	ATD	Radonova	08/10/2022	08/15/2023	0.2
1888	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	112 [Left of 111]	inside door	565843-0	ATD	Radonova	08/09/2022	08/14/2023	0.2
1889	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	112 [Left of 111]	inside door	585098-7	ATD	Radonova	08/09/2022	08/14/2023	0.2
1890	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114 [Shop 51A]	BTD	303099-6	ATD	Radonova	08/09/2022	08/14/2023	0.4
1891	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114 [Shop 51A]	BTD	957734-7	ATD	Radonova	08/09/2022	08/14/2023	0.4
1892	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114A	Left of door	823273-8	ATD	Radonova	08/09/2022	08/14/2023	0.2
1893	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114A	Left of door	553891-3	ATD	Radonova	08/09/2022	08/14/2023	0.3
1894	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114A Inner Rm	Right of door	169130-2	ATD	Radonova	08/09/2022	08/14/2023	0.2
1895	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	114A Inner Rm	Right of door	168024-8	ATD	Radonova	08/09/2022	08/14/2023	0.3
1896	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	120 [Plating Rm]	near eye wash station	732275-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
1897	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	120 [Plating Rm]	near eye wash station	524117-9	ATD	Radonova	08/09/2022	08/15/2023	0.3
1898	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	121 foreman maintenance	BTD	623931-3	ATD	Radonova	08/09/2022	08/14/2023	0.2
1899	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	121 foreman maintenance	BTD	743656-1	ATD	Radonova	08/09/2022	08/14/2023	0.4
1900	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 [Tool Issue]	BTD	341819-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
1901	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 [Tool Issue]	BTD	113782-7	ATD	Radonova	08/09/2022	08/15/2023	0.4
1902	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 inner back office	left hand side by white board	113978-1	ATD	Radonova	08/09/2022	08/15/2023	0.5
1903	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 inner back office	left hand side by white board	923664-7	ATD	Radonova	08/09/2022	08/15/2023	0.5
1904	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 inner office	BTD	219965-1	ATD	Radonova	08/09/2022	08/15/2023	0.3
1905	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	138 inner office	BTD	425729-1	ATD	Radonova	08/09/2022	08/15/2023	0.4
1906	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139 Mock up Area	Under mezzanine	219310-0	ATD	Radonova	08/09/2022	08/15/2023	0.4
1907	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	139 Mock up Area	Under mezzanine	807364-5	ATD	Radonova	08/09/2022	08/15/2023	0.5
1908	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	142 [Hydraulics]	next to electrical panel	494356-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
1909	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	142 [Hydraulics]	next to electrical panel	519248-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
1910	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	144 [Air Test Chamber]	right of door	319356-2	ATD	Radonova	08/09/2022	08/15/2023	0.3
1911	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	144 [Air Test Chamber]	right of door	661514-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
1912	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170B	next to light switch	768146-3	ATD	Radonova	08/10/2022	08/14/2023	0.2
1913	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170B	next to light switch	419610-1	ATD	Radonova	08/10/2022	08/14/2023	0.3
1914	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170C [Constructed office in 170]	next to O2 meter	569447-6	ATD	Radonova	08/10/2022	08/14/2023	0.2
1915	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	170C [Constructed office in 170]	next to O2 meter	100621-2	ATD	Radonova	08/10/2022	08/14/2023	0.4
1916	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	176 [Electronic Maint.]	above emergency exit plan, right of door	470130-6	ATD	Radonova	08/10/2022	08/15/2023	0.3
1917	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	176 [Electronic Maint.]	above emergency exit plan, right of door	561096-9	ATD	Radonova	08/10/2022	08/15/2023	0.3
1918	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	182 [Inner office of 186]	above light switch	925916-9	ATD	Radonova	08/10/2022	08/15/2023	0.2
1919	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	182 [Inner office of 186]	above light switch	380526-4	ATD	Radonova	08/10/2022	08/15/2023	0.3
1920	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	185 [Back of 189]	BTD	411635-6	ATD	Radonova	08/10/2022	08/15/2023	0.2
1921	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	185 [Back of 189]	BTD	553258-5	ATD	Radonova	08/10/2022	08/15/2023	0.2
1922	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	186 [Mechanical 102]	BTD	194835-5	ATD	Radonova	08/10/2022	08/15/2023	0.3
1923	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	186 [Mechanical 102]	BTD	207959-8	ATD	Radonova	08/10/2022	08/15/2023	0.2
1924	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	191 [Training Classroom]	BTD	197246-2	ATD	Radonova	08/10/2022	08/15/2023	0.3
1925	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	191 [Training Classroom]	BTD	241756-6	ATD	Radonova	08/10/2022	08/15/2023	0.2
1926	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [1st right office]	BTD	947568-2	ATD	Radonova	08/10/2022	09/28/2023	0.3
1927	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [1st right office]	BTD	374731-8	ATD	Radonova	08/10/2022	09/28/2023	0.2
1928	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [2nd right office]	BTD	169451-2	ATD	Radonova	08/10/2022	09/28/2023	0.2
1929	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [2nd right office]	BTD	911891-0	ATD	Radonova	08/10/2022	09/28/2023	0.2
1930	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [3rd right office]	BTD	828886-2	ATD	Radonova	08/10/2022	09/28/2023	0.2
1931	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [3rd right office]	BTD	942742-8	ATD	Radonova	08/10/2022	09/28/2023	0.2
1932	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [conference rm]	left wall (look in)	294251-4	ATD	Radonova	08/10/2022	09/28/2023	0.2
1933	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [conference rm]	left wall (look in)	330699-0	ATD	Radonova	08/10/2022	09/28/2023	0.2
1934	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [straight back office]	BTD	166164-4	ATD	Radonova	08/10/2022	09/28/2023	0.2
1935	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	196 [straight back office]	BTD	178301-8	ATD	Radonova	08/10/2022	09/28/2023	0.2
1936	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	57A	B6 column	392441-2	ATD	Radonova	08/09/2022	08/14/2023	0.2
1937	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	57A	B6 column	290344-1	ATD	Radonova	08/09/2022	08/14/2023	0.2
1938	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Across 114 [Shop 51A]	Under display box	688473-8	ATD	Radonova	08/09/2022	08/14/2023	0.3
1939	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Across 114 [Shop 51A]	Under display box	585692-7	ATD	Radonova	08/09/2022	08/14/2023	0.4
1940	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Back warehouse office	Left wall	378241-4	ATD	Radonova	08/09/2022	08/14/2023	0.2
1941	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Back warehouse office	Left wall	583349-6	ATD	Radonova	08/09/2022	08/14/2023	0.2
1942	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	F4 column	544606-7	ATD	Radonova	08/10/2022	08/14/2023	0.2
1943	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	F4 column	908616-6	ATD	Radonova	08/10/2022	08/14/2023	0.2
1944	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	F6 column	712736-8	ATD	Radonova	08/10/2022	08/14/2023	0.4
1945	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	F6 column	777557-0	ATD	Radonova	08/10/2022	08/14/2023	0.2
1946	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	I4 column	302231-6	ATD	Radonova	08/10/2022	08/14/2023	0.2
1947	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	I4 column	966474-9	ATD	Radonova	08/10/2022	08/14/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
1948	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	I6 column	164159-6	ATD	Radonova	08/10/2022	08/14/2023	0.2
1949	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop	I6 column	775559-8	ATD	Radonova	08/10/2022	08/14/2023	0.2
1950	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	C2 column	166101-6	ATD	Radonova	08/09/2022	08/14/2023	0.2
1951	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	C2 column	424219-4	ATD	Radonova	08/09/2022	08/14/2023	0.2
1952	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	F2 column	569273-6	ATD	Radonova	08/09/2022	08/14/2023	0.2
1953	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	F2 column	179808-1	ATD	Radonova	08/09/2022	08/14/2023	0.2
1954	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	I3 column	275109-7	ATD	Radonova	08/09/2022	08/14/2023	0.2
1955	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Bay workshop area	I3 column	369161-5	ATD	Radonova	08/09/2022	08/14/2023	0.2
1956	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Breakroom	Left of door	238995-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
1957	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Breakroom	Left of door	289184-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
1958	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Instructor office	Left of door	516322-5	ATD	Radonova	08/10/2022	08/15/2023	0.3
1959	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	Instructor office	Left of door	246789-2	ATD	Radonova	08/10/2022	08/15/2023	0.4
1960	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	riff area	back of O2 room	671357-2	ATD	Radonova	08/10/2022	08/14/2023	0.2
1961	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	riff area	back of O2 room	908505-1	ATD	Radonova	08/10/2022	08/14/2023	0.2
1962	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	riff area [Outside 130]	next to tank level alarm	146341-3	ATD	Radonova	08/10/2022	08/14/2023	0.2
1963	NSB Kings Bay	4026	REFIT INDUSTRIAL BLDG/TRF	riff area [Outside 130]	next to tank level alarm	623332-4	ATD	Radonova	08/10/2022	08/14/2023	0.2
1964	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103	under emergency light	502416-1	ATD	Radonova	08/10/2022	08/16/2023	1.4
1965	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103	under emergency light	808518-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1966	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	101 [Inventory, supervisor office]	BTD	151397-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1967	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	101 [Inventory, supervisor office]	BTD	193402-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1968	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	101 [Inventory]	next to thermostat, left of door	184781-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
1969	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	101 [Inventory]	next to thermostat, left of door	602037-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1970	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	102 Shipping/Receive, Traffic Office	Left of door	141321-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1971	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	102 Shipping/Receive, Traffic Office	Left of door	549311-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1972	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	102 Shipping/Receive, Traffic Office	Left of door	662485-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
1973	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	102 Shipping/Receive, Traffic Office	Left of door	459187-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
1974	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103 Inner left rm/break rm	Right of door	335315-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1975	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103 Inner left rm/break rm	Right of door	389091-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1976	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103 Inner right rm	BTD	177432-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
1977	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	103 Inner right rm	BTD	694647-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1978	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	108 [Afloat accounting]	BTD (door 129)	342982-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1979	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	108 [Afloat accounting]	BTD (door 129)	784828-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1980	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	108 [Afloat accounting]	BTD (main door)	292066-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1981	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	108 [Afloat accounting]	BTD (main door)	487236-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
1982	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 [Supply Office]	BTD	348339-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
1983	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 [Supply Office]	BTD	812429-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
1984	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 Inner Left Office	BTD	503950-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1985	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 Inner Left Office	BTD	602546-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1986	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 Inner Right Office	BTD	546537-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
1987	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	109 Inner Right Office	BTD	473137-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
1988	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	111 [Lunch Rm]	Left of door	214688-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
1989	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	111 [Lunch Rm]	Left of door	266600-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
1990	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office	Conference Room	297781-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
1991	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office	Conference Room	492210-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1992	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office, left office	Right of door	718952-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
1993	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office, left office	Right of door	947795-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
1994	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office, right office	Right of door	446176-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
1995	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	118 Materials Office, right office	Right of door	760224-6	ATD	Radonova	08/10/2022	08/16/2023	0.3
1996	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	119 [MTIS Staging]	Right of door	357285-6	ATD	Radonova	08/10/2022	08/16/2023	0.4
1997	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	119 [MTIS Staging]	Right of door	760840-9	ATD	Radonova	08/10/2022	08/16/2023	0.4
1998	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	127 Saw Rm	Left of door	108284-1	ATD	Radonova	08/10/2022	08/16/2023	0.4
1999	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	127 Saw Rm	Left of door	247173-8	ATD	Radonova	08/10/2022	08/16/2023	0.5
2000	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	128 back wood shop office	Left side of door by sign door 115	933386-5	ATD	Radonova	08/10/2022	08/16/2023	0.4
2001	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	128 back wood shop office	Left side of door by sign door 115	962928-8	ATD	Radonova	08/10/2022	08/16/2023	0.5
2002	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	134 [Battery Charging Area, door 108]	Interior center wall	765305-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
2003	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	134 [Battery Charging Area, door 108]	Interior center wall	752794-8	ATD	Radonova	08/10/2022	08/16/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
2004	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	135 [Pump Rm]	Left of door	109196-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
2005	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	135 [Pump Rm]	Left of door	487477-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2006	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back left shipping area [Level 1 Material]	In the cage on column	214989-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
2007	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back left shipping area [Level 1 Material]	In the cage on column	321618-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2008	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back left shipping office	Level one storage, on column outside cage	955999-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
2009	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back left shipping office	Level one storage, on column outside cage	656226-8	ATD	Radonova	08/10/2022	08/16/2023	0.3
2010	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back shipping	next to door 150/123 pallet sign, above fire extinguisher	274212-0	ATD	Radonova	08/10/2022	08/16/2023	0.4
2011	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	back shipping	next to door 150/123 pallet sign, above fire extinguisher	574375-2	ATD	Radonova	08/10/2022	08/16/2023	0.4
2012	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Back wood shop	back column	454641-2	ATD	Radonova	08/10/2022	08/16/2023	0.3
2013	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Back wood shop	back column	585671-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
2014	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Constructed box office, shop "352"	Left of door	767405-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
2015	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Constructed box office, shop "352"	Left of door	262422-9	ATD	Radonova	08/10/2022	08/16/2023	0.3
2016	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Material Supervisor [Constructed box office, near roller door]	Left of door	370384-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
2017	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Material Supervisor [Constructed box office, near roller door]	Left of door	676909-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2018	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	outside staging office Rm 119	by AED	211186-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2019	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	outside staging office Rm 119	by AED	439373-2	ATD	Radonova	08/10/2022	08/16/2023	0.3
2020	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	#02 Aisle 20 (2nd set, further from exterior wall)	548511-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2021	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	#02 Aisle 20 (2nd set, further from exterior wall)	598351-5	ATD	Radonova	08/10/2022		
2022	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	138 door entrance	376642-5	ATD	Radonova	08/10/2022	08/16/2023	0.3
2023	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	138 door entrance	188669-6	ATD	Radonova	08/10/2022	08/16/2023	0.4
2024	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	by 149 door, bay 5102	107627-2	ATD	Radonova	08/10/2022	08/16/2023	0.5
2025	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	receiving area	by 149 door, bay 5102	726648-9	ATD	Radonova	08/10/2022	08/16/2023	0.5
2026	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Receiving area, outside Materials Office	Next to wood bulletin board	415796-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2027	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Receiving area, outside Materials Office	Next to wood bulletin board	242846-4	ATD	Radonova	08/10/2022	08/16/2023	0.3
2028	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Tires/Storage Supervisor	left wall (look in)	277141-8	ATD	Radonova	08/10/2022	08/16/2023	0.4
2029	NSB Kings Bay	4027	WAREHOUSE,REFIT/TRF	Tires/Storage Supervisor	left wall (look in)	292143-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2030	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	102	back wall right	160085-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2031	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	102	back wall right	161391-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2032	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	103	Left of door	493253-9	ATD	Radonova	08/09/2022	08/15/2023	0.3
2033	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	103	Left of door	780873-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2034	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	104	by emergency evacuation plan	945088-3	ATD	Radonova	08/09/2022	08/15/2023	0.3
2035	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	104	by emergency evacuation plan	354826-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2036	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	105	By electrical panel	337165-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2037	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	105	By electrical panel	612059-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2038	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	110	inside next to door	800794-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2039	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	110	inside next to door	418821-5	ATD	Radonova	08/09/2022	08/15/2023	0.3
2040	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	111	above cabinet	646888-8	ATD	Radonova	08/09/2022	08/15/2023	0.4
2041	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	111	above cabinet	270375-9	ATD	Radonova	08/09/2022	08/15/2023	0.5
2042	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	113	above fire	953850-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2043	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	113	above fire	978497-6	ATD	Radonova	08/09/2022	08/15/2023	0.4
2044	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	113	Next to sink above fire bill	563797-0	ATD	Radonova	08/09/2022	08/15/2023	1.5
2045	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	113	Next to sink above fire bill	572430-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2046	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	115	Right of door	578441-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2047	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	115	Right of door	425757-2	ATD	Radonova	08/09/2022	08/15/2023	0.3
2048	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	116	Left of door	315540-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2049	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	116	Left of door	465958-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2050	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	117	above light switch	707414-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2051	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	117	above light switch	921248-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2052	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	118	Left door, right of door	525187-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2053	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	118	Left door, right of door	419470-0	ATD	Radonova	08/09/2022	08/15/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2054	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	118	Right door, left of door	285914-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2055	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	118	Right door, left of door	392770-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2056	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	124	Right of door	518346-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2057	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	124	Right of door	179506-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2058	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	127	above fire evacuation plan	271216-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2059	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	127	above fire evacuation plan	907169-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2060	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	129	Right of door	463245-1	ATD	Radonova	08/09/2022	08/15/2023	0.3
2061	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	129	Right of door	925648-8	ATD	Radonova	08/09/2022	08/15/2023	0.3
2062	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130	BTD	957480-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2063	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130	BTD	360999-7	ATD	Radonova	08/09/2022	08/15/2023	0.3
2064	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	132	BTD	688946-3	ATD	Radonova	08/09/2022	08/16/2023	0.3
2065	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	132	BTD	423197-3	ATD	Radonova	08/09/2022	08/16/2023	0.2
2066	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	133	Left of door	389157-9	ATD	Radonova	08/09/2022	08/16/2023	0.3
2067	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	133	Left of door	411752-9	ATD	Radonova	08/09/2022	08/16/2023	0.3
2068	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	134	above evacuation	694719-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2069	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	134	above evacuation	819479-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2070	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	135	By fire bill	196382-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2071	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	135	By fire bill	900866-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2072	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	136	above fire bill	418956-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2073	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	136	above fire bill	433961-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2074	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	140	above fire evacuation plan, left of door	548492-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2075	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	140	above fire evacuation plan, left of door	811340-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2076	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142	BTD	638449-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2077	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142	BTD	641238-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2078	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142	right column side	657926-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2079	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142	right column side	681756-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2080	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	147	above evacuation , left of door	706840-6	ATD	Radonova	08/09/2022	08/16/2023	0.2
2081	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	147	above evacuation , left of door	473315-0	ATD	Radonova	08/09/2022	08/16/2023	0.2
2082	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	149	BTD	939108-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2083	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	149	BTD	988484-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2084	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	150	above fire bill	583645-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2085	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	150	above fire bill	170118-4	ATD	Radonova	08/09/2022	08/15/2023	0.3
2086	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	152	Right of door	746441-5	ATD	Radonova	08/09/2022	08/15/2023	0.3
2087	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	152	Right of door	176825-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2088	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	154	Eye wash	224064-6	ATD	Radonova	08/09/2022	08/15/2023	0.4
2089	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	154	Eye wash	630166-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2090	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	154	Left of double door	385557-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2091	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	154	Left of double door	575385-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2092	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	157	Back column	398854-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2093	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	157	Back column	477253-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2094	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	162	above fire evacuation plan, left of door	229748-9	ATD	Radonova	08/09/2022	08/16/2023	0.2
2095	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	162	above fire evacuation plan, left of door	689390-3	ATD	Radonova	08/09/2022	08/16/2023	0.2
2096	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	112 [Antenna Ship/Receive]	front wall	211348-8	ATD	Radonova	08/09/2022	08/15/2023	0.3
2097	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	112 [Antenna Ship/Receive]	front wall	299845-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2098	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	114/119	by fire extinguisher	289993-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2099	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	114/119	by fire extinguisher	937420-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2100	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	114/119 [Antenna Maint.]	above fire exit	541193-9	ATD	Radonova	08/09/2022	08/15/2023	0.3
2101	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	114/119 [Antenna Maint.]	above fire exit	506642-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2102	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130A	Left of door	258996-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2103	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130A	Left of door	523346-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2104	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130B	Right of door	409513-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2105	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	130B	Right of door	654657-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2106	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	140A	BTD	398711-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2107	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	140A	BTD	530677-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2108	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142 [Break Rm]	Above fridges	360794-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2109	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	142 [Break Rm]	Above fridges	967904-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2110	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	143/141	Left of door	835646-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2111	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	143/141	Left of door	950417-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2112	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	143A	Right of door	148462-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2113	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	143A	Right of door	190676-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2114	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	144 Left partition	Left of door	769004-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2115	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	144 Left partition	Left of door	966324-6	ATD	Radonova	08/09/2022	08/15/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2116	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	144 Right partition	Across white board	194273-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2117	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	144 Right partition	Across white board	201722-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2118	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	147 [Inner Supervisor Office]	BTD	618845-2	ATD	Radonova	08/09/2022	08/16/2023	0.2
2119	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	147 [Inner Supervisor Office]	BTD	997993-1	ATD	Radonova	08/09/2022	08/16/2023	0.2
2120	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	149 Inner Rm, thru 149 back door	BTD	742466-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2121	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	149 Inner Rm, thru 149 back door	BTD	112501-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2122	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	156 [Back office, left door 156 go straight in thru hallway]	Outside back office	169727-5	ATD	Radonova	08/09/2022	08/15/2023	0.2
2123	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	156 [Back office, left door 156 go straight in thru hallway]	Outside back office	763031-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2124	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	156 [Front office, right door]	by short wall divider under certifications	130065-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2125	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	156 [Front office, right door]	by short wall divider under certifications	691184-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2126	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	157 [Ship Control Area]	Right of door	499982-7	ATD	Radonova	08/09/2022	08/15/2023	0.3
2127	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	157 [Ship Control Area]	Right of door	812710-2	ATD	Radonova	08/09/2022	08/15/2023	0.4
2128	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	159 [Left back rm]	Left wall above valve shut off	339127-3	ATD	Radonova	08/09/2022	08/16/2023	0.3
2129	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	159 [Left back rm]	Left wall above valve shut off	286743-0	ATD	Radonova	08/09/2022	08/16/2023	0.2
2130	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	160 [Calibration Lab 96A]	Left of door	104426-2	ATD	Radonova	08/09/2022	08/16/2023	0.3
2131	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	160 [Calibration Lab 96A]	Left of door	969728-5	ATD	Radonova	08/09/2022	08/16/2023	0.2
2132	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	168 Inner Rm [Mechanical Calibration Rm]	Near Thermostat	613803-6	ATD	Radonova	08/09/2022	08/16/2023	0.2
2133	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	168 Inner Rm [Mechanical Calibration Rm]	Near Thermostat	584988-0	ATD	Radonova	08/09/2022	08/16/2023	0.2
2134	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	171 [w/in 113]	BTD	212441-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2135	NSB Kings Bay	4028	COMMAND & CONTROL SYST SHP/TRF	171 [w/in 113]	BTD	914879-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2136	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	101	By fire alarm	516285-4	ATD	Radonova	08/09/2022	08/15/2023	0.3
2137	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	101	By fire alarm	313641-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2138	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	102	Right of door, by eye wash	692071-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2139	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	102	Right of door, by eye wash	518982-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2140	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	103	Left of door	628029-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2141	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	103	Left of door	139095-4	ATD	Radonova	08/09/2022	08/15/2023	0.4
2142	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	104	Right of door	667891-6	ATD	Radonova	08/09/2022	08/15/2023	0.3
2143	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	104	Right of door	185010-6	ATD	Radonova	08/09/2022	08/15/2023	0.4
2144	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	105	By eye wash	179913-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2145	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	105	By eye wash	330045-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2146	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	106	By alarm next to door	104681-2	ATD	Radonova	08/09/2022	08/15/2023	0.5
2147	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	106	By alarm next to door	731546-8	ATD	Radonova	08/09/2022	08/15/2023	0.5
2148	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	Office 107	By thermostat	412106-7	ATD	Radonova	08/09/2022	08/15/2023	0.9
2149	NSB Kings Bay	4029	FLAM/HAZ MAT'L WAREHOUSE	Office 107	By thermostat	677595-1	ATD	Radonova	08/09/2022	08/15/2023	0.9
2150	NSB Kings Bay	4030	REFIT ADMIN BLDG	102	Quarter deck front desk, next to transmitter	429499-7	ATD	Radonova	08/10/2022	08/15/2023	0.5
2151	NSB Kings Bay	4030	REFIT ADMIN BLDG	102	Quarter deck front desk, next to transmitter	920880-2	ATD	Radonova	08/10/2022	08/15/2023	0.5
2152	NSB Kings Bay	4030	REFIT ADMIN BLDG	107	back column	564921-5	ATD	Radonova	08/10/2022	08/15/2023	0.8
2153	NSB Kings Bay	4030	REFIT ADMIN BLDG	107	back column	925585-2	ATD	Radonova	08/10/2022	08/15/2023	0.8
2154	NSB Kings Bay	4030	REFIT ADMIN BLDG	107	Left corner, left of rm 105 door	269876-9	ATD	Radonova	08/10/2022	08/15/2023	0.7
2155	NSB Kings Bay	4030	REFIT ADMIN BLDG	107	Left corner, left of rm 105 door	335073-3	ATD	Radonova	08/10/2022	08/15/2023	0.8
2156	NSB Kings Bay	4030	REFIT ADMIN BLDG	126	above key box, around corner of outside rm 136	701111-7	ATD	Radonova	08/10/2022	08/15/2023	0.2
2157	NSB Kings Bay	4030	REFIT ADMIN BLDG	126	above key box, around corner of outside rm 136	410209-1	ATD	Radonova	08/10/2022	08/15/2023	0.3
2158	NSB Kings Bay	4030	REFIT ADMIN BLDG	127	BTD	313674-4	ATD	Radonova	08/10/2022	08/15/2023	0.2
2159	NSB Kings Bay	4030	REFIT ADMIN BLDG	127	BTD	928022-3	ATD	Radonova	08/10/2022	08/15/2023	0.3
2160	NSB Kings Bay	4030	REFIT ADMIN BLDG	128	BTD	742167-0	ATD	Radonova	08/10/2022	08/15/2023	0.2
2161	NSB Kings Bay	4030	REFIT ADMIN BLDG	128	BTD	136305-0	ATD	Radonova	08/10/2022	08/15/2023	0.3
2162	NSB Kings Bay	4030	REFIT ADMIN BLDG	129	BTD	262874-1	ATD	Radonova	08/10/2022	08/15/2023	0.3
2163	NSB Kings Bay	4030	REFIT ADMIN BLDG	129	BTD	436893-2	ATD	Radonova	08/10/2022	08/15/2023	0.3
2164	NSB Kings Bay	4030	REFIT ADMIN BLDG	130	BTD	611934-1	ATD	Radonova	08/10/2022	08/15/2023	0.2
2165	NSB Kings Bay	4030	REFIT ADMIN BLDG	130	BTD	693044-0	ATD	Radonova	08/10/2022	08/15/2023	0.4
2166	NSB Kings Bay	4030	REFIT ADMIN BLDG	131	BTD	357653-5	ATD	Radonova	08/10/2022	08/15/2023	0.2
2167	NSB Kings Bay	4030	REFIT ADMIN BLDG	131	BTD	954992-4	ATD	Radonova	08/10/2022	08/15/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2168	NSB Kings Bay	4030	REFIT ADMIN BLDG	132	BTD	116057-1	ATD	Radonova	08/10/2022	08/15/2023	0.2
2169	NSB Kings Bay	4030	REFIT ADMIN BLDG	132	BTD	514452-2	ATD	Radonova	08/10/2022	08/15/2023	0.2
2170	NSB Kings Bay	4030	REFIT ADMIN BLDG	145	BTD	649788-7	ATD	Radonova	08/10/2022	08/15/2023	0.6
2171	NSB Kings Bay	4030	REFIT ADMIN BLDG	145	BTD	530160-1	ATD	Radonova	08/10/2022	08/15/2023	0.7
2172	NSB Kings Bay	4030	REFIT ADMIN BLDG	148	BTD	332130-4	ATD	Radonova	08/10/2022	08/15/2023	0.6
2173	NSB Kings Bay	4030	REFIT ADMIN BLDG	148	BTD	610468-1	ATD	Radonova	08/10/2022	08/15/2023	0.9
2174	NSB Kings Bay	4030	REFIT ADMIN BLDG	161	Left of door	390502-3	ATD	Radonova	08/10/2022	08/15/2023	0.7
2175	NSB Kings Bay	4030	REFIT ADMIN BLDG	161	Left of door	401056-7	ATD	Radonova	08/10/2022	08/15/2023	0.8
2176	NSB Kings Bay	4030	REFIT ADMIN BLDG	"Rad Health" Corner of check in window	Right of door	643731-3	ATD	Radonova	08/10/2022	08/16/2023	0.5
2177	NSB Kings Bay	4030	REFIT ADMIN BLDG	"Rad Health" Corner of check in window	Right of door	598523-9	ATD	Radonova	08/10/2022	08/16/2023	0.6
2178	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal, back office left]	BTD	165262-7	ATD	Radonova	08/10/2022	08/15/2023	0.6
2179	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal, back office left]	BTD	929492-7	ATD	Radonova	08/10/2022	08/15/2023	0.6
2180	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal, back office straight]	BTD	663722-7	ATD	Radonova	08/10/2022	08/15/2023	0.7
2181	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal, back office straight]	BTD	746625-3	ATD	Radonova	08/10/2022	08/15/2023	0.7
2182	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal]	Right of door	748296-1	ATD	Radonova	08/10/2022	08/15/2023	0.7
2183	NSB Kings Bay	4030	REFIT ADMIN BLDG	104 [Legal]	Right of door	906136-7	ATD	Radonova	08/10/2022	08/15/2023	0.7
2184	NSB Kings Bay	4030	REFIT ADMIN BLDG	106 [Toner Store]	Right of door	297133-1	ATD	Radonova	08/10/2022	08/15/2023	0.5
2185	NSB Kings Bay	4030	REFIT ADMIN BLDG	106 [Toner Store]	Right of door	510686-9	ATD	Radonova	08/10/2022	08/15/2023	0.7
2186	NSB Kings Bay	4030	REFIT ADMIN BLDG	107 Front right corner by restricted area door	above thermostat	198280-0	ATD	Radonova	08/10/2022	08/15/2023	0.9
2187	NSB Kings Bay	4030	REFIT ADMIN BLDG	107 Front right corner by restricted area door	above thermostat	568357-8	ATD	Radonova	08/10/2022	08/15/2023	0.9
2188	NSB Kings Bay	4030	REFIT ADMIN BLDG	109 [TLD Handling Area] "Rad Health"	Corner, lab room	912347-2	ATD	Radonova	08/10/2022	08/16/2023	0.6
2189	NSB Kings Bay	4030	REFIT ADMIN BLDG	109 [TLD Handling Area] "Rad Health"	Corner, lab room	918349-2	ATD	Radonova	08/10/2022	08/16/2023	0.6
2190	NSB Kings Bay	4030	REFIT ADMIN BLDG	1108 Caffeteria	BTD (back door)	365259-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2191	NSB Kings Bay	4030	REFIT ADMIN BLDG	1108 Caffeteria	BTD (back door)	208533-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
2192	NSB Kings Bay	4030	REFIT ADMIN BLDG	1108 Caffeteria	on column across serving station	130431-0	ATD	Radonova	08/10/2022	08/16/2023	0.3
2193	NSB Kings Bay	4030	REFIT ADMIN BLDG	1108 Caffeteria	on column across serving station	902865-5	ATD	Radonova	08/10/2022	08/16/2023	0.3
2194	NSB Kings Bay	4030	REFIT ADMIN BLDG	129A	BTD	195437-9	ATD	Radonova	08/10/2022	08/15/2023	0.2
2195	NSB Kings Bay	4030	REFIT ADMIN BLDG	129A	BTD	501069-9	ATD	Radonova	08/10/2022	08/15/2023	0.5
2196	NSB Kings Bay	4030	REFIT ADMIN BLDG	134 [Server room]	Right of door	236758-9	ATD	Radonova	08/10/2022	08/15/2023	0.6
2197	NSB Kings Bay	4030	REFIT ADMIN BLDG	134 [Server room]	Right of door	521516-5	ATD	Radonova	08/10/2022	08/15/2023	0.8
2198	NSB Kings Bay	4030	REFIT ADMIN BLDG	136 [Conference room]	column above thermostat	299651-0	ATD	Radonova	08/10/2022	08/15/2023	0.2
2199	NSB Kings Bay	4030	REFIT ADMIN BLDG	136 [Conference room]	column above thermostat	124776-6	ATD	Radonova	08/10/2022	08/15/2023	0.2
2200	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, center office]	Left of door	748185-6	ATD	Radonova	08/10/2022	08/15/2023	0.7
2201	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, center office]	Left of door	429340-3	ATD	Radonova	08/10/2022	08/15/2023	0.8
2202	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, left office]	Right of door	489364-0	ATD	Radonova	08/10/2022	08/15/2023	0.6
2203	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, left office]	Right of door	692929-3	ATD	Radonova	08/10/2022	08/15/2023	0.7
2204	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, right office]	next to electrical panel	750962-3	ATD	Radonova	08/10/2022	08/15/2023	0.6
2205	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance, right office]	next to electrical panel	516787-9	ATD	Radonova	08/10/2022	08/15/2023	0.7
2206	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance]	BTD (also half door)	325256-6	ATD	Radonova	08/10/2022	08/15/2023	0.6
2207	NSB Kings Bay	4030	REFIT ADMIN BLDG	140 [Medical Surveillance]	BTD (also half door)	661684-1	ATD	Radonova	08/10/2022	08/15/2023	0.6
2208	NSB Kings Bay	4030	REFIT ADMIN BLDG	146 [Software Support]	column under emergency light	645827-7	ATD	Radonova	08/10/2022	08/15/2023	0.7
2209	NSB Kings Bay	4030	REFIT ADMIN BLDG	146 [Software Support]	column under emergency light	627330-4	ATD	Radonova	08/10/2022	08/15/2023	0.8
2210	NSB Kings Bay	4030	REFIT ADMIN BLDG	147 [w/in 146]	BTD	389525-7	ATD	Radonova	08/10/2022	08/15/2023	0.7
2211	NSB Kings Bay	4030	REFIT ADMIN BLDG	147 [w/in 146]	BTD	475954-4	ATD	Radonova	08/10/2022	08/15/2023	0.7
2212	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos, back office/break rm]	inside door	279721-5	ATD	Radonova	08/10/2022	08/15/2023	0.9
2213	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos, back office/break rm]	inside door	492224-1	ATD	Radonova	08/10/2022	08/15/2023	0.9
2214	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos]	above emergency exit plan, left of door	440846-4	ATD	Radonova	08/10/2022	08/15/2023	0.6
2215	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos]	above emergency exit plan, left of door	208176-8	ATD	Radonova	08/10/2022	08/15/2023	0.7

	A	B	C	D	E	F	G	H	I	J	K
2216	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos]	on column	105574-8	ATD	Radonova	08/10/2022	08/15/2023	0.7
2217	NSB Kings Bay	4030	REFIT ADMIN BLDG	152 [Leidos]	on column	156006-9	ATD	Radonova	08/10/2022	08/15/2023	0.7
2218	NSB Kings Bay	4030	REFIT ADMIN BLDG	158 "Rad Health"	BTD	901089-3	ATD	Radonova	08/10/2022	08/16/2023	0.5
2219	NSB Kings Bay	4030	REFIT ADMIN BLDG	158 "Rad Health"	BTD	825748-7	ATD	Radonova	08/10/2022	08/16/2023	0.6
2220	NSB Kings Bay	4030	REFIT ADMIN BLDG	159 "Rad Health"	BTD	677741-1	ATD	Radonova	08/10/2022	08/16/2023	0.5
2221	NSB Kings Bay	4030	REFIT ADMIN BLDG	159 "Rad Health"	BTD	355637-0	ATD	Radonova	08/10/2022	08/16/2023	0.6
2222	NSB Kings Bay	4030	REFIT ADMIN BLDG	160 "Rad Health"	BTD	461513-4	ATD	Radonova	08/10/2022	08/16/2023	0.5
2223	NSB Kings Bay	4030	REFIT ADMIN BLDG	160 "Rad Health"	BTD	993960-4	ATD	Radonova	08/10/2022	08/16/2023	0.5
2224	NSB Kings Bay	4030	REFIT ADMIN BLDG	162 "Rad Health"	BTD	939671-4	ATD	Radonova	08/10/2022	08/16/2023	0.4
2225	NSB Kings Bay	4030	REFIT ADMIN BLDG	162 "Rad Health"	BTD	116100-9	ATD	Radonova	08/10/2022	08/16/2023	0.5
2226	NSB Kings Bay	4030	REFIT ADMIN BLDG	163 "Rad Health"	BTD	106782-6	ATD	Radonova	08/10/2022	08/16/2023	0.4
2227	NSB Kings Bay	4030	REFIT ADMIN BLDG	163 "Rad Health"	BTD	622609-6	ATD	Radonova	08/10/2022	08/16/2023	0.5
2228	NSB Kings Bay	4030	REFIT ADMIN BLDG	Computer room	BTD	274472-0	ATD	Radonova	08/10/2022	08/15/2023	0.2
2229	NSB Kings Bay	4030	REFIT ADMIN BLDG	Computer room	BTD	587758-4	ATD	Radonova	08/10/2022	08/15/2023	0.3
2230	NSB Kings Bay	4031	READY STORES FAC	107	BTD	652698-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2231	NSB Kings Bay	4031	READY STORES FAC	107	BTD	730508-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2232	NSB Kings Bay	4031	READY STORES FAC	113	By on/off switch by thermostat	625819-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2233	NSB Kings Bay	4031	READY STORES FAC	113	By on/off switch by thermostat	756669-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2234	NSB Kings Bay	4031	READY STORES FAC	117	Left of door	508980-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2235	NSB Kings Bay	4031	READY STORES FAC	117	Left of door	937990-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2236	NSB Kings Bay	4031	READY STORES FAC	120	Pillar by printer	493821-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2237	NSB Kings Bay	4031	READY STORES FAC	120	Pillar by printer	234687-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2238	NSB Kings Bay	4031	READY STORES FAC	120	Right of door	241955-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2239	NSB Kings Bay	4031	READY STORES FAC	120	Right of door	914877-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2240	NSB Kings Bay	4031	READY STORES FAC	121	BTD	211786-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2241	NSB Kings Bay	4031	READY STORES FAC	121	BTD	909506-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2242	NSB Kings Bay	4031	READY STORES FAC	122	Left of door	125143-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2243	NSB Kings Bay	4031	READY STORES FAC	122	Left of door	782224-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2244	NSB Kings Bay	4031	READY STORES FAC	110 [Admin]	Next to Thermostat	158783-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2245	NSB Kings Bay	4031	READY STORES FAC	110 [Admin]	Next to Thermostat	650066-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2246	NSB Kings Bay	4031	READY STORES FAC	111 [Back office]	BTD	247129-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2247	NSB Kings Bay	4031	READY STORES FAC	111 [Back office]	BTD	768743-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2248	NSB Kings Bay	4031	READY STORES FAC	114 back room	By on/off switch by double doors past roller door	738908-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2249	NSB Kings Bay	4031	READY STORES FAC	114 back room	By on/off switch by double doors past roller door	489712-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2250	NSB Kings Bay	4031	READY STORES FAC	118 [Break Rm]	BTD	307968-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2251	NSB Kings Bay	4031	READY STORES FAC	118 [Break Rm]	BTD	962651-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2252	NSB Kings Bay	4031	READY STORES FAC	118A [Conference Rm]	Right of door	711297-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2253	NSB Kings Bay	4031	READY STORES FAC	118A [Conference Rm]	Right of door	636470-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2254	NSB Kings Bay	4031	READY STORES FAC	118B	Left of door	828396-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2255	NSB Kings Bay	4031	READY STORES FAC	118B	Left of door	379637-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2256	NSB Kings Bay	4031	READY STORES FAC	119A	BTD	496779-0	ATD	Radonova	08/09/2022	08/15/2023	0.2
2257	NSB Kings Bay	4031	READY STORES FAC	119A	BTD	913552-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2258	NSB Kings Bay	4031	READY STORES FAC	Breakroom	above fire exit plan / extinguisher, around corner of inner wall by breaker box	385452-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2259	NSB Kings Bay	4031	READY STORES FAC	Breakroom	above fire exit plan / extinguisher, around corner of inner wall by breaker box	785650-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2260	NSB Kings Bay	4031	READY STORES FAC	Warehouse	Back of Column	688239-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2261	NSB Kings Bay	4031	READY STORES FAC	Warehouse	Back of Column	731234-1	ATD	Radonova	08/09/2022	08/15/2023	0.2
2262	NSB Kings Bay	4032	BALLAST CAN FACILITY	Main area by desks	Above phone	582147-5	ATD	Radonova	08/11/2022	08/16/2023	0.4
2263	NSB Kings Bay	4032	BALLAST CAN FACILITY	Main area by desks	Above phone	819808-7	ATD	Radonova	08/11/2022	08/16/2023	0.4
2264	NSB Kings Bay	4032	BALLAST CAN FACILITY	Office right from front door	BTD	305063-0	ATD	Radonova	08/11/2022	08/16/2023	0.5
2265	NSB Kings Bay	4032	BALLAST CAN FACILITY	Office right from front door	BTD	461287-5	ATD	Radonova	08/11/2022	08/16/2023	0.5
2266	NSB Kings Bay	4033	NON-METALLIC FACILITY	102	above Thermostat	981798-2	ATD	Radonova	08/09/2022	08/15/2023	0.3
2267	NSB Kings Bay	4033	NON-METALLIC FACILITY	102	above Thermostat	501895-7	ATD	Radonova	08/09/2022	08/15/2023	0.4
2268	NSB Kings Bay	4033	NON-METALLIC FACILITY	106	BTD	597020-7	ATD	Radonova	08/09/2022	08/15/2023	0.5
2269	NSB Kings Bay	4033	NON-METALLIC FACILITY	106	BTD	283548-6	ATD	Radonova	08/09/2022	08/15/2023	0.6
2270	NSB Kings Bay	4033	NON-METALLIC FACILITY	108	above sink mirror	205013-6	ATD	Radonova	08/09/2022	08/15/2023	0.2
2271	NSB Kings Bay	4033	NON-METALLIC FACILITY	108	above sink mirror	500395-9	ATD	Radonova	08/09/2022	08/15/2023	0.2
2272	NSB Kings Bay	4033	NON-METALLIC FACILITY	108	Front right paint booth	310563-2	ATD	Radonova	08/09/2022	08/15/2023	0.2
2273	NSB Kings Bay	4033	NON-METALLIC FACILITY	108	Front right paint booth	336607-7	ATD	Radonova	08/09/2022	08/15/2023	0.2
2274	NSB Kings Bay	4033	NON-METALLIC FACILITY	101A	above Thermostat	564117-0	ATD	Radonova	08/09/2022	08/15/2023	0.3
2275	NSB Kings Bay	4033	NON-METALLIC FACILITY	101A	above Thermostat	137720-9	ATD	Radonova	08/09/2022	08/15/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
2276	NSB Kings Bay	4033	NON-METALLIC FACILITY	104 [Engraving Rm]	above Thermostat, left wall (face in)	361513-5	ATD	Radonova	08/09/2022	08/15/2023	0.3
2277	NSB Kings Bay	4033	NON-METALLIC FACILITY	104 [Engraving Rm]	above Thermostat, left wall (face in)	607461-1	ATD	Radonova	08/09/2022	08/15/2023	0.4
2278	NSB Kings Bay	4033	NON-METALLIC FACILITY	Main area across 101A by stairs	above electrical	625431-2	ATD	Radonova	08/09/2022	08/15/2023	0.4
2279	NSB Kings Bay	4033	NON-METALLIC FACILITY	Main area across 101A by stairs	above electrical	173063-9	ATD	Radonova	08/09/2022	08/15/2023	0.5
2280	NSB Kings Bay	4033	NON-METALLIC FACILITY	Main area back	back area by washer and dryer, outside constructed office, right back	908582-0	ATD	Radonova	08/09/2022	08/15/2023	0.3
2281	NSB Kings Bay	4033	NON-METALLIC FACILITY	Main area back	back area by washer and dryer, outside constructed office, right back	980634-0	ATD	Radonova	08/09/2022	08/15/2023	0.5
2282	NSB Kings Bay	4033	NON-METALLIC FACILITY	Outside 110	outside storage doors	763498-3	ATD	Radonova	08/09/2022	08/15/2023	0.4
2283	NSB Kings Bay	4033	NON-METALLIC FACILITY	Outside 110	outside storage doors	200303-6	ATD	Radonova	08/09/2022	08/15/2023	0.5
2284	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	103	Left of door	494307-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2285	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	103	Left of door	522869-7	ATD	Radonova	08/11/2022	08/16/2023	0.4
2286	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	104	Left of door	432846-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
2287	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	104	Left of door	470603-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2288	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	by eye wash station	172743-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
2289	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	by eye wash station	361977-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
2290	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	by rm 108 door 115 sign	323104-0	ATD	Radonova	08/11/2022	08/16/2023	0.5
2291	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	by rm 108 door 115 sign	577089-6	ATD	Radonova	08/11/2022	08/16/2023	0.7
2292	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	Metal beam by fire bill	807393-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
2293	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108	Metal beam by fire bill	481017-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2294	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	by blast booth	287478-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2295	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	by blast booth	837050-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
2296	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	end of blast booth	377229-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
2297	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	end of blast booth	680694-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2298	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	near large paint booth, across yellow ladder	658690-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
2299	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	near large paint booth, across yellow ladder	524121-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2300	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	on column, near back of large paint booth	209380-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2301	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	109	on column, near back of large paint booth	508930-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2302	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	102 [TRF Office]	BTD	277190-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2303	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	102 [TRF Office]	BTD	916811-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
2304	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108/110 TRF Storage	left tool room	355540-6	ATD	Radonova	08/11/2022	08/16/2023	0.4
2305	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	108/110 TRF Storage	left tool room	315218-8	ATD	Radonova	08/11/2022	08/16/2023	0.6
2306	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	113 [SWF Storage]	above thermostat, right of entry	515087-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2307	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	113 [SWF Storage]	above thermostat, right of entry	206183-6	ATD	Radonova	08/11/2022	08/16/2023	0.4
2308	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	115 [Break Rm]	BTD	267307-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2309	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	115 [Break Rm]	BTD	442366-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2310	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	116 [Conference Rm]	Right of door	926796-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
2311	NSB Kings Bay	4041	SANDBLASTING & PAINTING FAC	116 [Conference Rm]	Right of door	809979-8	ATD	Radonova	08/11/2022	08/16/2023	0.3
2312	NSB Kings Bay	4045	ENCAPSULATION FACILITY	Left area	Next to clock	766767-8	ATD	Radonova	08/09/2022	08/15/2023	0.2
2313	NSB Kings Bay	4045	ENCAPSULATION FACILITY	Left area	Next to clock	109609-8	ATD	Radonova	08/09/2022	08/15/2023	0.3
2314	NSB Kings Bay	4045	ENCAPSULATION FACILITY	Right area	outside bathroom door	662583-4	ATD	Radonova	08/09/2022	08/15/2023	0.2
2315	NSB Kings Bay	4045	ENCAPSULATION FACILITY	Right area	outside bathroom door	956331-3	ATD	Radonova	08/09/2022	08/15/2023	0.2
2316	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	103	BTD	193971-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2317	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	103	BTD	320638-0	ATD	Radonova	08/31/2022	09/26/2023	0.4
2318	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	110	BTD	711307-9	ATD	Radonova	08/31/2022	09/26/2023	0.5
2319	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	110	BTD	983194-2	ATD	Radonova	08/31/2022	09/26/2023	0.5
2320	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	116	Far corner by alarm boxes	929236-8	ATD	Radonova	08/31/2022	09/26/2023	0.5
2321	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	116	Far corner by alarm boxes	187076-5	ATD	Radonova	08/31/2022	09/26/2023	0.6
2322	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	121	Left of door	827214-8	ATD	Radonova	08/31/2022	09/26/2023	1.2
2323	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	121	Left of door	956974-0	ATD	Radonova	08/31/2022	09/26/2023	FBD
2324	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	131	Right wall by fire alarm	222318-8	ATD	Radonova	08/31/2022	09/26/2023	0.7
2325	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	131	Right wall by fire alarm	477030-1	ATD	Radonova	08/31/2022	09/26/2023	0.8
2326	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	138	BTD	270064-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2327	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	138	BTD	822250-7	ATD	Radonova	08/31/2022	09/26/2023	0.5
2328	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	106 [Lounge]	BTD	419295-1	ATD	Radonova	08/31/2022	09/26/2023	0.3
2329	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	106 [Lounge]	BTD	798730-8	ATD	Radonova	08/31/2022	09/26/2023	0.4
2330	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	137 [Gym]	Right from door	826067-1	ATD	Radonova	08/31/2022	09/26/2023	0.7
2331	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	137 [Gym]	Right from door	506372-2	ATD	Radonova	08/31/2022	09/26/2023	FBD

	A	B	C	D	E	F	G	H	I	J	K
2332	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	Hallway	Between rooms 129 & 130	273629-6	ATD	Radonova	08/31/2022	09/26/2023	0.6
2333	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	Hallway	Between rooms 129 & 130	419476-7	ATD	Radonova	08/31/2022	09/26/2023	0.6
2334	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	Rec. Room + Cafeteria	On wall corner by room 114	213757-8	ATD	Radonova	08/31/2022	09/26/2023	0.5
2335	NSB Kings Bay	5009	SECURITY FORCE FACILITY (WF)	Rec. Room + Cafeteria	On wall corner by room 114	381453-0	ATD	Radonova	08/31/2022	09/26/2023	0.5
2336	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Constructed Office	Left wall	489318-6	ATD	Radonova	10/11/2022	09/25/2023	0.3
2337	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Constructed Office	Left wall	236803-3	ATD	Radonova	10/11/2022	09/25/2023	0.4
2338	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Warehouse Space (front right end of bldg)	1st metal beam	264346-8	ATD	Radonova	10/11/2022	09/25/2023	0.3
2339	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Warehouse Space (front right end of bldg)	1st metal beam	344858-6	ATD	Radonova	10/11/2022	09/25/2023	0.2
2340	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Warehouse Space (right of office)	2nd metal beam, by A shelving.	404714-8	ATD	Radonova	10/11/2022	09/25/2023	0.3
2341	NSB Kings Bay	5038	SITE VI STORAGE FAC/TRF	Warehouse Space (right of office)	2nd metal beam, by A shelving.	980802-3	ATD	Radonova	10/11/2022	09/25/2023	0.2
2342	NSB Kings Bay	5040	PORT OPS BOAT MAINTENANCE	102	Left of door	369334-8	ATD	Radonova	09/01/2022	09/25/2023	0.4
2343	NSB Kings Bay	5040	PORT OPS BOAT MAINTENANCE	102	Left of door	532029-6	ATD	Radonova	09/01/2022	09/25/2023	0.4
2344	NSB Kings Bay	5040	PORT OPS BOAT MAINTENANCE	103	Right of door	482830-7	ATD	Radonova	09/01/2022	09/25/2023	0.3
2345	NSB Kings Bay	5040	PORT OPS BOAT MAINTENANCE	103	Right of door	994888-6	ATD	Radonova	09/01/2022	09/25/2023	0.4
2346	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	103	Column	945893-6	ATD	Radonova	09/01/2022	09/25/2023	0.3
2347	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	103	Column	992794-8	ATD	Radonova	09/01/2022	09/25/2023	0.4
2348	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	118	BTD	590323-2	ATD	Radonova	09/01/2022	09/25/2023	0.3
2349	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	118	BTD	188169-7	ATD	Radonova	09/01/2022	09/25/2023	0.4
2350	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	129	BTD	232787-2	ATD	Radonova	09/01/2022	09/25/2023	0.3
2351	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	129	BTD	691657-1	ATD	Radonova	09/01/2022	09/25/2023	0.3
2352	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	108 [Engraving shop]	Left of inner engraving shop door (outside)	724099-7	ATD	Radonova	09/01/2022	09/25/2023	0.2
2353	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	108 [Engraving shop]	Left of inner engraving shop door (outside)	711412-7	ATD	Radonova	09/01/2022	09/25/2023	0.3
2354	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	110 [Lounge]	BTD	656489-2	ATD	Radonova	09/01/2022	09/25/2023	0.2
2355	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	110 [Lounge]	BTD	227343-1	ATD	Radonova	09/01/2022	09/25/2023	0.2
2356	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	125 [Electrical shop]	Left wall by inner door	175440-7	ATD	Radonova	09/01/2022	09/25/2023	0.4
2357	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	125 [Electrical shop]	Left wall by inner door	149773-4	ATD	Radonova	09/01/2022	09/25/2023	0.2
2358	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	128 [supply office]	Right of door, by fire bill	207139-7	ATD	Radonova	09/01/2022	09/25/2023	0.3
2359	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	128 [supply office]	Right of door, by fire bill	719939-1	ATD	Radonova	09/01/2022	09/25/2023	0.3
2360	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	1st class mess [W/in 108, inner right office]	Right of door	559652-3	ATD	Radonova	09/01/2022	09/25/2023	0.2
2361	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	1st class mess [W/in 108, inner right office]	Right of door	340310-2	ATD	Radonova	09/01/2022	09/25/2023	0.3
2362	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	Shop area	Left of eye wash & door	312550-7	ATD	Radonova	09/01/2022	09/25/2023	0.3
2363	NSB Kings Bay	5041	WATERFRONT OPS MAINT W CRANE	Shop area	Left of eye wash & door	774201-8	ATD	Radonova	09/01/2022	09/25/2023	0.3
2364	NSB Kings Bay	5050	NAVAL UNDERSEA WAREFARE CENTER	Warehouse Space	Back left corner on safe	900417-7	ATD	Radonova	10/11/2022	09/25/2023	0.5
2365	NSB Kings Bay	5050	NAVAL UNDERSEA WAREFARE CENTER	Warehouse Space	Back left corner on safe	944906-7	ATD	Radonova	10/11/2022	09/25/2023	0.5
2366	NSB Kings Bay	5050	NAVAL UNDERSEA WAREFARE CENTER	Warehouse Space	Left side of Carrier AC unit	419545-9	ATD	Radonova	10/11/2022	09/25/2023	0.4
2367	NSB Kings Bay	5050	NAVAL UNDERSEA WAREFARE CENTER	Warehouse Space	Left side of Carrier AC unit	658515-2	ATD	Radonova	10/11/2022	09/25/2023	0.4
2368	NSB Kings Bay	5051	SUBSTATION #3 BLDG A	Controller area	On box 3A (A) & 3A (B)	825642-2	ATD	Radonova	08/31/2022	09/25/2023	2.6
2369	NSB Kings Bay	5051	SUBSTATION #3 BLDG A	Controller area	On box 3A (A) & 3A (B)	745421-8	ATD	Radonova	08/31/2022	09/25/2023	2.7
2370	NSB Kings Bay	5052	SWITCHGEAR SUB BLDG 3 B	Controller area	On box near desk	530566-9	ATD	Radonova	08/31/2022	09/25/2023	3.8
2371	NSB Kings Bay	5052	SWITCHGEAR SUB BLDG 3 B	Controller area	On box near desk	147904-7	ATD	Radonova	08/31/2022	09/25/2023	4.0
2372	NSB Kings Bay	5054	SUBSTATION #3 GEN BLDG	Non-Emergency IC	On box 1	151106-2	ATD	Radonova	08/31/2022	09/25/2023	0.2
2373	NSB Kings Bay	5054	SUBSTATION #3 GEN BLDG	Non-Emergency IC	On box 1	163892-3	ATD	Radonova	08/31/2022	09/25/2023	0.2
2374	NSB Kings Bay	5054	SUBSTATION #3 GEN BLDG	Non-Emergency IC	Under black paper holder	760745-0	ATD	Radonova	08/31/2022	09/25/2023	0.2
2375	NSB Kings Bay	5054	SUBSTATION #3 GEN BLDG	Non-Emergency IC	Under black paper holder	938319-1	ATD	Radonova	08/31/2022	09/25/2023	0.2
2376	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105	Wash area right of entry by clear bins	591561-6	ATD	Radonova	08/12/2022	08/17/2023	0.6
2377	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105	Wash area right of entry by clear bins	504222-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2378	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	103 [Mechanical Production Controller]	Right of door	437081-3	ATD	Radonova	08/12/2022	08/17/2023	0.2
2379	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	103 [Mechanical Production Controller]	Right of door	186194-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2380	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	104 [67H Mast & Antenna Repair, Supervisor Office]	Right of inner door (look straight in)	669265-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2381	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	104 [67H Mast & Antenna Repair, Supervisor Office]	Right of inner door (look straight in)	992402-8	ATD	Radonova	08/12/2022	08/17/2023	0.2
2382	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105 [back shop tools area]	By thermostat	447260-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2383	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105 [back shop tools area]	By thermostat	696829-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2384	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105 [rm w/ lockers]	Left of door	127875-3	ATD	Radonova	08/12/2022	08/17/2023	0.2
2385	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	105 [rm w/ lockers]	Left of door	199120-7	ATD	Radonova	08/12/2022	08/17/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2386	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	113 [Supervisor Office, S side]	next to door	280234-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2387	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	113 [Supervisor Office, S side]	next to door	345372-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2388	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	115 [General Foreman Shop, Inner Office, SW side]	Right of door	312425-2	ATD	Radonova	08/12/2022	08/17/2023	0.2
2389	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	115 [General Foreman Shop, Inner Office, SW side]	Right of door	102477-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2390	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	115 [Supervisor Office, SW side]	fire bill, right of door	672817-4	ATD	Radonova	08/12/2022	08/17/2023	0.3
2391	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	115 [Supervisor Office, SW side]	fire bill, right of door	519584-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2392	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	130 Market	Behind T.V. (security camera screen)	184853-0	ATD	Radonova	08/12/2022	08/17/2023	0.4
2393	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	130 Market	Behind T.V. (security camera screen)	961886-9	ATD	Radonova	08/12/2022	08/17/2023	0.2
2394	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	130 Subway	Behind T.V.	158248-5	ATD	Radonova	08/12/2022	08/17/2023	0.2
2395	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	130 Subway	Behind T.V.	201022-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2396	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	137 [Shop 38 Training Office]	Right of door	121121-8	ATD	Radonova	08/12/2022	08/17/2023	0.8
2397	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	137 [Shop 38 Training Office]	Right of door	766285-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2398	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	143 [Shop 38 SME Office]	BTD	553816-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2399	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	143 [Shop 38 SME Office]	BTD	724506-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2400	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38A	Electrical Switch Shut off near roller door	699990-8	ATD	Radonova	08/12/2022	08/17/2023	0.2
2401	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38A	Electrical Switch Shut off near roller door	306809-5	ATD	Radonova	08/12/2022	08/17/2023	0.3
2402	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38B	BTD	238476-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2403	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38B	BTD	691134-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2404	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38C	Break area by electrical switch	226693-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2405	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	38C	Break area by electrical switch	629592-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2406	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Machine Shop	Cage by work control code 305 door	179511-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2407	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Machine Shop	Cage by work control code 305 door	807992-3	ATD	Radonova	08/12/2022	08/17/2023	0.2
2408	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Machine Shop	Cage, middle of wall	163838-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2409	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Machine Shop	Cage, middle of wall	458821-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2410	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm 144 in cage [office/work area]	Left of door	679579-3	ATD	Radonova	08/12/2022	08/17/2023	0.2
2411	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm 144 in cage [office/work area]	Left of door	622567-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2412	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm w/in 103 [Break area/cubicles]	above thermostat	243145-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2413	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm w/in 103 [Break area/cubicles]	above thermostat	639392-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2414	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm w/in 103 [Supervisor back left office]	Right of door	168627-8	ATD	Radonova	08/12/2022	08/17/2023	0.2
2415	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Rm w/in 103 [Supervisor back left office]	Right of door	914908-9	ATD	Radonova	08/12/2022	08/17/2023	0.2
2416	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Shop 38D	Back right wall under white board	553381-5	ATD	Radonova	08/12/2022	08/17/2023	0.2
2417	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	Shop 38D	Back right wall under white board	954210-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2418	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	shop 38F	hydraulic air sign	128539-4	ATD	Radonova	08/12/2022	08/17/2023	0.3
2419	NSB Kings Bay	5060	WATERFRNT SERV BLDG W/CRANE	shop 38F	hydraulic air sign	998486-5	ATD	Radonova	08/12/2022	08/17/2023	0.2
2420	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	111	left of door	314576-0	ATD	Radonova	08/12/2022	08/17/2023	0.5
2421	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	111	left of door	638180-0	ATD	Radonova	08/12/2022	08/17/2023	0.6
2422	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Left office]	Left of door	243355-5	ATD	Radonova	08/12/2022	08/17/2023	0.4
2423	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Left office]	Left of door	930662-2	ATD	Radonova	08/12/2022	08/17/2023	0.5
2424	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Middle office]	Next to door	950415-0	ATD	Radonova	08/12/2022	08/17/2023	0.4
2425	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Middle office]	Next to door	449782-2	ATD	Radonova	08/12/2022	08/17/2023	0.7
2426	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Right office]	Left of door	255625-6	ATD	Radonova	08/12/2022	08/17/2023	0.6
2427	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	102 [Right office]	Left of door	472571-9	ATD	Radonova	08/12/2022	08/17/2023	0.6
2428	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	Break area	Above file folders, by alcove outside Rm 111	913217-6	ATD	Radonova	08/12/2022	08/17/2023	0.4
2429	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	Break area	Above file folders, by alcove outside Rm 111	220258-8	ATD	Radonova	08/12/2022	08/17/2023	0.5
2430	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	Conference Rm	next to hazard plan	455179-2	ATD	Radonova	08/12/2022	08/17/2023	0.8
2431	NSB Kings Bay	5061	BERTHING SUPPORT BLDG	Conference Rm	next to hazard plan	964167-1	ATD	Radonova	08/12/2022	08/17/2023	0.9
2432	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	105 [Health physics C105.52]	right of door	459294-5	ATD	Radonova	09/01/2022	09/26/2023	0.2
2433	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	105 [Health physics C105.52]	right of door	562044-8	ATD	Radonova	09/01/2022	09/26/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2434	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	109 [door 111, thru 108]	BTD	654114-8	ATD	Radonova	09/01/2022	09/26/2023	0.3
2435	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	109 [door 111, thru 108]	BTD	432329-1	ATD	Radonova	09/01/2022	09/26/2023	0.2
2436	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	110 [Material Stowage]	Back right corner, locker #2	427486-6	ATD	Radonova	09/01/2022	09/26/2023	0.2
2437	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	110 [Material Stowage]	Back right corner, locker #2	456043-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
2438	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	110 [Material Stowage]	Right of door, by electrical panel	171487-2	ATD	Radonova	09/01/2022	09/26/2023	0.3
2439	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	110 [Material Stowage]	Right of door, by electrical panel	391377-9	ATD	Radonova	09/01/2022	09/26/2023	0.4
2440	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	111 [W/in 109, inner office, thru 108]	BTD	802589-2	ATD	Radonova	09/01/2022	09/26/2023	0.2
2441	NSB Kings Bay	5063	CONTROLLED INDUSTRIAL FAC.	111 [W/in 109, inner office, thru 108]	BTD	764691-2	ATD	Radonova	09/01/2022	09/26/2023	0.3
2442	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	1st left office (103)	BTD	447990-3	ATD	Radonova	08/31/2022	09/25/2023	0.3
2443	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	1st left office (103)	BTD	429572-1	ATD	Radonova	08/31/2022	09/25/2023	0.2
2444	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Break Area (104)	Right of door, under emergency light	126419-1	ATD	Radonova	08/31/2022	09/25/2023	0.2
2445	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Break Area (104)	Right of door, under emergency light	644511-8	ATD	Radonova	08/31/2022	09/25/2023	0.2
2446	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Left high bay (102)	By AED	400268-9	ATD	Radonova	08/31/2022	09/25/2023	0.2
2447	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Left high bay (102)	By AED	210758-9	ATD	Radonova	08/31/2022	09/25/2023	0.2
2448	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Left high bay (102)	Cage. Left end side, next to metal beam by bookshelf.	792303-0	ATD	Radonova	08/31/2022	09/25/2023	0.2
2449	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Left high bay (102)	Cage. Left end side, next to metal beam by bookshelf.	809747-9	ATD	Radonova	08/31/2022	09/25/2023	0.3
2450	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Right high bay (101)	Next to steel column. Left side, facing door #16. By compressed air line.	363063-9	ATD	Radonova	08/31/2022	09/25/2023	0.5
2451	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Right high bay (101)	Next to steel column. Left side, facing door #16. By compressed air line.	749979-1	ATD	Radonova	08/31/2022	09/25/2023	0.2
2452	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Right high bay (101)	Next to steel column. Right side, past roller door. By compressed air line.	307719-5	ATD	Radonova	08/31/2022	09/25/2023	0.2
2453	NSB Kings Bay	5065	DMLB W/CRANE (2) EA	Right high bay (101)	Next to steel column. Right side, past roller door. By compressed air line.	520449-0	ATD	Radonova	08/31/2022	09/25/2023	0.3
2454	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	102	above fire alarm, left of door	516216-9	ATD	Radonova	08/11/2022	08/16/2023	0.2
2455	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	102	above fire alarm, left of door	476658-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
2456	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	103	above key box right of door	167129-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
2457	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	103	above key box right of door	606961-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2458	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	126	BTD	582352-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2459	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	126	BTD	602302-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
2460	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	128	above thermostat	284555-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
2461	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	128	above thermostat	632562-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2462	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	129	above light switch, right of door	167484-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2463	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	129	above light switch, right of door	261618-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
2464	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	130	By light switch	339716-3	ATD	Radonova	08/12/2022	08/16/2023	0.2
2465	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	130	By light switch	813250-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2466	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	133	BTD	695331-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2467	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	133	BTD	721897-7	ATD	Radonova	08/12/2022	08/16/2023	0.2
2468	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	135	BTD	925855-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2469	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	135	BTD	376769-6	ATD	Radonova	08/12/2022	08/16/2023	0.3
2470	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	137	BTD	141836-7	ATD	Radonova	08/12/2022	08/16/2023	0.3
2471	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	137	BTD	634548-2	ATD	Radonova	08/12/2022	08/16/2023	0.3
2472	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	139	Left of door	396672-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2473	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	139	Left of door	827842-6	ATD	Radonova	08/12/2022	08/16/2023	0.3
2474	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	141	BTD	331420-0	ATD	Radonova	08/12/2022	08/16/2023	0.3
2475	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	141	BTD	620241-0	ATD	Radonova	08/12/2022	08/16/2023	0.3
2476	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	142	BTD	565290-4	ATD	Radonova	08/12/2022	08/16/2023	0.3
2477	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	142	BTD	496494-6	ATD	Radonova	08/12/2022	08/16/2023	0.5
2478	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	143	BTD	201923-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
2479	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	143	BTD	340020-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2480	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	163	Right of door	820612-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2481	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	163	Right of door	906867-7	ATD	Radonova	08/12/2022	08/16/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
2482	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	181	Outside inner office	328857-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
2483	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	181	Outside inner office	465858-9	ATD	Radonova	08/11/2022	08/16/2023	0.2
2484	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	101 [67J]	next to door 102 [Halon]	565403-3	ATD	Radonova	08/11/2022	08/16/2023	0.3
2485	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	101 [67J]	next to door 102 [Halon]	700326-2	ATD	Radonova	08/11/2022	08/16/2023	0.4
2486	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	105 [Boeing/Lockheed]	BTD	160302-6	ATD	Radonova	08/11/2022	08/16/2023	0.2
2487	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	105 [Boeing/Lockheed]	BTD	538526-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2488	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	106 [Boeing/Lockheed]	outside 101	211628-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
2489	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	106 [Boeing/Lockheed]	outside 101	803211-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
2490	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	106A w/in 106 [Boeing/Lockheed]	BTD	713576-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2491	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	106A w/in 106 [Boeing/Lockheed]	BTD	823203-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2492	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	107 [Navigation Office]	Left of door	920065-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
2493	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	107 [Navigation Office]	Left of door	923947-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
2494	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 / Rm 169	column by E end	484703-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
2495	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 / Rm 169	column by E end	545175-2	ATD	Radonova	08/11/2022	08/16/2023	0.5
2496	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 74A	west wall Next to fire extinguisher	497714-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
2497	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 74A	west wall Next to fire extinguisher	585162-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2498	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 Sail Loft	next to white board right of door	187108-6	ATD	Radonova	08/11/2022	08/16/2023	0.4
2499	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	110 Sail Loft	next to white board right of door	706655-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
2500	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	111 (door 073)	above thermostat right of door	588723-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
2501	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	111 (door 073)	above thermostat right of door	163167-0	ATD	Radonova	08/11/2022	08/16/2023	0.4
2502	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	113 [w/in 120 DRSS office]	BTD	599702-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
2503	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	113 [w/in 120 DRSS office]	BTD	925550-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
2504	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	114 [w/in 120 DRSS office]	BTD	206564-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
2505	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	114 [w/in 120 DRSS office]	BTD	365911-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2506	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	115 [w/in 120 DRSS office]	BTD	910359-9	ATD	Radonova	08/11/2022	08/16/2023	0.2
2507	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	115 [w/in 120 DRSS office]	BTD	213073-0	ATD	Radonova	08/11/2022	08/16/2023	0.4
2508	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	116 [w/in 120 DRSS office]	BTD	468138-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
2509	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	116 [w/in 120 DRSS office]	BTD	478578-8	ATD	Radonova	08/11/2022	08/16/2023	0.3
2510	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	117 [Interstate Contractor, w/in 120 DRSS office]	BTD	767186-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
2511	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	117 [Interstate Contractor, w/in 120 DRSS office]	BTD	461594-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
2512	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	118 [w/in 120 DRSS office]	BTD	922860-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
2513	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	118 [w/in 120 DRSS office]	BTD	924331-2	ATD	Radonova	08/11/2022	08/16/2023	0.4
2514	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	119 [w/in 120 DRSS office]	Right of door	647407-6	ATD	Radonova	08/11/2022	08/16/2023	0.4
2515	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	119 [w/in 120 DRSS office]	Right of door	165662-8	ATD	Radonova	08/11/2022	08/16/2023	0.5
2516	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	122 [DRSS Lab]	above thermostat, left of door	468861-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
2517	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	122 [DRSS Lab]	above thermostat, left of door	479123-2	ATD	Radonova	08/11/2022	08/16/2023	0.4
2518	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	123 [82B Supervisor]	BTD	463053-9	ATD	Radonova	08/11/2022	08/16/2023	0.2
2519	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	123 [82B Supervisor]	BTD	676494-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
2520	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	127 [Missile Shop]	Left of double door	663112-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
2521	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	127 [Missile Shop]	Left of double door	908955-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
2522	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	130 Conference Rm	Front wall	307927-4	ATD	Radonova	08/12/2022	08/16/2023	0.3
2523	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	130 Conference Rm	Front wall	780694-6	ATD	Radonova	08/12/2022	08/16/2023	0.3
2524	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	144 [w/in 146]	BTD	798272-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2525	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	144 [w/in 146]	BTD	515089-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2526	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	145 [w/in 146]	BTD	938786-1	ATD	Radonova	08/12/2022	08/16/2023	0.2
2527	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	145 [w/in 146]	BTD	193844-8	ATD	Radonova	08/12/2022	08/16/2023	0.4
2528	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	146 [Weapons Conference]	Left wall (facing in)	212707-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
2529	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	146 [Weapons Conference]	Left wall (facing in)	957584-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
2530	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	148 [Lockheed]	BTD	507476-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
2531	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	148 [Lockheed]	BTD	446602-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2532	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [BAE]	Next to shop door right side	380092-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2533	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [BAE]	Next to shop door right side	462298-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2534	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [Fire control support]	BTD	517922-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2535	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [Fire control support]	BTD	299903-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2536	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [Inner office, Lockheed]	Straight in, left wall	185259-9	ATD	Radonova	08/11/2022	08/16/2023	0.2
2537	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	149 [Inner office, Lockheed]	Straight in, left wall	438693-4	ATD	Radonova	08/11/2022	08/16/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2538	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	152 Break Rm	BTD	690181-3	ATD	Radonova	08/11/2022	08/16/2023	0.3
2539	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	152 Break Rm	BTD	710066-2	ATD	Radonova	08/11/2022	08/16/2023	0.6
2540	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	163 [OAG / SPALT Support]	next to storage door #166	528833-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2541	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	163 [OAG / SPALT Support]	next to storage door #166	927812-8	ATD	Radonova	08/11/2022	08/16/2023	0.3
2542	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	164 [General Dynamics]	BTD	232231-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2543	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	164 [General Dynamics]	BTD	906401-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
2544	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	176 [QA training classroom]	above fire extinguisher	753353-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2545	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	176 [QA training classroom]	above fire extinguisher	923419-6	ATD	Radonova	08/11/2022	08/16/2023	0.2
2546	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	177 [Cleaning Area]	above thermostat	992168-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
2547	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	177 [Cleaning Area]	above thermostat	636631-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
2548	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	180 [Towed Array Sys Repair]	Right wall	334780-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
2549	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	180 [Towed Array Sys Repair]	Right wall	525762-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2550	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	High bay 173 entry from office	by fire extinguisher	255000-2	ATD	Radonova	08/11/2022	08/16/2023	0.2
2551	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	High bay 173 entry from office	by fire extinguisher	545393-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
2552	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	High bay 173 entry from office, back end	by fire extinguisher	738223-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
2553	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	High bay 173 entry from office, back end	by fire extinguisher	555137-9	ATD	Radonova	08/11/2022	08/16/2023	0.4
2554	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	Left area after get in 181	Under clock & next to white board	289326-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
2555	NSB Kings Bay	5066	SWSS MAINTENANCE SHOP/TRF	Left area after get in 181	Under clock & next to white board	582906-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
2556	NSB Kings Bay	5069	DEWATERING BLDG	Ground contact space	Column closer to wall	349767-4	ATD	Radonova	08/31/2022	09/25/2023	0.2
2557	NSB Kings Bay	5069	DEWATERING BLDG	Ground contact space	Column closer to wall	962886-8	ATD	Radonova	08/31/2022	09/25/2023	0.2
2558	NSB Kings Bay	5070	PROCESS CONTROL BLDG.	101	Left of door	691623-3	ATD	Radonova	08/31/2022	09/25/2023	1.1
2559	NSB Kings Bay	5070	PROCESS CONTROL BLDG.	101	Left of door	925679-3	ATD	Radonova	08/31/2022	09/25/2023	1.1
2560	NSB Kings Bay	5071	LEPB W CRANE (2)	7	Right wall	187280-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2561	NSB Kings Bay	5071	LEPB W CRANE (2)	7	Right wall	346345-2	ATD	Radonova	08/11/2022	08/17/2023	0.3
2562	NSB Kings Bay	5071	LEPB W CRANE (2)	9	Left wall by CATRON box	752906-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2563	NSB Kings Bay	5071	LEPB W CRANE (2)	9	Left wall by CATRON box	786771-6	ATD	Radonova	08/11/2022	08/17/2023	0.5
2564	NSB Kings Bay	5071	LEPB W CRANE (2)	11	Left from door by emergency alarm button	381162-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2565	NSB Kings Bay	5071	LEPB W CRANE (2)	11	Left from door by emergency alarm button	924790-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2566	NSB Kings Bay	5071	LEPB W CRANE (2)	5071	Front Desk	661040-6	ATD	Radonova	08/11/2022	08/17/2023	0.3
2567	NSB Kings Bay	5071	LEPB W CRANE (2)	5071	Front Desk	813022-1	ATD	Radonova	08/11/2022	08/17/2023	0.4
2568	NSB Kings Bay	5071	LEPB W CRANE (2)	Bay	Next to eye wash & rm 13	387423-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2569	NSB Kings Bay	5071	LEPB W CRANE (2)	Bay	Next to eye wash & rm 13	733994-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2570	NSB Kings Bay	5071	LEPB W CRANE (2)	Break room	Next to bulletin board	497963-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2571	NSB Kings Bay	5071	LEPB W CRANE (2)	Break room	Next to bulletin board	626030-1	ATD	Radonova	08/11/2022	08/17/2023	0.2
2572	NSB Kings Bay	5072	DIVE LOCKER	Main shop area	by rm 110 door 33 sign, left of door	424377-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2573	NSB Kings Bay	5072	DIVE LOCKER	Main shop area	by rm 110 door 33 sign, left of door	752787-2	ATD	Radonova	08/12/2022	08/17/2023	0.3
2574	NSB Kings Bay	5072	DIVE LOCKER	Main shop area	right wall, around corner outside 108	332657-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2575	NSB Kings Bay	5072	DIVE LOCKER	Main shop area	right wall, around corner outside 108	571499-3	ATD	Radonova	08/12/2022	08/17/2023	0.3
2576	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	101 [Break Rm 71A]	Left of door near sink	710827-7	ATD	Radonova	08/12/2022	08/17/2023	0.5
2577	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	101 [Break Rm 71A]	Left of door near sink	699488-3	ATD	Radonova	08/12/2022	08/17/2023	0.7
2578	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	106 [71A Q/A Office]	Right of door	267351-5	ATD	Radonova	08/12/2022	08/17/2023	0.2
2579	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	106 [71A Q/A Office]	Right of door	142812-7	ATD	Radonova	08/12/2022	08/17/2023	0.3
2580	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	71A [Work leader office]	BTD	930339-7	ATD	Radonova	08/12/2022	08/17/2023	0.2
2581	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	71A [Work leader office]	BTD	505509-0	ATD	Radonova	08/12/2022	08/17/2023	0.2
2582	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	Main Shop	outside 105 around corner by glass window	709837-9	ATD	Radonova	08/12/2022	08/17/2023	0.2
2583	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	Main Shop	outside 105 around corner by glass window	729864-9	ATD	Radonova	08/12/2022		
2584	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	Main Shop [around corner from work lead office]	Behind ice machine by water fountain	619094-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2585	NSB Kings Bay	5073	HULL CLEANING SUPPORT FAC	Main Shop [around corner from work lead office]	Behind ice machine by water fountain	325961-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2586	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	214	Right of door, above fire extinguisher	226455-4	ATD	Radonova	10/12/2022	09/25/2023	0.2
2587	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	214	Right of door, above fire extinguisher	213640-6	ATD	Radonova	10/12/2022	09/25/2023	0.7
2588	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	206 [Junior Office]	By bulletin board, left of inside of double door	813756-4	ATD	Radonova	10/12/2022	09/25/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
2589	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	206 [Junior Office]	By bulletin board, left of inside of double door	389165-2	ATD	Radonova	10/12/2022	09/25/2023	0.2
2590	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	Entry rm	Under fire alarm	188492-3	ATD	Radonova	10/12/2022	09/25/2023	0.4
2591	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	Entry rm	Under fire alarm	466967-7	ATD	Radonova	10/12/2022	09/25/2023	0.4
2592	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	High bay	Right of door	369367-8	ATD	Radonova	10/12/2022	09/25/2023	0.5
2593	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	High bay	Right of door	693860-9	ATD	Radonova	10/12/2022	09/25/2023	1.6
2594	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	High bay	Left of door, by electrical shut off	111711-8	ATD	Radonova	10/12/2022	09/25/2023	0.6
2595	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	High bay	Left of door, by electrical shut off	381242-7	ATD	Radonova	10/12/2022	09/25/2023	0.7
2596	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	Right Office [supervisor office]	Right of window	606613-8	ATD	Radonova	10/12/2022	09/25/2023	0.2
2597	NSB Kings Bay	5083	COUNTER MEASURE FAC/TRF	Right Office [supervisor office]	Right of window	600863-5	ATD	Radonova	10/12/2022	09/25/2023	0.3
2598	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	101	Left of door	256792-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2599	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	101	Left of door	430542-1	ATD	Radonova	08/11/2022	08/18/2023	0.2
2600	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103	around corner of door by key box, right of door	142654-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2601	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103	around corner of door by key box, right of door	276864-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2602	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	107	Left of door	948171-4	ATD	Radonova	08/11/2022	08/18/2023	0.3
2603	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	107	Left of door	531732-6	ATD	Radonova	08/11/2022	08/18/2023	0.4
2604	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103 Inner Left Office	Left of door	488151-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2605	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103 Inner Left Office	Left of door	978441-4	ATD	Radonova	08/11/2022	08/18/2023	0.3
2606	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103 Inner Middle Office	BTD	249428-4	ATD	Radonova	08/11/2022	08/18/2023	0.2
2607	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	103 Inner Middle Office	BTD	309542-9	ATD	Radonova	08/11/2022	08/18/2023	0.4
2608	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	104 [DOSF Officer]	Right of door	173459-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2609	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	104 [DOSF Officer]	Right of door	179785-1	ATD	Radonova	08/11/2022	08/18/2023	0.3
2610	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	108 [Store Rm]	BTD	513398-8	ATD	Radonova	08/11/2022	08/18/2023	0.2
2611	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	108 [Store Rm]	BTD	250189-8	ATD	Radonova	08/11/2022	08/18/2023	0.3
2612	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	114 [Break/Meeting Rm]	Left wall, by display box (look out)	556652-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2613	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	114 [Break/Meeting Rm]	Left wall, by display box (look out)	981912-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2614	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	Corridor 110	by thermostat / vending machine	697472-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2615	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	Corridor 110	by thermostat / vending machine	522859-8	ATD	Radonova	08/11/2022	08/18/2023	0.3
2616	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	DOSF Training	BTD	524571-7	ATD	Radonova	10/11/2022	09/25/2023	0.3
2617	NSB Kings Bay	5084	DEFENSIVE WPNS FACILITY/TRF	DOSF Training	BTD	505815-1	ATD	Radonova	10/11/2022	09/25/2023	0.4
2618	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	103	BTD	459959-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2619	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	103	BTD	727182-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2620	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126	Left of door	501013-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2621	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126	Left of door	557558-4	ATD	Radonova	08/11/2022	08/17/2023	0.2
2622	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	132	Behind electrical, left corner from 187	929900-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2623	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	132	Behind electrical, left corner from 187	835778-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2624	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	149	Right of door	554924-1	ATD	Radonova	08/11/2022	08/17/2023	0.2
2625	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	149	Right of door	956360-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
2626	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	158	Right of door	197701-6	ATD	Radonova	08/11/2022	08/17/2023	0.2
2627	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	158	Right of door	553538-0	ATD	Radonova	08/11/2022	08/17/2023	0.2
2628	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	169	Left of door	501039-2	ATD	Radonova	08/11/2022	08/18/2023	0.3
2629	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	169	Left of door	981145-6	ATD	Radonova	08/11/2022	08/18/2023	0.3
2630	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	174	Left of door	320010-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2631	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	174	Left of door	944530-5	ATD	Radonova	08/11/2022	08/18/2023	0.2
2632	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	176	Right of door (double door side)	167887-9	ATD	Radonova	08/11/2022	08/18/2023	0.3
2633	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	176	Right of door (double door side)	432267-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2634	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	114 [Right area, connected to 115]	Left of door	104990-7	ATD	Radonova	09/01/2022	08/17/2023	0.3
2635	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	114 [Right area, connected to 115]	Left of door	161014-6	ATD	Radonova	09/01/2022	08/17/2023	0.2
2636	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	102 [Back Lab]	above thermostat, right of door	625674-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2637	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	102 [Back Lab]	above thermostat, right of door	657296-0	ATD	Radonova	08/11/2022	08/17/2023	0.2
2638	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	105 [Chemistry Lab/Spectrographics]	back wall (look straight in)	169593-1	ATD	Radonova	08/11/2022	08/17/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2639	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	105 [Chemistry Lab/Spectrographics]	back wall (look straight in)	712887-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2640	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	106 [QA Training Classroom]	Left of door	102885-1	ATD	Radonova	08/11/2022	08/17/2023	0.2
2641	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	106 [QA Training Classroom]	Left of door	393367-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2642	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	110 [Pure Water & Production Storage]	Column by tank	241758-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
2643	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	110 [Pure Water & Production Storage]	Column by tank	922046-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2644	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	115 [Nuclear safety office]	Left of door	379528-3	ATD	Radonova	09/01/2022	08/17/2023	0.2
2645	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	115 [Nuclear safety office]	Left of door	953312-6	ATD	Radonova	09/01/2022	08/17/2023	0.2
2646	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	121 [PEB, huge open counter space]	by fire extinguisher, N wall	124797-2	ATD	Radonova	08/11/2022	08/17/2023	0.4
2647	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	121 [PEB, huge open counter space]	by fire extinguisher, N wall	511196-8	ATD	Radonova	08/11/2022	08/17/2023	0.4
2648	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	121 [Shop Stores]	Left of door	550772-8	ATD	Radonova	08/11/2022	08/17/2023	0.4
2649	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	121 [Shop Stores]	Left of door	769018-3	ATD	Radonova	08/11/2022	08/17/2023	0.4
2650	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	123/124 [Tool Issue, Tool Rm #2]	Middle aisle (2nd aisle from right TCE024917, on side of cabinet)	728215-5	ATD	Radonova	08/11/2022	08/17/2023	0.2
2651	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	123/124 [Tool Issue, Tool Rm #2]	Middle aisle (2nd aisle from right TCE024917, on side of cabinet)	338638-0	ATD	Radonova	08/11/2022	08/17/2023	0.3
2652	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	123/124 [Tool Issue, Tool Rm #2]	Under emergency light	433825-7	ATD	Radonova	08/11/2022	08/17/2023	0.3
2653	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	123/124 [Tool Issue, Tool Rm #2]	Under emergency light	259877-9	ATD	Radonova	08/11/2022	08/17/2023	0.4
2654	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126 Inner Left Office	Office back wall	630181-6	ATD	Radonova	08/11/2022	08/17/2023	0.2
2655	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126 Inner Left Office	Office back wall	729328-5	ATD	Radonova	08/11/2022	08/17/2023	0.2
2656	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126 Inner Right Office	BTD	202055-0	ATD	Radonova	08/11/2022	08/17/2023	0.2
2657	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	126 Inner Right Office	BTD	829311-0	ATD	Radonova	08/11/2022	08/17/2023	0.3
2658	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	127 [Break Rm]	Right of door	737451-5	ATD	Radonova	08/11/2022	08/17/2023	0.2
2659	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	127 [Break Rm]	Right of door	755200-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2660	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair, Break Rm]	above thermostat	380232-9	ATD	Radonova	08/11/2022	08/18/2023	0.4
2661	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair, Break Rm]	above thermostat	811428-2	ATD	Radonova	08/11/2022	08/18/2023	0.4
2662	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair, High Bay]	Back left wall	769719-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2663	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair, High Bay]	Back left wall	839134-4	ATD	Radonova	08/11/2022	08/18/2023	0.3
2664	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair]	Left wall near door (look out)	481228-5	ATD	Radonova	08/11/2022	08/18/2023	0.3
2665	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	128 [Nuclear Repair]	Left wall near door (look out)	259099-0	ATD	Radonova	08/11/2022	08/18/2023	0.4
2666	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	132 [Shop 72D]	Back left wall near cage, back gate	423184-1	ATD	Radonova	08/11/2022	08/18/2023	0.3
2667	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	132 [Shop 72D]	Back left wall near cage, back gate	633258-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2668	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	133 [w/in 132]	Right of door	213444-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2669	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	133 [w/in 132]	Right of door	436605-0	ATD	Radonova	08/11/2022	08/18/2023	0.2
2670	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	136 [w/in 137, Foreman Office]	Left of door	774313-1	ATD	Radonova	08/11/2022	08/18/2023	0.2
2671	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	136 [w/in 137, Foreman Office]	Left of door	365313-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2672	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	137 [57A Lagging/Pipe Cover Shop]	by bulletin board, left of door	154238-0	ATD	Radonova	08/11/2022	08/18/2023	0.4
2673	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	137 [57A Lagging/Pipe Cover Shop]	by bulletin board, left of door	998038-4	ATD	Radonova	08/11/2022	08/18/2023	0.2
2674	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	137 [57A Lagging/Pipe Cover Shop]	Under stairs by glass rm outside	313877-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2675	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	137 [57A Lagging/Pipe Cover Shop]	Under stairs by glass rm outside	660693-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2676	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	146 [Nuclear cleaning rm]	Left of door	288363-5	ATD	Radonova	08/11/2022	08/18/2023	0.2
2677	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	146 [Nuclear cleaning rm]	Left of door	996859-5	ATD	Radonova	08/11/2022	08/18/2023	0.2
2678	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	151A [Admin]	Right of door	819140-5	ATD	Radonova	08/11/2022	08/17/2023	0.2
2679	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	151A [Admin]	Right of door	834039-0	ATD	Radonova	08/11/2022	08/17/2023	0.2
2680	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	153 [Mechanical Testing Lab]	Left of door	623466-0	ATD	Radonova	08/11/2022	08/17/2023	0.4
2681	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	153 [Mechanical Testing Lab]	Left of door	412509-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
2682	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	154 [QAI]	Right of door	194636-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2683	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	154 [QAI]	Right of door	982774-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
2684	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	154 [QAI]	Right wall (look in)	955051-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2685	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	154 [QAI]	Right wall (look in)	968563-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2686	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	155A	Left of door	469088-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2687	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	155A	Left of door	486013-6	ATD	Radonova	08/11/2022	08/17/2023	0.2
2688	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	156 [NDT Supervisor I]	BTD	500360-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2689	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	156 [NDT Supervisor I]	BTD	546503-4	ATD	Radonova	08/11/2022	08/17/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2690	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	156 [NDT Supervisor II, Inner Office]	Right of door	807650-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2691	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	156 [NDT Supervisor II, Inner Office]	Right of door	814592-2	ATD	Radonova	08/11/2022	08/17/2023	0.2
2692	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	157 [Dark Rm]	above light switch, left of door	580189-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2693	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	157 [Dark Rm]	above light switch, left of door	630473-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2694	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	161 [NDT Lab]	By electrical shut off / Magnaflux equip	209449-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2695	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	161 [NDT Lab]	By electrical shut off / Magnaflux equip	105875-9	ATD	Radonova	08/11/2022	08/17/2023	0.2
2696	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	161 [NDT Lab]	Emergency exit plan, right of door	396535-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2697	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	161 [NDT Lab]	Emergency exit plan, right of door	479210-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2698	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	168 [11A Material Coordinator]	back wall (look straight in)	460962-4	ATD	Radonova	08/11/2022	08/18/2023	0.4
2699	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	168 [11A Material Coordinator]	back wall (look straight in)	215475-5	ATD	Radonova	08/11/2022	08/18/2023	0.2
2700	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	17 Alpha workshop	C5 column	598168-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2701	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	17 Alpha workshop	C5 column	668690-1	ATD	Radonova	08/11/2022	08/17/2023	0.2
2702	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	178 [Metallography Rm]	Left of door	358757-3	ATD	Radonova	08/11/2022	08/17/2023	0.2
2703	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	178 [Metallography Rm]	Left of door	818856-7	ATD	Radonova	08/11/2022	08/17/2023	0.2
2704	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	186 [Admin Assistant, w/in 132]	Right of door	200365-5	ATD	Radonova	08/11/2022	08/18/2023	0.3
2705	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	186 [Admin Assistant, w/in 132]	Right of door	500631-7	ATD	Radonova	08/11/2022	08/18/2023	0.3
2706	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	187 [72D Supervisor, w/in 132]	Left of door	658293-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2707	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	187 [72D Supervisor, w/in 132]	Left of door	925251-1	ATD	Radonova	08/11/2022	08/18/2023	0.2
2708	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Breakroom	Right of door	248423-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2709	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Breakroom	Right of door	298698-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2710	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Fred's office [Superintendent] across 149/by staircase	Right of door	687803-7	ATD	Radonova	08/11/2022	08/17/2023	0.3
2711	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Fred's office [Superintendent] across 149/by staircase	Right of door	277977-5	ATD	Radonova	08/11/2022	08/17/2023	0.2
2712	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area	3B column	252954-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2713	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area	3B column	485807-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2714	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area	C3 column	289827-8	ATD	Radonova	08/11/2022	08/18/2023	0.2
2715	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area	C3 column	838797-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2716	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area across 168	B5 column	352306-5	ATD	Radonova	08/11/2022	08/18/2023	0.3
2717	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Industrial area across 168	B5 column	263649-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2718	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Welding school (across 176)	next to shadow box	546139-7	ATD	Radonova	08/11/2022	08/18/2023	0.2
2719	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Welding school (across 176)	next to shadow box	783469-0	ATD	Radonova	08/11/2022	08/18/2023	0.2
2720	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Welding school office (across 176) Metal Office, Program Manager	Right of door	524111-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2721	NSB Kings Bay	5085	HULL SHOP W/CRANES (18)	Welding school office (across 176) Metal Office, Program Manager	Right of door	637100-9	ATD	Radonova	08/11/2022	08/18/2023	0.2
2722	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	100	below emergency light, left of door	220819-7	ATD	Radonova	08/11/2022	08/18/2023	0.4
2723	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	100	below emergency light, left of door	677024-2	ATD	Radonova	08/11/2022	08/18/2023	0.4
2724	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	101 [w/in 100]	Left of door	334205-2	ATD	Radonova	08/11/2022	08/18/2023	0.3
2725	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	101 [w/in 100]	Left of door	157536-4	ATD	Radonova	08/11/2022	08/18/2023	0.4
2726	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	12th left column, W side	392765-4	ATD	Radonova	08/11/2022	08/18/2023	0.2
2727	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	12th left column, W side	501694-4	ATD	Radonova	08/11/2022	08/18/2023	0.2
2728	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	12th right column, E side	226138-6	ATD	Radonova	08/11/2022	08/18/2023	0.2
2729	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	12th right column, E side	238388-3	ATD	Radonova	08/11/2022	08/18/2023	0.2
2730	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	2nd left column, W side	180915-1	ATD	Radonova	08/11/2022	08/18/2023	0.2
2731	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	2nd left column, W side	811954-7	ATD	Radonova	08/11/2022	08/18/2023	0.2
2732	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	4th right column, E side	240162-8	ATD	Radonova	08/11/2022	08/18/2023	0.2
2733	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	4th right column, E side	937117-0	ATD	Radonova	08/11/2022	08/18/2023	0.2
2734	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	7th left column, W side	334875-2	ATD	Radonova	08/11/2022	08/18/2023	0.2
2735	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	7th left column, W side	485145-7	ATD	Radonova	08/11/2022	08/18/2023	0.2
2736	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	8th right column, E side	606822-5	ATD	Radonova	08/11/2022	08/18/2023	0.2
2737	NSB Kings Bay	5087	SITE VI WAREHOUSE/TRF	Warehouse area	8th right column, E side	956634-0	ATD	Radonova	08/11/2022	08/18/2023	0.2
2738	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	105A/B	BTD	128494-2	ATD	Radonova	10/11/2022	09/25/2023	0.2
2739	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	105A/B	BTD	185604-6	ATD	Radonova	10/11/2022	09/25/2023	0.2
2740	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Computer/Main Area	Behind TV, next to thermostat	386827-0	ATD	Radonova	10/11/2022	09/25/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
2741	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Computer/Main Area	Behind TV, next to thermostat	330635-4	ATD	Radonova	10/11/2022	09/25/2023	0.2
2742	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Gun Cleaning [Rm right of thermostat]	Left of door	339621-5	ATD	Radonova	10/11/2022	09/25/2023	0.2
2743	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Gun Cleaning [Rm right of thermostat]	Left of door	120244-9	ATD	Radonova	10/11/2022	09/25/2023	0.3
2744	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Inner Rm w/in 105A/B (straight in)	BTD	535703-3	ATD	Radonova	10/11/2022	09/25/2023	0.3
2745	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Inner Rm w/in 105A/B (straight in)	BTD	137004-8	ATD	Radonova	10/11/2022	09/25/2023	0.4
2746	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Lactation Rm [Inner rm of training rm]	BTD	900965-5	ATD	Radonova	10/11/2022	09/25/2023	0.4
2747	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Lactation Rm [Inner rm of training rm]	BTD	594170-3	ATD	Radonova	10/11/2022	09/25/2023	0.5
2748	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Sea Dog Office [Left rm behind computers]	Btwn 2 desks, right wall	452650-5	ATD	Radonova	10/11/2022	09/25/2023	0.3
2749	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Sea Dog Office [Left rm behind computers]	Btwn 2 desks, right wall	398743-5	ATD	Radonova	10/11/2022	09/25/2023	0.5
2750	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Sea Dragon Office [Right rm behind computers]	Behind TV	543217-4	ATD	Radonova	10/11/2022	09/25/2023	0.2
2751	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Sea Dragon Office [Right rm behind computers]	Behind TV	148748-7	ATD	Radonova	10/11/2022	09/25/2023	0.3
2752	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Training Rm [Outside of rm is fire extinguisher]	BTD	359932-1	ATD	Radonova	10/11/2022	09/25/2023	0.2
2753	NSB Kings Bay	5090	WATERFRONT USCG OPERATIONS	Training Rm [Outside of rm is fire extinguisher]	BTD	313803-9	ATD	Radonova	10/11/2022	09/25/2023	0.2
2754	NSB Kings Bay	5091	WF UTILITY PLANT	Main area	Column btwn 2 York chillers	487645-4	ATD	Radonova	09/01/2022	09/25/2023	0.2
2755	NSB Kings Bay	5091	WF UTILITY PLANT	Main area	Column btwn 2 York chillers	502757-8	ATD	Radonova	09/01/2022	09/25/2023	0.2
2756	NSB Kings Bay	5091	WF UTILITY PLANT	Main area	Column near red air dryer	480534-7	ATD	Radonova	09/01/2022	09/25/2023	0.2
2757	NSB Kings Bay	5091	WF UTILITY PLANT	Main area	Column near red air dryer	687712-0	ATD	Radonova	09/01/2022	09/25/2023	0.2
2758	NSB Kings Bay	5091	WF UTILITY PLANT	Office	Right of door	209268-2	ATD	Radonova	09/01/2022	09/25/2023	0.2
2759	NSB Kings Bay	5091	WF UTILITY PLANT	Office	Right of door	682855-2	ATD	Radonova	09/01/2022	09/25/2023	0.2
2760	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	102	Emergancey Exit plan, left of door	770723-5	ATD	Radonova	08/12/2022	08/17/2023	0.5
2761	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	102	Emergancey Exit plan, left of door	157532-3	ATD	Radonova	08/12/2022	08/17/2023	0.7
2762	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	109	left wall by clock, N wall	312911-1	ATD	Radonova	08/12/2022	08/17/2023	0.4
2763	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	109	left wall by clock, N wall	314147-0	ATD	Radonova	08/12/2022	08/17/2023	0.5
2764	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	111	Right of door	533417-2	ATD	Radonova	08/12/2022	08/17/2023	0.8
2765	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	111	Right of door	807541-8	ATD	Radonova	08/12/2022	08/17/2023	0.8
2766	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	102 [by door 7]	Emergancey Exit plan, left of door	118206-2	ATD	Radonova	08/12/2022	08/17/2023	0.5
2767	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	102 [by door 7]	Emergancey Exit plan, left of door	767424-5	ATD	Radonova	08/12/2022	08/17/2023	0.5
2768	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	109 [Electrical workshop 51B]	above bulletin board on column, left of electrical repair shop banner	544142-3	ATD	Radonova	08/12/2022	08/17/2023	0.4
2769	NSB Kings Bay	5092	BERTHING SUPPORT BLDG RW #2	109 [Electrical workshop 51B]	above bulletin board on column, left of electrical repair shop banner	485684-5	ATD	Radonova	08/12/2022	08/17/2023	0.5
2770	NSB Kings Bay	5096	FIRE STATION #2 (WF)	Dining room	Left from entry	245791-9	ATD	Radonova	08/31/2022	09/25/2023	0.4
2771	NSB Kings Bay	5096	FIRE STATION #2 (WF)	Dining room	Left from entry	338020-1	ATD	Radonova	08/31/2022	09/25/2023	0.4
2772	NSB Kings Bay	5096	FIRE STATION #2 (WF)	Hallway outside rm 9	By whiteboard	386011-1	ATD	Radonova	08/31/2022	09/25/2023	0.4
2773	NSB Kings Bay	5096	FIRE STATION #2 (WF)	Hallway outside rm 9	By whiteboard	611172-8	ATD	Radonova	08/31/2022	09/25/2023	0.4
2774	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	112	BTD above key box	310447-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2775	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	112	BTD above key box	823304-1	ATD	Radonova	08/12/2022	08/16/2023	0.2
2776	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	113	BTD	499391-1	ATD	Radonova	08/12/2022	08/16/2023	0.2
2777	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	113	BTD	731373-7	ATD	Radonova	08/12/2022	08/16/2023	0.2
2778	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	114	BTD	447283-3	ATD	Radonova	08/12/2022	08/17/2023	0.2
2779	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	114	BTD	775595-2	ATD	Radonova	08/12/2022	08/17/2023	0.2
2780	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	116	BTD	698293-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2781	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	116	BTD	825611-7	ATD	Radonova	08/12/2022	08/16/2023	0.2
2782	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	117	BTD	176931-4	ATD	Radonova	08/12/2022	08/16/2023	0.2
2783	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	117	BTD	199831-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2784	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	119	BTD	461831-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2785	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	119	BTD	204726-4	ATD	Radonova	08/12/2022	08/16/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2786	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	120	next to fire extinguisher, right around corner from entry way	254814-7	ATD	Radonova	08/12/2022	08/16/2023	0.2
2787	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	120	next to fire extinguisher, right around corner from entry way	204673-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2788	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	122	BTD	190034-9	ATD	Radonova	08/12/2022	08/16/2023	0.3
2789	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	122	BTD	603482-1	ATD	Radonova	08/12/2022	08/16/2023	0.2
2790	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	124	BTD	323315-2	ATD	Radonova	08/12/2022	08/16/2023	0.2
2791	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	124	BTD	683819-7	ATD	Radonova	08/12/2022	08/16/2023	0.2
2792	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	125	BTD	951660-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2793	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	125	BTD	988562-5	ATD	Radonova	08/12/2022	08/16/2023	0.2
2794	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	111 [General Office]	behind T.V. left of check in area	493262-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2795	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	111 [General Office]	behind T.V. left of check in area	923692-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2796	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	118 [Industrial Hygenist]	middle column w/in cubicle area	232913-4	ATD	Radonova	08/12/2022	08/16/2023	0.2
2797	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	118 [Industrial Hygenist]	middle column w/in cubicle area	544460-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2798	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	120 [Corner of bldg, cage across USS Wyoming/left of safety cage]	column	160530-2	ATD	Radonova	08/12/2022	08/16/2023	0.3
2799	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	120 [Corner of bldg, cage across USS Wyoming/left of safety cage]	column	491791-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2800	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	121 [Break Rm]	Right of door by bulletin	279913-8	ATD	Radonova	08/12/2022	08/16/2023	0.2
2801	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	121 [Break Rm]	Right of door by bulletin	957978-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2802	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	144 [Hazmat/material storage]	Right of door	281948-0	ATD	Radonova	08/12/2022	08/16/2023	0.2
2803	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	144 [Hazmat/material storage]	Right of door	732689-5	ATD	Radonova	08/12/2022	08/16/2023	0.2
2804	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	Lobby	outside duty room 102	768214-9	ATD	Radonova	08/12/2022	08/16/2023	0.3
2805	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	Lobby	outside duty room 102	322254-4	ATD	Radonova	08/12/2022	08/16/2023	0.2
2806	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	Outside 114	Next to bulletin board	487884-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2807	NSB Kings Bay	5104	MAINT SHPS SPRS STRG	Outside 114	Next to bulletin board	983379-9	ATD	Radonova	08/12/2022	08/16/2023	0.2
2808	NSB Kings Bay	5109	EXPLOSIVE HANDLING WHARF #2	Bunk/camera room	BTD	617412-2	ATD	Radonova	08/11/2022	08/17/2023	1.3
2809	NSB Kings Bay	5109	EXPLOSIVE HANDLING WHARF #2	Bunk/camera room	BTD	809031-8	ATD	Radonova	08/11/2022	08/17/2023	0.2
2810	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	102 [Explosive Safety, thru 108 Electrical door]	Emergancey Exit plan, right of door	160608-6	ATD	Radonova	08/12/2022	08/17/2023	0.6
2811	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	102 [Explosive Safety, thru 108 Electrical door]	Emergancey Exit plan, right of door	228884-3	ATD	Radonova	08/12/2022	08/17/2023	0.8
2812	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	102 [Explosive Safety, thru 108 Electrical door]	Left of door	443435-3	ATD	Radonova	08/12/2022	08/17/2023	0.9
2813	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	102 [Explosive Safety, thru 108 Electrical door]	Left of door	980644-9	ATD	Radonova	08/12/2022	08/17/2023	0.9
2814	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	109 [storage area]	back left workshop, inner short wall across roller door	251938-7	ATD	Radonova	08/12/2022	08/17/2023	0.5
2815	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	109 [storage area]	back left workshop, inner short wall across roller door	196713-2	ATD	Radonova	08/12/2022	08/17/2023	0.6
2816	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	109 [Towed array shop]	tool locker area wall	243982-6	ATD	Radonova	08/12/2022	08/17/2023	0.4
2817	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	109 [Towed array shop]	tool locker area wall	932063-1	ATD	Radonova	08/12/2022	08/17/2023	0.5
2818	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	110 [w/in 109]	BTD	456220-3	ATD	Radonova	08/12/2022	08/17/2023	0.5
2819	NSB Kings Bay	5116	BERTH. SUPP. BLDG.-WHARF #3	110 [w/in 109]	BTD	466765-5	ATD	Radonova	08/12/2022	08/17/2023	0.7
2820	NSB Kings Bay	5138	BOSC STORAGE BLDG	103 breakroom	Right of door, around corner of files	824624-1	ATD	Radonova	08/12/2022	08/17/2023	0.2
2821	NSB Kings Bay	5138	BOSC STORAGE BLDG	103 breakroom	Right of door, around corner of files	671937-1	ATD	Radonova	08/12/2022	08/17/2023	0.3
2822	NSB Kings Bay	5138	BOSC STORAGE BLDG	outside door 103	next to storage rack	123358-4	ATD	Radonova	08/12/2022	08/17/2023	0.2
2823	NSB Kings Bay	5138	BOSC STORAGE BLDG	outside door 103	next to storage rack	592906-2	ATD	Radonova	08/12/2022	08/17/2023	0.2
2824	NSB Kings Bay	5138	BOSC STORAGE BLDG	work area	Back right wall, 7/8-30-0010 to right (S bay middle rack)	246711-6	ATD	Radonova	08/12/2022	08/17/2023	0.2
2825	NSB Kings Bay	5138	BOSC STORAGE BLDG	work area	Back right wall, 7/8-30-0010 to right (S bay middle rack)	426490-9	ATD	Radonova	08/12/2022	08/17/2023	0.2
2826	NSB Kings Bay	5151	SSGN STOR FAC	1st right office [Lockheed on door]	Right of door, above thermostat	215984-6	ATD	Radonova	08/31/2022	09/26/2023	0.2
2827	NSB Kings Bay	5151	SSGN STOR FAC	1st right office [Lockheed on door]	Right of door, above thermostat	619250-4	ATD	Radonova	08/31/2022	09/26/2023	0.2
2828	NSB Kings Bay	5151	SSGN STOR FAC	2nd right room [Break rm]	Left of door	407616-2	ATD	Radonova	08/31/2022	09/26/2023	0.2
2829	NSB Kings Bay	5151	SSGN STOR FAC	2nd right room [Break rm]	Left of door	767974-9	ATD	Radonova	08/31/2022	09/26/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2830	NSB Kings Bay	5151	SSGN STOR FAC	Main area after entry	By fire extinguisher	179306-6	ATD	Radonova	08/31/2022	09/26/2023	0.2
2831	NSB Kings Bay	5151	SSGN STOR FAC	Main area after entry	By fire extinguisher	238348-7	ATD	Radonova	08/31/2022	09/26/2023	0.2
2832	NSB Kings Bay	5162	ARFF	122	BTD	230730-4	ATD	Radonova	08/31/2022	09/26/2023	0.2
2833	NSB Kings Bay	5162	ARFF	122	BTD	666541-8	ATD	Radonova	08/31/2022	09/26/2023	0.2
2834	NSB Kings Bay	5162	ARFF	123	Next to white board, left wall	278840-4	ATD	Radonova	08/31/2022	09/26/2023	0.4
2835	NSB Kings Bay	5162	ARFF	123	Next to white board, left wall	476539-2	ATD	Radonova	08/31/2022	09/26/2023	0.2
2836	NSB Kings Bay	5162	ARFF	124	BTD	246278-6	ATD	Radonova	08/31/2022	09/26/2023	0.3
2837	NSB Kings Bay	5162	ARFF	124	BTD	700076-3	ATD	Radonova	08/31/2022	09/26/2023	0.3
2838	NSB Kings Bay	5162	ARFF	102 [NCOIC]	BTD	356815-1	ATD	Radonova	08/31/2022	09/26/2023	0.3
2839	NSB Kings Bay	5162	ARFF	102 [NCOIC]	BTD	473184-0	ATD	Radonova	08/31/2022	09/26/2023	0.5
2840	NSB Kings Bay	5162	ARFF	105 [M44 NCOIC office]	BTD/left of door	709835-3	ATD	Radonova	08/31/2022	09/26/2023	0.5
2841	NSB Kings Bay	5162	ARFF	105 [M44 NCOIC office]	BTD/left of door	611292-4	ATD	Radonova	08/31/2022	09/26/2023	0.7
2842	NSB Kings Bay	5162	ARFF	111 [Swole city, gym]	Right of door, by telephone	758038-4	ATD	Radonova	08/31/2022	09/26/2023	0.2
2843	NSB Kings Bay	5162	ARFF	111 [Swole city, gym]	Right of door, by telephone	922823-0	ATD	Radonova	08/31/2022	09/26/2023	0.3
2844	NSB Kings Bay	5162	ARFF	125 [Ops & training]	Left of door	454398-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2845	NSB Kings Bay	5162	ARFF	125 [Ops & training]	Left of door	686544-8	ATD	Radonova	08/31/2022	09/26/2023	0.5
2846	NSB Kings Bay	5162	ARFF	127 [Briefing]	Behind TV, around corner	982515-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2847	NSB Kings Bay	5162	ARFF	127 [Briefing]	Behind TV, around corner	181466-4	ATD	Radonova	08/31/2022	09/26/2023	0.5
2848	NSB Kings Bay	5162	ARFF	129 [Navy office]	BTD	943198-2	ATD	Radonova	08/31/2022	09/26/2023	0.2
2849	NSB Kings Bay	5162	ARFF	129 [Navy office]	BTD	693331-1	ATD	Radonova	08/31/2022	09/26/2023	0.3
2850	NSB Kings Bay	5162	ARFF	131 [ASCOC/dispatch]	BTD	530599-0	ATD	Radonova	08/31/2022	09/26/2023	0.5
2851	NSB Kings Bay	5162	ARFF	131 [ASCOC/dispatch]	BTD	302071-6	ATD	Radonova	08/31/2022	09/26/2023	0.8
2852	NSB Kings Bay	5162	ARFF	134 [Cafeteria]	BTD/right of double door, by telephone	158038-0	ATD	Radonova	08/31/2022	09/26/2023	0.4
2853	NSB Kings Bay	5162	ARFF	134 [Cafeteria]	BTD/right of double door, by telephone	763363-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2854	NSB Kings Bay	5162	ARFF	136 [Lounge]	Right of door	507655-9	ATD	Radonova	08/31/2022	09/26/2023	0.4
2855	NSB Kings Bay	5162	ARFF	136 [Lounge]	Right of door	813728-3	ATD	Radonova	08/31/2022	09/26/2023	0.4
2856	NSB Kings Bay	5162	ARFF	Berthing rms hallway	By fire alarm btwn outside of 117 & 118 doors	160098-0	ATD	Radonova	08/31/2022	09/26/2023	0.3
2857	NSB Kings Bay	5162	ARFF	Berthing rms hallway	By fire alarm btwn outside of 117 & 118 doors	662708-7	ATD	Radonova	08/31/2022	09/26/2023	0.3
2858	NSB Kings Bay	5163	WF SECURITY FORCE #2	112 [Mess hall]	Left of door	371333-6	ATD	Radonova	09/01/2022	09/25/2023	1.2
2859	NSB Kings Bay	5163	WF SECURITY FORCE #2	112 [Mess hall]	Left of door	603225-4	ATD	Radonova	09/01/2022	09/25/2023	1.2
2860	NSB Kings Bay	5163	WF SECURITY FORCE #2	Security check-in	Right of door	398472-1	ATD	Radonova	09/01/2022	09/25/2023	1.5
2861	NSB Kings Bay	5163	WF SECURITY FORCE #2	Security check-in	Right of door	272714-7	ATD	Radonova	09/01/2022	09/25/2023	1.7
2862	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	204 [2nd fl]	On bookshelf (~2.5ft) near exterior wall & window	251728-2	ATD	Radonova	08/11/2022	08/17/2023	0.5
2863	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	204 [2nd fl]	On bookshelf (~2.5ft) near exterior wall & window	352896-5	ATD	Radonova	08/11/2022	08/17/2023	0.6
2864	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	205 [2nd fl]	BTD	257319-4	ATD	Radonova	08/11/2022	08/17/2023	0.6
2865	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	205 [2nd fl]	BTD	484974-1	ATD	Radonova	08/11/2022	08/17/2023	0.6
2866	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	207 [Library Rm, 2nd fl]	On bookshelf (~5ft)	945384-6	ATD	Radonova	08/11/2022	08/17/2023	0.5
2867	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	207 [Library Rm, 2nd fl]	On bookshelf (~5ft)	677949-0	ATD	Radonova	08/11/2022	08/17/2023	0.6
2868	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	208 [2nd fl]	On the back of door	176881-1	ATD	Radonova	08/11/2022	08/17/2023	0.5
2869	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	208 [2nd fl]	On the back of door	655909-0	ATD	Radonova	08/11/2022	08/17/2023	0.6
2870	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	209 [2nd fl]	BTD	402984-9	ATD	Radonova	08/11/2022	08/17/2023	0.6
2871	NSB Kings Bay	5180	OPERATIONS BUILDING (MSF) TRF	209 [2nd fl]	BTD	510651-3	ATD	Radonova	08/11/2022	08/17/2023	0.6
2872	NSB Kings Bay	5185	CONTROL BLDG (5984)	1st left lab	Left of door	206758-5	ATD	Radonova	08/31/2022	09/25/2023	0.2
2873	NSB Kings Bay	5185	CONTROL BLDG (5984)	1st left lab	Left of door	610671-0	ATD	Radonova	08/31/2022	09/25/2023	0.2
2874	NSB Kings Bay	5185	CONTROL BLDG (5984)	1st right office (old chromatography lab)	Right of door	757687-9	ATD	Radonova	08/31/2022	09/25/2023	0.2
2875	NSB Kings Bay	5185	CONTROL BLDG (5984)	1st right office (old chromatography lab)	Right of door	287787-6	ATD	Radonova	08/31/2022	09/25/2023	0.2
2876	NSB Kings Bay	5185	CONTROL BLDG (5984)	Drydock office	BTD	189638-0	ATD	Radonova	08/31/2022	09/25/2023	0.2
2877	NSB Kings Bay	5185	CONTROL BLDG (5984)	Drydock office	BTD	497033-1	ATD	Radonova	08/31/2022	09/25/2023	0.2
2878	NSB Kings Bay	5185	CONTROL BLDG (5984)	Entry rm	Left of inner doorway	752878-9	ATD	Radonova	08/31/2022	09/25/2023	0.2
2879	NSB Kings Bay	5185	CONTROL BLDG (5984)	Entry rm	Left of inner doorway	666271-2	ATD	Radonova	08/31/2022	09/25/2023	0.2
2880	NSB Kings Bay	5185	CONTROL BLDG (5984)	Hallway	Hallway btwn MeRm & lab doors	527929-4	ATD	Radonova	08/31/2022	09/25/2023	0.2
2881	NSB Kings Bay	5185	CONTROL BLDG (5984)	Hallway	Hallway btwn MeRm & lab doors	598912-4	ATD	Radonova	08/31/2022	09/25/2023	0.2
2882	NSB Kings Bay	5185	CONTROL BLDG (5984)	Scater Rm	Left of door, above thermostat/fire extinguisher	629030-8	ATD	Radonova	08/31/2022	09/25/2023	0.2
2883	NSB Kings Bay	5185	CONTROL BLDG (5984)	Scater Rm	Left of door, above thermostat/fire extinguisher	252035-1	ATD	Radonova	08/31/2022	09/25/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2884	NSB Kings Bay	5187	PORT OPS ENTRY CONTROL FAC	8	Right of 2nd window	179938-6	ATD	Radonova	09/01/2022	09/25/2023	0.9
2885	NSB Kings Bay	5187	PORT OPS ENTRY CONTROL FAC	8	Right of 2nd window	647372-2	ATD	Radonova	09/01/2022	09/25/2023	0.9
2886	NSB Kings Bay	5221	ECP #2	Middle, right side	On metal bar	511806-2	ATD	Radonova	09/01/2022	09/25/2023	0.2
2887	NSB Kings Bay	5221	ECP #2	Middle, right side	On metal bar	665657-3	ATD	Radonova	09/01/2022	09/25/2023	0.2
2888	NSB Kings Bay	5222	ECP #3	106	Right of window by entry	766527-6	ATD	Radonova	09/01/2022	09/25/2023	0.2
2889	NSB Kings Bay	5222	ECP #3	106	Right of window by entry	656803-4	ATD	Radonova	09/01/2022	09/25/2023	0.2
2890	NSB Kings Bay	5223	ECP #4	Right side of bldg	On metal gate	196283-6	ATD	Radonova	08/31/2022	08/17/2023	0.2
2891	NSB Kings Bay	5223	ECP #4	Right side of bldg	On metal gate	931380-0	ATD	Radonova	08/31/2022	08/17/2023	0.2
2892	NSB Kings Bay	5230	NSSC SHIPS SPARES	Main area, back right corner	on metal black cabinet, rolling file cabinet vidmar #3	207078-7	ATD	Radonova	09/01/2022	09/26/2023	0.3
2893	NSB Kings Bay	5230	NSSC SHIPS SPARES	Main area, back right corner	on metal black cabinet, rolling file cabinet vidmar #3	782676-1	ATD	Radonova	09/01/2022	09/26/2023	0.4
2894	NSB Kings Bay	5230	NSSC SHIPS SPARES	Main area, near front door	Inside steel column by desk	457571-8	ATD	Radonova	09/01/2022	09/26/2023	0.3
2895	NSB Kings Bay	5230	NSSC SHIPS SPARES	Main area, near front door	Inside steel column by desk	586794-0	ATD	Radonova	09/01/2022	09/26/2023	0.4
2896	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Classroom	Right of door	816932-8	ATD	Radonova	10/11/2022	09/26/2023	0.2
2897	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Classroom	Right of door	753085-0	ATD	Radonova	10/11/2022	09/26/2023	0.2
2898	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Left Office	BTD	494269-4	ATD	Radonova	10/11/2022	09/26/2023	0.2
2899	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Left Office	BTD	689978-5	ATD	Radonova	10/11/2022	09/26/2023	0.2
2900	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Right Office	BTD	374107-1	ATD	Radonova	10/11/2022	09/26/2023	0.3
2901	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Right Office	BTD	601876-6	ATD	Radonova	10/11/2022	09/26/2023	0.3
2902	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Warehouse Space	Left of classroom, on black tools cabinet	338251-2	ATD	Radonova	10/11/2022	09/26/2023	0.2
2903	NSB Kings Bay	5233	READY TO USE TEST EQUIP (JOINT USE)	Warehouse Space	Left of classroom, on black tools cabinet	379231-4	ATD	Radonova	10/11/2022	09/26/2023	0.2
2904	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	109	On large bookshelf	347346-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2905	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	109	On large bookshelf	944936-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
2906	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	112	BTD	168360-6	ATD	Radonova	08/10/2022	08/16/2023	0.2
2907	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	112	BTD	811036-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
2908	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	129	BTD	813020-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2909	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	129	BTD	934119-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2910	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	130	BTD	692731-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
2911	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	130	BTD	954140-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
2912	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	132	Left of N8 electrical panel	226542-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2913	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	132	Left of N8 electrical panel	349513-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2914	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	134		632323-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2915	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	134		918627-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2916	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	135	BTD	328653-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2917	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	135	BTD	645735-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2918	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	136	BTD	373038-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2919	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	136	BTD	771025-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
2920	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	137	BTD	169448-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
2921	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	137	BTD	295520-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2922	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	138	Left from door	654401-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2923	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	138	Left from door	678571-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2924	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	139	Right wall by socket	111079-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
2925	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	139	Right wall by socket	747296-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2926	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	140	Left from door and under the clock	167528-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2927	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	140	Left from door and under the clock	289424-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
2928	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	102 (Rm 5)	BTD	257405-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2929	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	102 (Rm 5)	BTD	544689-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
2930	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	103 in 102 (Rm 5)	BTD	743305-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2931	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	103 in 102 (Rm 5)	BTD	940627-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
2932	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	104 in 102 (Rm 5)	BTD	317372-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2933	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	104 in 102 (Rm 5)	BTD	547523-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2934	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105 (Rm 3)	Above fire extinguisher	121695-1	ATD	Radonova	08/10/2022	08/16/2023	0.2
2935	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105 (Rm 3)	Above fire extinguisher	672776-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2936	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105 (Rm 3)		211290-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2937	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105 (Rm 3)		766963-3	ATD	Radonova	08/10/2022	08/16/2023	0.2
2938	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105A in 105 (Rm 3)	Right from door	629504-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2939	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	105A in 105 (Rm 3)	Right from door	826720-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2940	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	110 in 109	BTD	238553-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2941	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	110 in 109	BTD	745770-8	ATD	Radonova	08/10/2022	08/16/2023	0.2
2942	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Division officer office in 105 (Rm 3)	BTD	678288-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2943	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Division officer office in 105 (Rm 3)	BTD	925576-1	ATD	Radonova	08/10/2022	08/16/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
2944	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	In 121/122 on Wall 118	Left wall above old temp sensor	603353-4	ATD	Radonova	08/10/2022	08/16/2023	0.2
2945	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	In 121/122 on Wall 118	Left wall above old temp sensor	935978-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
2946	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	QA Lead Auditor in 105 (Rm 3)	BTD	232029-9	ATD	Radonova	08/10/2022	08/16/2023	0.3
2947	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	QA Lead Auditor in 105 (Rm 3)	BTD	273530-6	ATD	Radonova	08/10/2022	08/16/2023	0.3
2948	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Rm 117	BTD	479614-0	ATD	Radonova	08/10/2022	08/16/2023	0.2
2949	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Rm 117	BTD	526959-2	ATD	Radonova	08/10/2022	08/16/2023	0.2
2950	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Wall 113	Right from double doors	177750-7	ATD	Radonova	08/10/2022	08/16/2023	0.2
2951	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Wall 113	Right from double doors	825276-9	ATD	Radonova	08/10/2022	08/16/2023	0.2
2952	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Wall 126	Over first aid kit	647400-1	ATD	Radonova	08/10/2022	08/16/2023	0.3
2953	NSB Kings Bay	6004	TECHNICAL SERVICES BLDG	Wall 126	Over first aid kit	931467-5	ATD	Radonova	08/10/2022	08/16/2023	0.2
2954	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107	Left from door below paint that says "TEAM"	741253-9	ATD	Radonova	08/09/2022	08/16/2023	0.3
2955	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107	Left from door below paint that says "TEAM"	543739-7	ATD	Radonova	08/09/2022	08/16/2023	0.4
2956	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108	Right from door	493128-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
2957	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108	Right from door	549174-1	ATD	Radonova	08/09/2022	08/16/2023	0.5
2958	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	109	BTD	252079-9	ATD	Radonova	08/09/2022	08/16/2023	0.4
2959	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	109	BTD	355017-5	ATD	Radonova	08/09/2022	08/16/2023	0.4
2960	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	143	Right from wall under the clock	679343-4	ATD	Radonova	08/09/2022	08/16/2023	0.5
2961	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	143	Right from wall under the clock	580493-5	ATD	Radonova	08/09/2022	08/16/2023	0.6
2962	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	144	Right wall next to corkboard	498395-3	ATD	Radonova	08/09/2022	08/16/2023	0.5
2963	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	144	Right wall next to corkboard	538560-4	ATD	Radonova	08/09/2022	08/16/2023	0.5
2964	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	158	Right wall by calender	513180-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
2965	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	158	Right wall by calender	124083-7	ATD	Radonova	08/09/2022	08/16/2023	0.5
2966	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107 BRAVO	BTD	400227-5	ATD	Radonova	08/10/2022	08/16/2023	0.3
2967	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107 BRAVO	BTD	800885-6	ATD	Radonova	08/10/2022	08/16/2023	0.3
2968	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107A within 107	BTD	931407-1	ATD	Radonova	08/09/2022	08/16/2023	0.3
2969	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	107A within 107	BTD	956177-0	ATD	Radonova	08/09/2022	08/16/2023	0.3
2970	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108 C within 108	BTD	196006-1	ATD	Radonova	08/09/2022	08/16/2023	0.4
2971	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108 C within 108	BTD	746501-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
2972	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108A within 108	BTD	735814-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
2973	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108A within 108	BTD	403268-6	ATD	Radonova	08/09/2022	08/16/2023	0.6
2974	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108B within 108	BTD	245566-5	ATD	Radonova	08/09/2022	08/16/2023	0.3
2975	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108B within 108	BTD	759866-7	ATD	Radonova	08/09/2022	08/16/2023	0.4
2976	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108D within 108	BTD	152476-8	ATD	Radonova	08/09/2022	08/16/2023	0.4
2977	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	108D within 108	BTD	671036-2	ATD	Radonova	08/09/2022	08/16/2023	0.5
2978	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	109A within 109	BTD	780657-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
2979	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	109A within 109	BTD	570905-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
2980	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111A	BTD	164098-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
2981	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111A	BTD	542901-4	ATD	Radonova	08/09/2022	08/16/2023	0.6
2982	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111B	BTD	235261-5	ATD	Radonova	08/09/2022	08/16/2023	0.4
2983	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111B	BTD	270027-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
2984	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111C	BTD	595800-4	ATD	Radonova	08/09/2022	08/16/2023	0.4
2985	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	111C	BTD	204500-3	ATD	Radonova	08/09/2022	08/16/2023	0.6
2986	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114A	BTD	818119-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
2987	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114A	BTD	907870-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
2988	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114B	BTD	267170-9	ATD	Radonova	08/09/2022	08/16/2023	0.4
2989	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114B	BTD	730106-2	ATD	Radonova	08/09/2022	08/16/2023	0.4
2990	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114C	BTD	187202-7	ATD	Radonova	08/09/2022	08/16/2023	0.5
2991	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	114C	BTD	820638-5	ATD	Radonova	08/09/2022	08/16/2023	0.6
2992	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	115A	BTD	196583-9	ATD	Radonova	08/09/2022	08/16/2023	0.4
2993	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	115A	BTD	557422-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
2994	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128A	BTD	250154-2	ATD	Radonova	08/09/2022	08/16/2023	0.4
2995	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128A	BTD	768091-1	ATD	Radonova	08/09/2022	08/16/2023	0.4
2996	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128B	BTD	218509-8	ATD	Radonova	08/09/2022	08/16/2023	0.4
2997	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128B	BTD	277361-2	ATD	Radonova	08/09/2022	08/16/2023	0.5
2998	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128C	BTD	398400-2	ATD	Radonova	08/09/2022	08/16/2023	0.4
2999	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128C	BTD	579371-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
3000	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128D	BTD	428882-5	ATD	Radonova	08/09/2022	08/16/2023	0.3
3001	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	128D	BTD	786861-5	ATD	Radonova	08/09/2022	08/16/2023	0.5
3002	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	142B within 142C	BTD	661624-7	ATD	Radonova	08/09/2022	08/16/2023	0.3
3003	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	142B within 142C	BTD	780034-5	ATD	Radonova	08/09/2022	08/16/2023	0.6
3004	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	142C	BTD	389691-7	ATD	Radonova	08/09/2022	08/16/2023	0.4
3005	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	142C	BTD	449750-9	ATD	Radonova	08/09/2022	08/16/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
3006	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	146A within 150	BTD	154930-2	ATD	Radonova	08/09/2022	08/16/2023	0.4
3007	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	146A within 150	BTD	214421-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
3008	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	152A in HR office on wall B5	BTD	741196-0	ATD	Radonova	08/09/2022	08/16/2023	0.4
3009	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	152A in HR office on wall B5	BTD	491996-5	ATD	Radonova	08/09/2022	08/16/2023	0.5
3010	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	153A	BTD	744018-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
3011	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	153A	BTD	822256-4	ATD	Radonova	08/09/2022	08/16/2023	0.4
3012	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	158A in 158	BTD	278636-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
3013	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	158A in 158	BTD	347057-2	ATD	Radonova	08/09/2022	08/16/2023	0.4
3014	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	165 within 144	BTD	578678-5	ATD	Radonova	08/09/2022	08/16/2023	0.4
3015	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	165 within 144	BTD	515185-7	ATD	Radonova	08/09/2022	08/16/2023	0.6
3016	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Conference room on wall B5	Left from door	237163-1	ATD	Radonova	08/09/2022	08/16/2023	0.3
3017	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Conference room on wall B5	Left from door	723571-6	ATD	Radonova	08/09/2022	08/16/2023	0.4
3018	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	H10 Column	Above fire extinguisher	436835-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
3019	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	H10 Column	Above fire extinguisher	398290-7	ATD	Radonova	08/09/2022	08/16/2023	0.5
3020	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	H8 Column	By thermostat	295274-5	ATD	Radonova	08/09/2022	08/16/2023	0.4
3021	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	H8 Column	By thermostat	191033-0	ATD	Radonova	08/09/2022	08/16/2023	0.5
3022	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	HR office on wall B5	BTD	977495-1	ATD	Radonova	08/09/2022	08/16/2023	0.4
3023	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	HR office on wall B5	BTD	341561-9	ATD	Radonova	08/09/2022	08/16/2023	0.5
3024	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	HR office on wall B5	Right wall by cubicles	380618-9	ATD	Radonova	08/09/2022	08/16/2023	0.5
3025	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	HR office on wall B5	Right wall by cubicles	932286-8	ATD	Radonova	08/09/2022	08/16/2023	0.5
3026	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Large cubicle space	On H4 column	378373-5	ATD	Radonova	08/09/2022	08/16/2023	0.4
3027	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Large cubicle space	On H4 column	971838-8	ATD	Radonova	08/09/2022	08/16/2023	0.4
3028	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Large cubicle space	Parallel to hallway across from wall C1	259920-7	ATD	Radonova	08/09/2022	08/16/2023	0.4
3029	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Large cubicle space	Parallel to hallway across from wall C1	946410-8	ATD	Radonova	08/09/2022	08/16/2023	0.4
3030	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Leftside cubicles within 150	Left cubicle area by Jason Bacon office	230816-1	ATD	Radonova	08/09/2022	08/16/2023	0.4
3031	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Leftside cubicles within 150	Left cubicle area by Jason Bacon office	989310-8	ATD	Radonova	08/09/2022	08/16/2023	0.4
3032	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Rightside cubicles within 150	Back right corner cubicle wall by break area	135776-3	ATD	Radonova	08/09/2022	08/16/2023	0.4
3033	NSB Kings Bay	6005	ENGINEERING SERVICES BLDG	Rightside cubicles within 150	Back right corner cubicle wall by break area	502324-7	ATD	Radonova	08/09/2022	08/16/2023	0.4
3034	NSB Kings Bay	6011	PASS & ID FAC (FRANKLIN GATE)	Admin area (left side)	On back of cubicle, by printer	791691-9	ATD	Radonova	10/12/2022	09/27/2023	0.3
3035	NSB Kings Bay	6011	PASS & ID FAC (FRANKLIN GATE)	Admin area (left side)	On back of cubicle, by printer	746127-0	ATD	Radonova	10/12/2022	09/27/2023	0.6
3036	NSB Kings Bay	6011	PASS & ID FAC (FRANKLIN GATE)	Waiting area	By thermostat	964071-5	ATD	Radonova	10/12/2022	09/27/2023	0.3
3037	NSB Kings Bay	6011	PASS & ID FAC (FRANKLIN GATE)	Waiting area	By thermostat	690768-7	ATD	Radonova	10/12/2022	09/27/2023	0.4
3038	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	102	BTD	517359-6	ATD	Radonova	09/01/2022	09/26/2023	0.9
3039	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	102	BTD	751957-2	ATD	Radonova	09/01/2022	09/26/2023	1.1
3040	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	103	Right of door	621317-7	ATD	Radonova	09/01/2022	09/26/2023	0.9
3041	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	103	Right of door	386575-5	ATD	Radonova	09/01/2022	09/26/2023	1.1
3042	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	104 [training/conference]	Left of door, above light switch	515367-1	ATD	Radonova	09/01/2022	09/26/2023	1.0
3043	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	104 [training/conference]	Left of door, above light switch	998558-1	ATD	Radonova	09/01/2022	09/26/2023	1.0
3044	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Hallway	Btwn outside 116 & 115	513501-7	ATD	Radonova	09/01/2022	09/26/2023	0.9
3045	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Hallway	Btwn outside 116 & 115	375629-3	ATD	Radonova	09/01/2022	09/26/2023	1.1
3046	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Medical [Across 115]	BTD	353101-9	ATD	Radonova	09/01/2022	09/26/2023	1.0
3047	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Medical [Across 115]	BTD	955643-2	ATD	Radonova	09/01/2022	09/26/2023	1.0
3048	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Supply locker	Above mail/paper plastic cabinet by corner	257258-4	ATD	Radonova	09/01/2022	09/26/2023	0.9
3049	NSB Kings Bay	6013	INSHORE BOAT UNIT MAINTENANCE FACILITY	Supply locker	Above mail/paper plastic cabinet by corner	573163-3	ATD	Radonova	09/01/2022	09/26/2023	1.0
3050	NSB Kings Bay	6015	RECYCLING CENTER (MWR)	right side of bldg, middle section	Short wall	589619-6	ATD	Radonova	10/11/2022	09/26/2023	0.2
3051	NSB Kings Bay	6015	RECYCLING CENTER (MWR)	right side of bldg, middle section	Short wall	125060-4	ATD	Radonova	10/11/2022	09/26/2023	0.4
3052	NSB Kings Bay	6018	DRMO ADMIN BUILDING	102	BTD	278847-9	ATD	Radonova	10/11/2022	09/26/2023	0.2
3053	NSB Kings Bay	6018	DRMO ADMIN BUILDING	102	BTD	422862-3	ATD	Radonova	10/11/2022	09/26/2023	0.2
3054	NSB Kings Bay	6018	DRMO ADMIN BUILDING	104	BTD	367840-6	ATD	Radonova	10/11/2022	09/26/2023	0.2
3055	NSB Kings Bay	6018	DRMO ADMIN BUILDING	104	BTD	203666-3	ATD	Radonova	10/11/2022	09/26/2023	0.2
3056	NSB Kings Bay	6018	DRMO ADMIN BUILDING	109	Above telephone, by wall w/ fire alarm	136933-9	ATD	Radonova	10/11/2022	09/26/2023	0.4
3057	NSB Kings Bay	6018	DRMO ADMIN BUILDING	109	Above telephone, by wall w/ fire alarm	185934-7	ATD	Radonova	10/11/2022	09/26/2023	0.4
3058	NSB Kings Bay	6018	DRMO ADMIN BUILDING	Outside 109	BTD	378495-6	ATD	Radonova	10/11/2022	09/26/2023	0.2
3059	NSB Kings Bay	6018	DRMO ADMIN BUILDING	Outside 109	BTD	167298-9	ATD	Radonova	10/11/2022	09/26/2023	0.2

	A	B	C	D	E	F	G	H	I	J	K
3060	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Entry rm	BTD	122056-5	ATD	Radonova	10/11/2022	09/26/2023	0.2
3061	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Entry rm	BTD	547067-9	ATD	Radonova	10/11/2022	09/26/2023	0.4
3062	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Left Office	BTD	622904-1	ATD	Radonova	10/11/2022	09/26/2023	0.2
3063	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Left Office	BTD	469524-3	ATD	Radonova	10/11/2022	09/26/2023	0.3
3064	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Manager's Office [right side]	BTD	414692-4	ATD	Radonova	10/11/2022	09/26/2023	0.3
3065	NSB Kings Bay	6020	HAZ WASTE STOR & TRANS FAC	Manager's Office [right side]	BTD	968474-7	ATD	Radonova	10/11/2022	09/26/2023	0.4
3066	NSB Kings Bay	6025	ADMIN TRAILER	Main Area, outside bathroom	Under Wall Clock	166590-0	ATD	Radonova	10/12/2022	09/26/2023	0.3
3067	NSB Kings Bay	6025	ADMIN TRAILER	Main Area, outside bathroom	Under Wall Clock	746596-6	ATD	Radonova	10/12/2022	09/26/2023	0.2
3068	NSB Kings Bay	6025	ADMIN TRAILER	SWFLANT HVAC	Under bulletin board	391419-9	ATD	Radonova	10/12/2022	09/26/2023	0.2
3069	NSB Kings Bay	6025	ADMIN TRAILER	SWFLANT HVAC	Under bulletin board	441517-0	ATD	Radonova	10/12/2022	09/26/2023	0.2
3070	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	101	BTD	424622-9	ATD	Radonova	08/12/2022	08/15/2023	0.4
3071	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	101	BTD	556201-2	ATD	Radonova	08/12/2022	08/15/2023	0.5
3072	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	103	BTD	837841-6	ATD	Radonova	08/12/2022	08/15/2023	0.4
3073	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	103	BTD	759868-3	ATD	Radonova	08/12/2022	08/15/2023	0.5
3074	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	104	BTD	497405-1	ATD	Radonova	08/12/2022	08/15/2023	0.4
3075	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	104	BTD	725337-0	ATD	Radonova	08/12/2022	08/15/2023	0.4
3076	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	105	BTD	173260-1	ATD	Radonova	08/12/2022	08/15/2023	0.5
3077	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	105	BTD	504696-6	ATD	Radonova	08/12/2022	08/15/2023	0.5
3078	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	108	BTD	180905-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
3079	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	108	BTD	317506-4	ATD	Radonova	08/12/2022	08/15/2023	0.6
3080	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	109	Left wall behind bookcase	296636-4	ATD	Radonova	08/12/2022	08/15/2023	0.5
3081	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	109	Left wall behind bookcase	189336-1	ATD	Radonova	08/12/2022	08/15/2023	0.7
3082	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	110	Left from door	201133-6	ATD	Radonova	08/12/2022	08/15/2023	0.4
3083	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	110	Left from door	630741-7	ATD	Radonova	08/12/2022	08/15/2023	0.5
3084	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	122	BTD	144448-8	ATD	Radonova	08/12/2022	08/15/2023	0.3
3085	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	122	BTD	171852-7	ATD	Radonova	08/12/2022	08/15/2023	ERR
3086	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	129	BTD	813130-2	ATD	Radonova	08/12/2022	08/15/2023	0.3
3087	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	129	BTD	917372-5	ATD	Radonova	08/12/2022	08/15/2023	0.4
3088	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	130	BTD	527974-0	ATD	Radonova	08/12/2022	08/15/2023	0.2
3089	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	130	BTD	630296-2	ATD	Radonova	08/12/2022	08/15/2023	0.4
3090	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	132	Right from door above light switch	439498-7	ATD	Radonova	08/12/2022	08/15/2023	0.6
3091	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	132	Right from door above light switch	559529-3	ATD	Radonova	08/12/2022	08/15/2023	0.6
3092	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	133	BTD	431128-8	ATD	Radonova	08/12/2022	08/15/2023	0.5
3093	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	133	BTD	511105-9	ATD	Radonova	08/12/2022	08/15/2023	0.6
3094	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	134	BTD	243732-5	ATD	Radonova	08/12/2022	08/15/2023	0.4
3095	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	134	BTD	286364-5	ATD	Radonova	08/12/2022	08/15/2023	0.4
3096	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	112 in 114	BTD	161543-4	ATD	Radonova	08/12/2022	08/15/2023	0.5
3097	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	112 in 114	BTD	816322-2	ATD	Radonova	08/12/2022	08/15/2023	0.6
3098	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	113 in 144	BTD	646294-9	ATD	Radonova	08/12/2022	08/15/2023	0.6
3099	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	113 in 144	BTD	824603-5	ATD	Radonova	08/12/2022	08/15/2023	0.6
3100	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	Hall between rms 121 & 127	By fire extinguisher	925645-4	ATD	Radonova	08/12/2022	08/15/2023	0.5
3101	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	Hall between rms 121 & 127	By fire extinguisher	805425-6	ATD	Radonova	08/12/2022	08/15/2023	0.6
3102	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	Room within 118	BTD on right wall	564557-7	ATD	Radonova	08/12/2022	08/15/2023	0.4
3103	NSB Kings Bay	1030	EDUCATIONAL SERVICES BLDG.	Room within 118	BTD on right wall	779651-9	ATD	Radonova	08/12/2022	08/15/2023	0.4
3104	NSB Kings Bay	1052 (FSC classroom)	CPSC SOUTH BLDG	Break room	BTD	212461-8	ATD	Radonova	08/09/2022	08/15/2023	0.7
3105	NSB Kings Bay	1052 (FSC classroom)	CPSC SOUTH BLDG	Break room	BTD	982567-0	ATD	Radonova	08/09/2022	08/15/2023	0.7
3106	NSB Kings Bay	1052 (FSC classroom)	CPSC SOUTH BLDG	Classroom area	Right column by clock	254515-0	ATD	Radonova	08/09/2022	08/15/2023	0.7
3107	NSB Kings Bay	1052 (FSC classroom)	CPSC SOUTH BLDG	Classroom area	Right column by clock	442213-5	ATD	Radonova	08/09/2022	08/15/2023	0.7
3108	NSB Kings Bay	1052 (ID Office)	CPSC SOUTH BLDG	Cubicle space	By water fountain and above fire extinguisher	602326-1	ATD	Radonova	08/09/2022	08/15/2023	1.2
3109	NSB Kings Bay	1052 (ID Office)	CPSC SOUTH BLDG	Cubicle space	By water fountain and above fire extinguisher	916599-4	ATD	Radonova	08/09/2022	08/15/2023	1.2
3110	NSB Kings Bay	1052 (ID Office)	CPSC SOUTH BLDG	Room next to director room	BTD	577802-2	ATD	Radonova	08/09/2022	08/15/2023	1.2
3111	NSB Kings Bay	1052 (ID Office)	CPSC SOUTH BLDG	Room next to director room	BTD	766666-2	ATD	Radonova	08/09/2022	08/15/2023	1.2
3112	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st conference room on left down hallway	BTD	584176-2	ATD	Radonova	08/09/2022	08/15/2023	0.6
3113	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st conference room on left down hallway	BTD	660853-3	ATD	Radonova	08/09/2022	08/15/2023	0.6
3114	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st door of left when hallway loops to left	BTD	350882-7	ATD	Radonova	08/09/2022	08/15/2023	0.9
3115	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st door of left when hallway loops to left	BTD	733758-7	ATD	Radonova	08/09/2022	08/15/2023	0.9
3116	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st office on right down hallway	BTD	701031-7	ATD	Radonova	08/09/2022	08/15/2023	0.8
3117	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	1st office on right down hallway	BTD	611003-5	ATD	Radonova	08/09/2022	08/15/2023	0.9
3118	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	2nd office on right down hallway	BTD	141556-1	ATD	Radonova	08/09/2022	08/15/2023	0.7
3119	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	2nd office on right down hallway	BTD	120750-5	ATD	Radonova	08/09/2022	08/15/2023	0.9

	A	B	C	D	E	F	G	H	I	J	K
3120	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	By library	BTD	912873-7	ATD	Radonova	08/09/2022	08/15/2023	0.7
3121	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	By library	BTD	775830-3	ATD	Radonova	08/09/2022	08/15/2023	0.9
3122	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Court room waiting area	BTD	515731-8	ATD	Radonova	08/09/2022	08/15/2023	0.7
3123	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Court room waiting area	BTD	195869-3	ATD	Radonova	08/09/2022	08/15/2023	0.8
3124	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Front lobby	Behind front desk inside desk area	976643-7	ATD	Radonova	08/09/2022	08/15/2023	0.7
3125	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Front lobby	Behind front desk inside desk area	215111-6	ATD	Radonova	08/09/2022	08/15/2023	0.8
3126	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Right waiting room from lobby entrance	BTD	331134-7	ATD	Radonova	08/09/2022	08/15/2023	0.7
3127	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Right waiting room from lobby entrance	BTD	610267-7	ATD	Radonova	08/09/2022	08/15/2023	0.9
3128	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room behind front desk	BTD	173662-8	ATD	Radonova	08/09/2022	08/15/2023	0.9
3129	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room behind front desk	BTD	772697-9	ATD	Radonova	08/09/2022	08/15/2023	0.9
3130	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room by exit sign	BTD	728804-6	ATD	Radonova	08/09/2022	08/15/2023	0.8
3131	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room by exit sign	BTD	736378-1	ATD	Radonova	08/09/2022	08/15/2023	0.8
3132	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room by side entrance	BTD	377994-9	ATD	Radonova	08/09/2022	08/15/2023	0.8
3133	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room by side entrance	BTD	638285-7	ATD	Radonova	08/09/2022	08/15/2023	0.8
3134	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room in front of jail cell	BTD	516417-3	ATD	Radonova	08/09/2022	08/15/2023	0.7
3135	NSB Kings Bay	1052 (Legal Assistance)	CPSC SOUTH BLDG	Room in front of jail cell	BTD	146136-7	ATD	Radonova	08/09/2022	08/15/2023	0.9
3136	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Back right office	BTD	809070-6	ATD	Radonova	08/09/2022	08/15/2023	1.2
3137	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Back right office	BTD	159341-7	ATD	Radonova	08/09/2022	08/15/2023	1.3
3138	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	CDR Correction Officer Dave Vicks Office	BTD	587130-6	ATD	Radonova	08/09/2022	08/15/2023	1.3
3139	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	CDR Correction Officer Dave Vicks Office	BTD	407344-1	ATD	Radonova	08/09/2022	08/15/2023	1.4
3140	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	CMC Joe Orlando	BTD	144238-3	ATD	Radonova	08/09/2022	08/15/2023	1.2
3141	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	CMC Joe Orlando	BTD	698495-9	ATD	Radonova	08/09/2022	08/15/2023	1.3
3142	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Conference room down hallway	BTD	617100-3	ATD	Radonova	08/09/2022	08/15/2023	1.3
3143	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Conference room down hallway	BTD	632922-1	ATD	Radonova	08/09/2022	08/15/2023	1.3
3144	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Down short hallway	Next to wall opening (concession)	730056-9	ATD	Radonova	08/09/2022	08/15/2023	1.3
3145	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Down short hallway	Next to wall opening (concession)	610585-2	ATD	Radonova	08/09/2022	08/15/2023	1.4
3146	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Logistics Officer Room		714493-4	ATD	Radonova	08/09/2022	08/15/2023	1.3
3147	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Logistics Officer Room		243897-6	ATD	Radonova	08/09/2022	08/15/2023	1.4
3148	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Main cubicle area	Behind bulging wall	669820-3	ATD	Radonova	08/09/2022	08/15/2023	1.2
3149	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Main cubicle area	Behind bulging wall	386193-7	ATD	Radonova	08/09/2022	08/15/2023	1.4
3150	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Main cubicle area	Near emergency lights and bulletin board	818557-1	ATD	Radonova	08/09/2022	08/15/2023	1.1
3151	NSB Kings Bay	1052 (US Coast Guard)	CPSC SOUTH BLDG	Main cubicle area	Near emergency lights and bulletin board	102871-1	ATD	Radonova	08/09/2022	08/15/2023	1.2
3152	NSB Kings Bay	5067 [M1792]	WATERFRONT EQUIP STOR FAC	Conex box-Break Area	Right of entry, next to thermostat	901888-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
3153	NSB Kings Bay	5067 [M1792]	WATERFRONT EQUIP STOR FAC	Conex box-Break Area	Right of entry, next to thermostat	979040-3	ATD	Radonova	09/01/2022	09/26/2023	0.2
3154	NSB Kings Bay	5073 Annex	HULL CLEANING SUPPORT FAC	71A [Training leader office, Conex box]	Side of locker back	685051-5	ATD	Radonova	09/01/2022	08/17/2023	0.3
3155	NSB Kings Bay	5073 Annex	HULL CLEANING SUPPORT FAC	71A [Training leader office, Conex box]	Side of locker back	709865-0	ATD	Radonova	09/01/2022	08/17/2023	0.3
3156	NSB Kings Bay	6003	SWSS WAREHOUSE	116	BTD	785676-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
3157	NSB Kings Bay	6003	SWSS WAREHOUSE	116	BTD	806918-9	ATD	Radonova	08/11/2022	08/16/2023	0.3
3158	NSB Kings Bay	6003	SWSS WAREHOUSE	120	BTD	167815-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
3159	NSB Kings Bay	6003	SWSS WAREHOUSE	120	BTD	916109-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
3160	NSB Kings Bay	6003	SWSS WAREHOUSE	121	BTD	591400-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
3161	NSB Kings Bay	6003	SWSS WAREHOUSE	121	BTD	959848-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
3162	NSB Kings Bay	6003	SWSS WAREHOUSE	122	BTD	580445-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
3163	NSB Kings Bay	6003	SWSS WAREHOUSE	122	BTD	743683-5	ATD	Radonova	08/11/2022	08/16/2023	0.4
3164	NSB Kings Bay	6003	SWSS WAREHOUSE	123	BTD	535784-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
3165	NSB Kings Bay	6003	SWSS WAREHOUSE	123	BTD	629701-4	ATD	Radonova	08/11/2022	08/16/2023	0.2
3166	NSB Kings Bay	6003	SWSS WAREHOUSE	124	BTD	638425-9	ATD	Radonova	08/11/2022	08/16/2023	0.3
3167	NSB Kings Bay	6003	SWSS WAREHOUSE	124	BTD	948662-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
3168	NSB Kings Bay	6003	SWSS WAREHOUSE	125	BTD	491247-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
3169	NSB Kings Bay	6003	SWSS WAREHOUSE	125	BTD	527214-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
3170	NSB Kings Bay	6003	SWSS WAREHOUSE	127	BTD	835366-6	ATD	Radonova	08/11/2022	08/16/2023	0.2
3171	NSB Kings Bay	6003	SWSS WAREHOUSE	127	BTD	998133-3	ATD	Radonova	08/11/2022	08/16/2023	0.2
3172	NSB Kings Bay	6003	SWSS WAREHOUSE	137	Right wall above desk	213086-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
3173	NSB Kings Bay	6003	SWSS WAREHOUSE	137	Right wall above desk	569475-7	ATD	Radonova	08/11/2022	08/16/2023	0.3

	A	B	C	D	E	F	G	H	I	J	K
3174	NSB Kings Bay	6003	SWSS WAREHOUSE	108 cubicles	Next to electrical panel	108707-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
3175	NSB Kings Bay	6003	SWSS WAREHOUSE	108 cubicles	Next to electrical panel	551721-4	ATD	Radonova	08/11/2022	08/16/2023	0.4
3176	NSB Kings Bay	6003	SWSS WAREHOUSE	118 area	Column D19	216728-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
3177	NSB Kings Bay	6003	SWSS WAREHOUSE	118 area	Column D19	741871-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3178	NSB Kings Bay	6003	SWSS WAREHOUSE	119 area	In front of garage door	488374-0	ATD	Radonova	08/11/2022	08/16/2023	0.2
3179	NSB Kings Bay	6003	SWSS WAREHOUSE	119 area	In front of garage door	942948-1	ATD	Radonova	08/11/2022	08/16/2023	2.0
3180	NSB Kings Bay	6003	SWSS WAREHOUSE	136 cubicles	Next to lock box	246934-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
3181	NSB Kings Bay	6003	SWSS WAREHOUSE	136 cubicles	Next to lock box	623662-4	ATD	Radonova	08/11/2022	08/16/2023	0.3
3182	NSB Kings Bay	6003	SWSS WAREHOUSE	140A break room	Right from door above fire bill	419000-5	ATD	Radonova	08/11/2022	08/16/2023	0.4
3183	NSB Kings Bay	6003	SWSS WAREHOUSE	140A break room	Right from door above fire bill	419373-6	ATD	Radonova	08/11/2022	08/16/2023	0.6
3184	NSB Kings Bay	6003	SWSS WAREHOUSE	151/133 area	In front of door 123	114443-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
3185	NSB Kings Bay	6003	SWSS WAREHOUSE	151/133 area	In front of door 123	470105-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
3186	NSB Kings Bay	6003	SWSS WAREHOUSE	158 Cubicles	Near electrical panels	448033-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
3187	NSB Kings Bay	6003	SWSS WAREHOUSE	158 Cubicles	Near electrical panels	449642-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3188	NSB Kings Bay	6003	SWSS WAREHOUSE	160 Area	Above fire extinguisher	240173-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
3189	NSB Kings Bay	6003	SWSS WAREHOUSE	160 Area	Above fire extinguisher	600103-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
3190	NSB Kings Bay	6003	SWSS WAREHOUSE	170/60	BTD	139773-6	ATD	Radonova	08/11/2022	08/16/2023	0.4
3191	NSB Kings Bay	6003	SWSS WAREHOUSE	170/60	BTD	252414-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3192	NSB Kings Bay	6003	SWSS WAREHOUSE	171/61	BTD	802092-7	ATD	Radonova	08/11/2022	08/16/2023	0.2
3193	NSB Kings Bay	6003	SWSS WAREHOUSE	171/61	BTD	778725-2	ATD	Radonova	08/11/2022	08/16/2023	0.4
3194	NSB Kings Bay	6003	SWSS WAREHOUSE	172/58	BTD	758374-3	ATD	Radonova	08/11/2022	08/16/2023	0.5
3195	NSB Kings Bay	6003	SWSS WAREHOUSE	172/58	BTD	590006-3	ATD	Radonova	08/11/2022	08/16/2023	0.6
3196	NSB Kings Bay	6003	SWSS WAREHOUSE	173/59	BTD	535812-2	ATD	Radonova	08/11/2022	08/16/2023	0.4
3197	NSB Kings Bay	6003	SWSS WAREHOUSE	173/59	BTD	592441-0	ATD	Radonova	08/11/2022	08/16/2023	0.5
3198	NSB Kings Bay	6003	SWSS WAREHOUSE	177/57	Behind his desk	584163-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
3199	NSB Kings Bay	6003	SWSS WAREHOUSE	177/57	Behind his desk	158143-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3200	NSB Kings Bay	6003	SWSS WAREHOUSE	178/56	Right wall above desk	432109-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
3201	NSB Kings Bay	6003	SWSS WAREHOUSE	178/56	Right wall above desk	617083-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
3202	NSB Kings Bay	6003	SWSS WAREHOUSE	179 cubicles	BTD	608720-9	ATD	Radonova	08/11/2022	08/16/2023	0.4
3203	NSB Kings Bay	6003	SWSS WAREHOUSE	179 cubicles	BTD	619366-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3204	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	East wall by fire extinguisher; close to north wall	376998-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
3205	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	East wall by fire extinguisher; close to north wall	399141-1	ATD	Radonova	08/11/2022	08/16/2023	0.3
3206	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	East wall near South wall	709650-6	ATD	Radonova	08/11/2022	08/16/2023	0.3
3207	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	East wall near South wall	773649-9	ATD	Radonova	08/11/2022	08/16/2023	0.5
3208	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	On C3 Beam	131837-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
3209	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	On C3 Beam	406883-9	ATD	Radonova	08/11/2022	08/16/2023	0.3
3210	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	On C6 Beam	404812-0	ATD	Radonova	08/11/2022	08/16/2023	0.3
3211	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	On C6 Beam	131608-2	ATD	Radonova	08/11/2022	08/16/2023	0.5
3212	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	Outside 146 door by fire extinguisher	228347-1	ATD	Radonova	08/11/2022	08/16/2023	0.2
3213	NSB Kings Bay	6003	SWSS WAREHOUSE	Bulk Storage Part of Building	Outside 146 door by fire extinguisher	975488-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3214	NSB Kings Bay	6003	SWSS WAREHOUSE	Cell 7	On beam with extinguisher	184285-5	ATD	Radonova	08/11/2022	08/16/2023	0.2
3215	NSB Kings Bay	6003	SWSS WAREHOUSE	Cell 7	On beam with extinguisher	305216-4	ATD	Radonova	08/11/2022	08/16/2023	0.5
3216	NSB Kings Bay	6003	SWSS WAREHOUSE	East wall by North wall garage	Behind desks by worker certificates	476784-4	ATD	Radonova	08/11/2022	08/16/2023	0.4
3217	NSB Kings Bay	6003	SWSS WAREHOUSE	East wall by North wall garage	Behind desks by worker certificates	733154-9	ATD	Radonova	08/11/2022	08/16/2023	0.5
3218	NSB Kings Bay	6003	SWSS WAREHOUSE	Near beam 12C	Above fire extinguisher	142648-5	ATD	Radonova	08/11/2022	08/16/2023	0.3
3219	NSB Kings Bay	6003	SWSS WAREHOUSE	Near beam 12C	Above fire extinguisher	525839-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
3220	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside 157	to opening of area 152	515081-8	ATD	Radonova	08/11/2022	08/16/2023	0.4
3221	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside 157	to opening of area 152	733469-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
3222	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside door 104	Above fire extinguisher	271083-8	ATD	Radonova	08/11/2022	08/16/2023	0.3
3223	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside door 104	Above fire extinguisher	455023-2	ATD	Radonova	08/11/2022	08/16/2023	0.3
3224	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside door 154	By fire extinguisher	284467-8	ATD	Radonova	08/11/2022	08/16/2023	0.2
3225	NSB Kings Bay	6003	SWSS WAREHOUSE	Outside door 154	By fire extinguisher	668672-9	ATD	Radonova	08/11/2022	08/16/2023	0.3
3226	NSB Kings Bay	6003	SWSS WAREHOUSE	South wall by 36 sign	Above 36 room on right	733051-7	ATD	Radonova	08/11/2022	08/16/2023	0.3
3227	NSB Kings Bay	6003	SWSS WAREHOUSE	South wall by 36 sign	Above 36 room on right	174047-1	ATD	Radonova	08/11/2022	08/16/2023	0.4
3228	NSB Kings Bay	6003	SWSS WAREHOUSE	South wall by cubicles	By ladder	774249-7	ATD	Radonova	08/11/2022	08/16/2023	0.5
3229	NSB Kings Bay	6003	SWSS WAREHOUSE	South wall by cubicles	By ladder	558274-7	ATD	Radonova	08/11/2022	08/16/2023	0.6
3230	NSB Kings Bay	6003	SWSS WAREHOUSE	Wall by beam 8C	On beam 8C with desk	602575-3	ATD	Radonova	08/11/2022	08/16/2023	0.3
3231	NSB Kings Bay	6003	SWSS WAREHOUSE	Wall by beam 8C	On beam 8C with desk	198571-2	ATD	Radonova	08/11/2022	08/16/2023	0.4

	A	B	C	D	E	F	G	H	I	J	K
3232	NSB Kings Bay	EB	ELECTRIC BOAT	Left conex box [GD tool rm]	Right side behind metal strip shelf	396691-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
3233	NSB Kings Bay	EB	ELECTRIC BOAT	Left conex box [GD tool rm]	Right side behind metal strip shelf	429714-9	ATD	Radonova	09/01/2022	09/26/2023	0.2
3234	NSB Kings Bay	EB	ELECTRIC BOAT	Right conex box [GD Supervision office]	Left side fridge	226383-8	ATD	Radonova	09/01/2022	09/26/2023	0.2
3235	NSB Kings Bay	EB	ELECTRIC BOAT	Right conex box [GD Supervision office]	Left side fridge	629973-9	ATD	Radonova	09/01/2022	09/26/2023	0.2