

NAVFAC Southeast

Cybersecurity Maturity Model Certification (CMMC)

CIO

Andrea Freeman, Command Information Officer Joseph Ellis, Cybersecurity Division Director/Command ISSM 22 March 2023

NAVFAC SE CIO Cybersecurity POCs



CYBERSECURITY PROGRAM OVERSIGHT



CIO: Andrea Freeman Command Information Officer 904-542-4191

CIO2 CYBERSECURITY



CIO2: Joseph Ellis - 904-542-5839 Cybersecurity Division Director Command Information Systems Security Manager



CIO21: Antonio Jefferson 904-542-9056 FRCS Branch Manager Risk Management Framework (RMF) Requests for Authority-to-Operate (ATO)

CIO PM: Venita Hollinger Cybersecurity Contracts Manager

904-542-2490 Responsible for tracking all construction contracts with Cybersecurity requirements through to step 6 of the RMF process.



CIO41: Kevin Gaddist 904-542-8495 OT Enterprise Support Branch Manager Control System Platform Enclave (CSPE) Cyber Hygiene

CIO4 OPERATIONAL TECHNOLOGY



CIO4: Charlie Weaver - 904-542-8482 Operation Technology Division Director

What is the CMMC?




The Cybersecurity Maturity Model Certification (CMMC) program is aligned to DoD's information security requirements for DIB partners. It is designed to enforce protection of sensitive unclassified information that is shared by the Department with its contractors and subcontractors.

The CMMC 2.0 program has three key features:

- **Tiered Model**: CMMC requires that companies entrusted with national security information implement cybersecurity standards at progressively advanced levels, depending on the type and sensitivity of the information. The program also sets forward the process for requiring protection of information that is flowed down to subcontractors.
- Assessment Requirement: CMMC assessments allow the Department to verify the implementation of clear cybersecurity standards.
- Implementation through Contracts: Once CMMC is fully implemented, certain DoD contractors that handle sensitive unclassified DoD information will be required to achieve a particular CMMC level as a condition of contract award.

The CMMC 1.0 vs 2.0 Model





Model 2 simplifies the CMMC standard for companies, while safeguarding critical Department of Defense information

What is the difference between NIST SP 800-171 compliance and CMMC?



CMMC – is **designed to enforce** protection of sensitive unclassified information that is shared by the Department of Defense with its contractors and subcontractors. Requirements are based on NIST SP 800-171 guidelines.

NIST SP 800-171 - provides recommended

security requirements for protecting the confidentiality of sensitive unclassified information residing in a nonfederal system and organization.


The major differences between these are:

- CMMC compliance does **not** necessarily mean NIST SP 800-171 compliance
- CMMC Level 1 is the lowest level of certification
- CMMC Level 2 & 3 requires application of NIST SP800-171 and associated NIST SP800-172 controls

CMMC 2.0 LEVEL	CONTROL COUNT	CERTIFICATION PATH
LEVEL 3 Expert "Special CUI"	≤ 206 CONTROLS 110 CUI + 61 NFO controls from NIST SP 800-171 & ≤ 35 controls from NIST SP 800-172	HIGH PRIORITY DoD-staffed (DIBCAC) assessment every 3 years
LEVEL 2 Advanced "Regular CUI"	171 CONTROLS 110 CUI + 61 NFO controls from NIST SP 800-171	PRIORITIZED ACQUISITIONS: CMMC-AB approved C3PAO assessment every 3 years <u>NON-PRIORITIZED</u> ACQUISITIONS: Annual self-assessment (OSC conducted)
LEVEL 1 Foundational FCI	17 CONTROLS based on 15 basic cybersecurity controls from FAR 52.204-21	ANNUAL SELF-ASSESSMENT

Difference between CMMC and UFGS 25-05-11





CMMC NIST SP800-171/172

UFC 4-010-06 UFGS 25-05-11

Protection of Government Data a MUST!





What is the relationship between National Institute of Standards and Technology (NIST) Special Publication (SP) 800-171 and CMMC?

Compliance with NIST standards are levied as contractual requirements via inclusion of clauses such as FAR 52.204-21 and DFARS 252.204-7012. The relationship between CMMC and the NIST standards is that CMMC requirements will result in a contractor self-assessment, or a third-party assessment, to determine whether the applicable NIST standard (as identified by the DFARS clause) has been met. The FAR clause states the basic safeguarding requirements for CMMC Level 1 compliance. Under CMMC 2.0, a Level 2 assessment will be conducted against the NIST SP 800-171 standard and a Level 3 assessment will be based on a subset of NIST SP 800-172 requirements.

Will prime contractors and subcontractors be required to maintain the same CMMC level?

If contractors and subcontractors are handling the same type of FCI and CUI, then the same CMMC level will apply. In cases where the prime only flows down select information, a lower CMMC level may apply to the subcontractor.

Would it be safe to say that customer data is CUI and administrative data is FCI?

The definition of FCI is in FAR 52.204-21 and CUI in 32 CFR Part 2002, respectively. The DoD CUI Quick Reference Guide, located at <u>https://www.dodcui.mil</u>, includes information on CUI. In addition, the Defense Counterintelligence and Security Agency (DCSA) provides answers to Frequently Asked Questions at:

https://www.dcsa.mil/Portals/91/Documents/CTP/CUI/21-10-13%20CUI%20FAQ%20FINAL.pdf. These FAQs describe the difference between FCI and CUI as follows: "Both CUI and FCI include information created or collected by or for the Government, as well as information received from the Government. However, while FCI is any information that is 'not intended for public release,' CUI is information that requires safeguarding and may also be subject to dissemination controls."



- Cybersecurity Maturity Model Certification: <u>https://dodcio.defense.gov/CMMC/</u>
- NIST SP 800-171 Rev. 2: Protecting Controlled Unclassified Information in Nonfederal Systems and Organizations
- NIST SP 800-172: Enhanced Security Requirements for Protecting Controlled Unclassified Information: A Supplement to NIST Special Publication 800-171
- UFC 4-010-06: Cybersecurity of Facility-related Control Systems
- **UFGS 25-05-11:** Cybersecurity For Facility-related Control Systems



Questions?